

Exam Code: 920-251

Exam Name: nncss-alteon

Vendor: Nortel

Version: DEMO

Part: A

1: Identify two that are Layer 4 CLI commands.

- A./cfg/slb/cur
- B./info/arp/dump
- C./stats/slb/real <real-server-number>
- D./stats/port/ <num> <ether/if/link>

Correct Answers: A C

2: Which two metrics are supported in Intrusion Detection System load balancing?

- A.minmisses
- B.leastconns
- C.roundrobin
- D.response

Correct Answers: A C

3: Which command changes the realserver port to 8080?

- A./cfg/slb/virt <virt number> /service <service number> /rport 8080
- B./cfg/slb/real <real number>/service <service number>/rport 8080
- C./cfg/slb/virt <virt number>/service <service number>/sport 8080
- D./cfg/slb/group <group number>/service <service number>/rport 8080

Correct Answers: A

4: Which two can each port in use on the switch be configured to process?

- A.client requests
- B.ARP requests
- C.server processing
- D.filter requests

Correct Answers: A C

5: What three things must you do to create a bandwidth management policy (allocate available bandwidth)?

- A.Receive a policy number
- B.Map IP addresses in a sufficient range
- C.Specify limits (reservation limit, soft limit, hard limit)
- D.Specify buffer limit

Correct Answers: A C D

6: Select two valid characteristics of content identifiers such as URLs.

- A.be of varying lengths
- B.appear at unpredictable locations within a request
- C.be interrupted by VLAN tagging
- D.be terminated by VLAN tagging

Correct Answers: A B

7: Which two statements are true with regard to the Least Connections metric?

- A. New connections are assigned to the server with the fewest active connection
- B. Weighting has no effect
- C. Maximum connection option is supported
- D. New connections are distributed in round-robin fashion

Correct Answers: A C

8: Select three attributes that are benefits of Global Server Load Balancing (GSLB).

- A. It takes geography and network topology into account
- B. It supports all IP protocols
- C. It does not require a DNS configuration
- D. It has no latency during the client setup

Correct Answers: A B D

9: Which two of the following are benefits of using an SSL offload device?

- A. Less load on server CPUs
- B. Cookie-based persistence can be used for SSL traffic
- C. Increased performance for http traffic
- D. Stronger maximum cipher strength

Correct Answers: A B

10: What could cause switches to improperly redirect traffic? Select two.

- A. IP forwarding is turned ON.
- B. Filtering is not enabled on the correct port.
- C. RTS is not enabled on the correct port.
- D. Packets are being rejected at the VIP.

Correct Answers: B C