

**Exam Code:** 4h0-028

**Exam Name:** Hyperion Certified Professional - System 9

Planning 4.1

**Vendor:** Hyperion Solutions

**Version:** DEMO

## Part: A

1: Which three predefined types of base time periods can be established when creating the calendar? (CHOOSE THREE)

- A.Weekly
- B.Monthly
- C.Quarterly
- D.Yearly
- E.Custom

**Correct Answers: B C E**

2: Plan Type 1 is specified as the source plan type for a member. This member is selected on a form associated with Plan Type 2. Which statement is true?

- A.Assuming write access to the member, the user can enter data to the member on the form.
- B.Assuming the planning unit is promoted to the user, the user can enter data to the member on the form.
- C.The member is not displayed on the form.
- D.The user will see the member displayed as read-only on the form.

**Correct Answers: D**

3: When should you use multiple plan types?

- A.When detailed revenue information must be separate from high-level P and L summary accounts
- B.When multiple currencies must be kept in a separate database
- C.When exchange rates must be kept in a separate database
- D.When data cannot be shared across an organization

**Correct Answers: A**

4: Which element can be changed after the Hyperion Planning application has been created?

- A.weekly distribution spread
- B.default currency
- C.number of years
- D.number of plan types
- E.starting fiscal year and month

**Correct Answers: C**

5: What action creates the HSP\_Rates dimension?

- A.Creating a new Exchange Rate table and refreshing the application
- B.Setting up an application that supports multiple currencies
- C.Creating a new currency and refreshing the application
- D.Running a Currency Conversion CalcScript during a refresh

**Correct Answers: B**

6: When defining the base time period and weekly distribution methods, which statement is true?

- A.If you select a Weekly distribution method, Hyperion Planning sets every account member to that distribution method.
- B.The weekly distribution pattern options are available only if you select the base time period option 12 Months.
- C.If you select the 4-4-5 pattern, Hyperion Planning treats the first month in a quarter as if it has four weeks, and the last two months in the quarter as if they have five weeks.
- D.Hyperion Planning allows you to set up weekly distribution patterns, which determine how values are spread when the base time period is monthly.
- E.Hyperion Planning automatically distributes the value over the base time periods that make up the summary time period.

**Correct Answers: E**

7: During the initial application setup, two plan types were created. The administrator now wants to add a third plan type. How can this be accomplished?

- A.After the application has been created, the number of plan types cannot be changed via the Planning Desktop.
- B.Go to Manage Database and create a new plan type.
- C.Go into Analytic Administration Services and create a new database for this application.
- D.Walk through Setup Application again for the same application.

**Correct Answers: A**

8: Which two statements are true? (CHOOSE TWO)

- A.You can assign only aggregation options to User-defined custom dimension members.
- B.You can assign plan types and aggregation options to User-defined custom dimension members.
- C.You can assign only aggregation options to Entity dimension members.
- D.You can assign plan types and aggregation options to Entity dimension members.

**Correct Answers: A D**

9: Which two statements are true about assigning members to plan types? (CHOOSE TWO)

- A.If User-defined custom dimension has been assigned to a plan type in the application, you cannot assign which members are valid in that plan type.
- B.If the plan type is not assigned to a member, that member's children will not have access to that plan type or its aggregation options.
- C.If you have more than one plan type in an application, you cannot assign more than one plan type to an individual dimension member.
- D.If you use a User-defined custom dimension, you can specify the source plan type for the members.

**Correct Answers: A B**

10: The Create Blocks component within Hyperion Business Rules (HBR) is used for the purpose of creating blocks for:

- A.dense member combinations
- B.sparse member combinations
- C.dynamically calculated and stored member combinations

D.attribute member combinations

**Correct Answers: B**

11: A Hyperion Business Rule is launched from a Web form. What will Hyperion Planning utilize to provide a valid list of members for a run-time prompt?

- A.Members defined on a Hyperion Planning web form
- B.Hyperion Planning Metadata security
- C.Hyperion Business Rules run-time prompt security
- D.Hyperion Analytic Services Security Filters

**Correct Answers: B**

12: What must be done prior to using the Create Blocks action in a Hyperion Business Rule (HBR)?

- A.Analytic Services database settings Create Blocks on Equation must be selected.
- B.Analytic Services configuration file (essbase.cfg) must have the Create Blocks option turned on.
- C.Data must be loaded to the blocks prior to running the Hyperion Business Rule.
- D.Analytic Services Information must be validated for the potential number of blocks.

**Correct Answers: A**

13: What option contributes to making an Enhanced Calc Script more flexible over a native Calc Script?

- A.Run on save
- B.@CALCMODE function
- C.Run-time prompts
- D.Can be run from the Planning web

**Correct Answers: C**

14: Which three statements are true about using the formula Variable component in Hyperion Business Rules (HBR)? (CHOOSE THREE)

- A.Can apply to multiple business rules
- B.Can be derived from a calculation
- C.Multiple variables can be used within a single business rule
- D.Represents a single numeric value

**Correct Answers: B C D**

15: What are three aggregation options available within Hyperion Business Rules (HBR)? (CHOOSE THREE)

- A.Calculate Database with Dynamic Calc and Store
- B.Calculate Database Dynamically
- C.Calculate Entire Database
- D.Calculate Data with Two Pass Calculations
- E.Calculate the Portion of the Database Specified Below

**Correct Answers: C D E**

16: What is the danger in using the Create Blocks action?

- A. Calculations on Sparse members will return the number missing.
- B. It causes corruption in the database.
- C. It overrides your data stored in these blocks.
- D. The database potentially grows with unneeded blocks.

**Correct Answers: D**

17: In a multi-currency application using a Target Version, what calculation options should be used with the Aggregate Data component?

- A. Aggregate Missing Values, Aggregate Data up to Local Currency, and Optimize the Calculation of Formulas on Sparse Dimensions
- B. Aggregate Missing Values, Optimize the Calculation of Formulas on Sparse Dimensions, and Use Calculator Cache
- C. Aggregate Data up to Local Currency, Optimize the Calculation of Formulas on Sparse Dimensions, and Use Calculator Cache
- D. Aggregate Data up to Local Currency, Aggregate Missing Values, and Use Calculator Cache

**Correct Answers: C**

18: What are three ways to enhance calculations within Hyperion Planning beyond Hyperion Business Rules (HBR)? (CHOOSE THREE)

- A. Create a member formula within the Analytic Administration Services
- B. Create a formula in the Essbase Spreadsheet Add-in and Lock and Send
- C. Create an Essbase calc script via the Analytic Administration Services
- D. Convert the business rules to an enhanced calc script

**Correct Answers: A C D**

19: The administrator needs to execute several calculations sequentially against two different databases. Which three execution options are appropriate? (CHOOSE THREE)

- A. Batch file
- B. Esscmd
- C. Business Rule Sequence
- D. Calc script

**Correct Answers: A B C**

20: In an application outline, Product is a custom dimension, Accounts is dense, and the summary time periods (Quarters and Year Total) on the Time Periods dimension are set to Dynamic Calc. How can an administrator accurately build a calculation for Gross Margin % by product for all Time Periods?

- A. Use Hyperion Analytic Services MaxL
- B. Use a Hyperion Business Rule (HBR)
- C. Use a member formula with dynamic calc storage
- D. Use an Analytic Services calc script

**Correct Answers: C**