

Vendor: Oracle

Exam Code: 1Z0-147

Exam Name: Program with PL/SQL

Version: DEMO

QUESTION 1

What can you do with the DBMS_LOB package?

- A. Use the DBMS_LOB.WRITE procedure to write data to a BFILE.
- B. Use the DBMS_LOB.BFILENAME function to locate an external BFILE.
- C. Use the DBMS LOB.FILEEXISTS function to find the location of a BFILE.
- D. Use the DBMS_LOB.FILECLOSE procedure to close the file being accessed.

Answer: D

QUESTION 2

Examine this procedure:

```
CREATE OR REPLACE PROCEDURE ADD_PLAYER (V_ID IN NUMBER, V_LAST_NAME VARCHAR2) IS BEGIN INSERT INTO PLAYER (ID,LAST_NAME) VALUES (V_ID, V_LAST_NAME);
COMMIT;
END;
```

This procedure must invoke the UPD_BAT_STAT procedure and pass a parameter. Which statement, when added to the above procedure, will successfully invoke the UPD_BAT_STAT procedure?

- A. EXECUTE UPD_BAT_STAT(V_ID);
- B. UPD_BAT_STAT(V_ID);
- C. RUN UPD_BAT_STAT(V_ID);
- D. START UPD_BAT_STAT(V_ID);

Answer: B

QUESTION 3

Which three describe a stored procedure? (Choose three.)

- A. A stored procedure is typically written in SQL.
- B. By default, a stored procedure executes with the privileges of its owner.
- C. A stored procedure has three parts: the specification, the body, and the exception handler part .
- D. A stored procedure is stored in the database and can be shared by a number of programs.
- E. A stored procedure offers some advantages over a standalone SQL statement, such as programmable functionality and compiled code.

Answer: BDE

QUESTION 4

Examine this procedure:

```
CREATE OR REPLACE PROCEDURE INSERT_TEAM (V_ID in NUMBER, V_CITY in VARCHAR2 DEFAULT 'AUSTIN', V_NAME in VARCHAR2) IS BEGIN INSERT INTO TEAM (id, city, name) VALUES (v_id, v_city, v_name); COMMIT; END;
```

Which two statements will successfully invoke this procedure in SQL*Plus? (Choose two.)

- A. EXECUTE INSERT TEAM;
- B. EXECUTE INSERT_TEAM(3, V_NAME=>'LONGHORNS', V_CITY=>'AUSTIN');
- C. EXECUTE INSERT_TEAM(3,'AUSTIN','LONGHORNS');
- D. EXECUTE INSERT_TEAM (V_ID := 3, V_NAME := 'LONGHORNS', V_CITY := 'AUSTIN');
- E. EXECUTE INSERT_TEAM (3,'LONGHORNS');

Answer: BC

QUESTION 5

You need to create a DML trigger. Which five pieces need to be identified? (Choose five.)

- A. table
- B. DML event
- C. trigger body
- D. package body
- E. package name
- F. trigger name
- G. system event
- H. trigger timing

Answer: ABCFH

QUESTION 6

This statement fails when executed: CREATE OR REPLACE TRIGGER CALC_TEAM_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER_BAT_STAT (PLAYER_ID, SEASON_YEAR,AT_BATS,HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?

- A. row
- B. statement
- C. ORACLE FORM trigger
- D. before

Answer: A

QUESTION 7

The add_player, upd_player_stat, and upd_pitcher_stat procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?

- A. in the package body
- B. in a database trigger
- C. in the package specification
- D. in each procedure's DECLARE section, using the exact same name in each

Answer: A

QUESTION 8

Examine this package:

```
CREATE OR REPLACE PACKAGE discounts

IS

g_id NUMBER := 7839;
discount_rate NUMBER := 0.00;
PROCEDURE display_price (p_price NUMBER);

END discounts;
/

CREATE OR REPLACE PACKAGE BODY discounts
IS

PROCEDURE display_price (p_price NUMBER)
IS
BEGIN
DBMS_OUTPUT.PUT_LINE('Discounted '||
TO_CHAR(p_price*NVL(discount_rate, 1)));
END display_price;
BEGIN
discount_rate := 0.10;
END discounts;
/
```

Which statement is true?

- A. The value of DISCOUNT_RATE always remains 0.00 in a session.
- B. The value of DISCOUNT_RATE is set to 0.10 each time the package is invoked in a session.
- C. The value of DISCOUNT_RATE is set to 1.00 each time the procedure DISPLAY_PRICE is invoked.
- D. The value of DISCOUNT_RATE is set to 0.10 when the package is invoked for the first time in a session.

Answer: D

QUESTION 9

Examine this code:

```
CREATE OR REPLACE PACKAGE comm_package
IS
g_comm NUMBER := 10;
PROCEDURE reset_comm(p_comm IN NUMBER);
END comm_package;
/

User Jones executes the following code at 9:01am:
EXECUTE comm_package.g_comm := 15

User Smith executes the following code at 9:05am:
EXECUTE comm_package.g_comm := 20
```

Which statement is true?

- A. g_comm has a value of 15 at 9:06am for Smith.
- B. g_comm has a value of 15 at 9:06am for Jones.

- C. g_comm has a value of 20 at 9:06am for both Jones and Smith.
- D. g_comm has a value of 15 at 9:03am for both Jones and Smith.
- E. g_comm has a value of 10 at 9:06am for both Jones and Smith.
- F. g_comm has a value of 10 at 9:03 for both Jones and Smith.

Answer: B

QUESTION 10

Examine this code:

Which statement removes the function?

- A. DROP gen_email_name;
- B. REMOVE gen_email_name;
- C. DELETE gen_email_name;
- D. TRUNCATE gen_email_name;
- E. DROP FUNCTION gen_email_name;
- F. ALTER FUNCTION gen_email_name REMOVE;

Answer: E

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014