

Vendor: Avaya

# Exam Code: 7004

**Exam Name:** Avaya Communication Server 1000 for Avaya Aura Maintenance Exam

Version: DEMO

#### **QUESTION 1**

Click the Exhibit button.

						Betr
	Condition +	Station	Allandard	Tie Trunk	Non Tes	Ran Rev
	Access denied	Overflow tone	Overflow tone	Overflow tone	Attendant	
	Call to a lockout set	Busy tone	Busy tone	Busy tone	Busy tone	
	Call to vacant number	Attendant	Overflow tone	Overflow tone	Agendant	
	Calls to listed directory number	Not applicable	Overflow tone	Not applicable	Not applicable	
	Invalid NARS/BARS call	Overflow tone	Overflow tone	Overflow tone	Attendant	
	Maintenance busy numbers	Overflow tone	Overflow tone	Overflow tone	Agendant	
	MFC call to vacant	Overflow tone	Overflow tone	Overflow tone	Agendant	
	MFC call to vacant office	Overflow tone	Overflow tone	Overflow tone	Agendant	
	MFC congestion	Overflow tone	Overflow tone	Overflow tone	Attendant	
0	NARS/BARS.blocked calls	Overflow tone	Overflow tone	Overflow tone	Agendant	
1	NARS/BARS invalid	Overflow tone	Overflow tone	Overflow tone	Agendant	
2	NARS/BARS restricted	Overflow tone	Overflow tone	Overflow tone	Agendant	
3	Redirection count limit	Attendant	Overflow tone	Attendant	Agendant	
4	Restricted call	Overflow tone	Not applicable	Overflow tone	Not applicable	

A customer has asked if the Communication Server 1000 RIs. 7 x system can route anyone that dial an unassigned number in the customer's DID range to the Attendant.

In reviewing the current configuration as shown in the exhibit, what do you conclude?(Choose two)

- A. only internalstation users are routing to the Attendant
- B. internal station users and non tie line users are routing to the Attendant
- C. all caller types are receiving an overflow tone
- D. NET\_DATA Attendant and tie trunk users are receiving an overflow tone

Answer: BD

#### **QUESTION 2**

A customer has deployed a Communication Server 1000 RIs. 7 x system at their site. Their sales department is expanding and you have been asked to add Ave new telephones with the same capabilities as the existing telephones in the department.

Which programming command should you use to complete this task?

- A. Move to DN
- B. Move from TN
- C. Copy from DN
- D. Copy from TN

Answer: D

#### **QUESTION 3**

For a situation where you use the CDP feature at a switch equipped with the MARS software package, which statement are correct? (Choose two)

- A. Use steering codes tor CDP calls that are the same as the assignedNARS Access Cades.
- B. Use steering codes tor CDP calls that are distinct from those assigned NARS Access Cades.
- C. You can integrate CDP numbers with the NARS Uniform Dialing Plan (UDP).
- D. Youcannot shareRoute Lists, Digit Manipulation tables and Time-of-Day schedule withNARS.

#### Answer: BC

#### **QUESTION 4**

A customer has a Communication Server 1000 RIs. 7 x system at their site. You have been asked to add the Call Pickup feature to the ten IP telephones in the sales department. The customer wants to be sure active calls are not lost when the change are made.

Which Phones Configuration feature can be enabled allowed you to ensure changes to the telephones are not transmitted to the call server until the telephone is not busy?

- A. Bulk change
- B. Courtesy change
- C. Group change
- D. Template change

#### Answer: B

#### QUESTION 5

Click the Exhibit button.

RLI2
ENTR 0
ROUT 3
TOD 0 OFF 1 ON 2 ON 3 ON
4 ON 5 ON 6 ON 7 ON
CNV NO
EXP NO
FRL 1
DMI 2
FCI 2
ENTR 1
ROUTE 1
TOD 0 ON 1 ON 2 ON 3 ON
4 ON 5 ON 6 ON 7 ON
CNV NO
EXP NO
FRL 3
DMI 0
FCI 0
ENTR 2
ROUT 0
TOD 0 ON 1 ON 2 ON 3 ON
4 ON 5 ON 6 ON 7 ON
CNV NO
EXP YES
FRL 3
DMI 0
FCI 0
ENTR 3
ROUT 0
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
10.10 0.10
CNV NO
EXP YES
FRL 5
DMI 0
FC: 0

Given the customer Route List index shown in the exhibit, what is the first expensive route that a call placed on that RLI could take?

- A. Entry 0
- B. Entry 1
- C. Entry 2
- D. Entry 3

Answer: C

### QUESTION 6

Click the Exhibit button.

TRAN	ACI	RLI 4	RLI 2	RLI3	
		ENTR 0	ENTR 0	ENTRO	RLIS
NPA	1912	ROUT 2	ROUT 3	ROUTES	ENIRO
	1744	TOD CONTON 2 ON 3 ON	TOD CONTON 2 ON 3 ON	TODOONTON LONSON	ROUT 4
RLI	4	4 ON 5 ON 6 ON 7 ON	4 ON 5 ON 6 ON 7 ON	4 ON 5 ON 6 ON 7 ON	TOD BONT ON 2 ON 3 ON
SDRR	NONE	CNV NO	CNVNO	CNV NO	4 ON 5 ON 6 ON TON
ITEI	NONE	EXPNO	EXPNO	EXPNO	EXPNO
		FRL 3	FRL 5	FRLI	FRLI
NPA	1914	DMI0	DMI 0	DMI2	DATO
	1914	FCIO	FCIO	FCII	FCIO
RLI	3	OHQ NO	OHQ NO	OHQ NO	OHQ NO
SDRR	NONE	CBQNO	CBQNO	CBQNO	CBONO
ITEI	NONE				
	110112	ENTR 1	ISET 1	ENTR I	ENTRI
		ROUTO	MFRL 0	ROUTE 1	ROUT 2
NPA	1718	TOD CONTON 2 ON 3 ON		TOD CONTON 2 ON 3 ON	TODOONTONIONION
RLI	4	4 ON 5 ON 6 ON 7 ON	ENTR 1	4 ON 5 ON 6 ON 7 ON	4 ON 5 ON 6 ON 7 ON
SDRR	NONE	CNVNO	ROUTI	CNVNO	CNYNO
TTEL	NONE	EXP YES	TOD 0 ON 1 ON 2 ON 3 ON	EXPNO	EXPNO
11.61	NUNE	FRL 3	4 ON 5 ON 6 ON 7 ON	FRL 3	FRL 3
	and the second second	DMI0	CNVNO	DMI 0	DMIO
NPA	1717	FCIO	EXPNO	FCI0	FCIO
PLI	0	OHQ NO	FRL 3	OHQ NO	OHQ NO
DENY	39680	CBQNO	DMI 0	CBQNO	CBQNO
	and the second se		FCI 0		
DENY	39681	and the second se	OHQ NO	ENTR 2	ENTE 2
DDD	5344000	Contract of the second s	CBQNO	ROUTO	ROUTO
-			ENTR 2	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD TONT ON TON TON TON 4 ON SON 6 ON 7 ON
NPA	1814		ROUTO	CNVNO	CNVNO
RLI	4	the second s	TOD BONT ON 2 ON 3 ON	EXP YES	EXP YES
SDRR	NONE	The second se	4 ON 5 ON 6 ON 7 ON	FRL 3	FRL 3
		the set of	CNV NO	DMIO	DNII0
TTEL	NONE	CONTRACTOR DE LA CONTRA	EXP YES	FCIO	FCIO
			FRL 3	OHQ NO	OHQ NO
NPA	1609	The second se	DM10	CBONO	CBQNO
PLI	2		FCIO		
DID		the second se	OHO NO	and the second se	
and the second sec	\$3330		CBQNO		
ITEL	NONE	and the second se	Law Million	A REAL PROPERTY AND A REAL PROPERTY AND	The second s

Given the customer's programmed database shown in the exhibit and AC 1 = 9, over which RLI will a call placed to 9-1-912-534-2222 complete?

- A. RLI9
- B. RLI 4
- C. RLI 3
- D. RLI 2
- E. call will not complete as dialed

#### Answer: B

#### **QUESTION 7**

An administrator is programming an NRS for the first time on a new Communication Server 1000 system RIS. 7.0 system. When attempting to add the Service Domain, it cannot be added as the Add button is grayed out in the NRS.

Which tasked should you perform to resolve this issue?

- A. reinstall the Signaling Server Software
- B. reinstall the NRS software
- C. switch from Standby database to Active database
- D. switch from Active database to Standby database

#### Answer: D

★ Instant Download ★ PDF And VCE ★ 100% Passing Guarantee ★ 100% Money Back Guarantee

## Thank You for Trying Our Product

### Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: <u>http://www.braindump2go.com/all-products.html</u>



10% Discount Coupon Code: BDNT2014