

Exam Code: RDCR08201

Exam Name: Business Objects Certified

Professional-Crystal Reports 2008-Level One

Vendor: Business Objects

Version: DEMO

Part: A

1: Which method can you use to insert field objects into a Crystal report?

- A. Select the Field option from the Insert menu.
- B. Right-click the area where you want the field object to appear, then select Insert Field Object from the Context menu.
- C. Click the field name, drag it to the desired position and release the mouse button to insert.
- D. Click the Field button on the Formatting toolbar.

Correct Answers: C

2: You need a report that shows all customers and allows the report reader to view either a report listing all days in the month to date or to view only the customers with daily sales greater than \$5000. You decide to use report alerts to accomplish this.

Which formula properly sets the alert condition?

- A. `Sum ({Orders.Order Amount}, {Orders.Order Date}, "daily") > 5000`
- B. `Sum ({Orders.Order Date}, {Orders.Order Amount}, "daily") > 5000`
- C. `IF Sum ({Orders.Order Amount}, {Orders.Order Date}, "daily") > 5000 THEN crCondition = "Enabled"`
- D. `IF Sum ({Orders.Order Amount}, {Orders.Order Date}, "daily") > 5000 THEN AlertMessage = "Enabled"`

Correct Answers: A

3: Which two formulas can you use to determine whether the content of a string is a number? (Choose two.)

- A. `IsNumber({Orders.Customer ID})`
- B. `NumberText({Orders.Customer ID})`
- C. `IsNumeric({Orders.Customer ID})`
- D. `NumericText({Orders.Customer ID})`

Correct Answers: C D

4: In Crystal Reports you select multiple report objects at the same time.

Which two menu options become available when you right-click one of the selected objects? (Choose two.)

- A. Move
- B. Insert
- C. Delete
- D. Copy
- E. Cut

Correct Answers: D E

5: You want to see a list of formulas containing references to a specific field. Which method can you use?

- A. Browse Field
- B. Repository Explorer

- C. Formula Field Search
- D. Global Formula Search

Correct Answers: D

6: You copy a report from BusinessObjects Enterprise and modify the report.

Which two methods can you use to save changes back to BusinessObjects Enterprise? (Choose two.)

- A. Save the report using the Report Explorer.
- B. From the Main menu, select Save and choose Enterprise.
- C. From the Main menu, select Save and choose Web Folders.
- D. Save the report using the Repository Explorer.

Correct Answers: B D

7: Which two methods can you use to change the appearance of an object that you add to a Crystal report? (Choose two.)

- A. Hold down CTRL + Spacebar and click on the object.
- B. Right-click the object and use the Format Editor.
- C. Select the object and use the Formatting toolbar.
- D. Drag-and-drop the object to the Formatting toolbar.

Correct Answers: B C

8: What two configuration options are valid for long Lists of Values (LOV) in Crystal Reports 2008? (Choose two.)

- A. UI Batch Size
- B. Database Timeout
- C. Maximum LOV Size
- D. Maximum Rowset Records

Correct Answers: A C

9: Which two statements describe how optional prompts behave in Crystal Reports 2008? (Choose two.)

- A. If no value is entered in the prompt, all values are returned.
- B. If no value is entered in the prompt, no values are returned.
- C. If the parent prompt is optional, the child prompt must be optional.
- D. If the child prompt is optional, the parent prompt must be optional.

Correct Answers: A C

10: Which formula uses the correct syntax to assign a variable a value in Crystal syntax?

- A. Numbevar x;
x = 5;
- B. Dim x as Number
x = 5
- C. Dim x as Number
x := 5

D.NumberVar x;

x := 5;

Correct Answers: D

11: You create a new Crystal report and want to add a Top N sort, but the Group Sort Expert is inactive.

How can you activate the Group Sort Expert?

A.Insert a group name field.

B.Insert a summary field.

C.Insert a running total field.

D.Insert a formula field.

Correct Answers: B

12: You must create a static array in a Crystal report to be used for numeric calculations in other formulas. How can you do this?

A.Global NumberVar Array newArray := Array (1, 2, 3, 4, 5);

B.Global NumberVar Array newArray := MakeArray (1, 2, 3, 4, 5);

C.Global NumberVar Array newArray := CreateArray (1, 2, 3, 4, 5);

D.Global NumberVar Array newArray := DefineArray (1, 2, 3, 4, 5);

Correct Answers: B

13: When should you use parameters?

A.When creating conditional Top N reports.

B.When identifying the data source location.

C.When identifying trends in data.

D.When creating dynamic groups.

Correct Answers: D

14: Which special field can you use to display the date a report was last changed?

A.Modification Date

B.Modification LastDate

C.Modification LastUpdate

D.Modification Time

Correct Answers: A

15: You are creating a Crystal report to show just the Top N countries in an international sales report based on total sales for the previous quarter. The value of N is dynamic.

Which method must you use to achieve the required result?

A.Using the Group Select Expert, create a parameter to set the value of N. Add a conditional formula to view just the Top N countries.

B.After creating a parameter to set the value of N, reference that parameter within the Group Sort Expert. Refresh the report setting the value of N in the parameter to show just the Top N countries.

C.Using the Group Sort Expert, create a parameter to set the value of N. Refresh the report setting the value of N in the parameter to show just the Top N countries.

D. After creating a parameter to set the value of N, refresh the report to view just those countries with a grand total that is greater than N.

Correct Answers: B