



Vendor: Symantec

Exam Code: ST0-12W

Exam Name: Veritas Cluster Server 5 for Windows (STS)

Version: DEMO

QUESTION 1

Which three elements must be moved from the failed server to the takeover server for network users to resume access to the database when a failover occurs? (Choose three.)

- A. the virtual address
- B. the set of processes
- C. the Ethernet address
- D. the public key
- E. the disk group

Answer: ABE

QUESTION 2

You have two of three systems in a cluster up and running Veritas Cluster Server. When the third system starts, it finds that it has a valid Veritas Cluster Server configuration file. This configuration is different than the one on the first two systems. How does Veritas Cluster Server handle this situation?

- A. It will use the configuration from the first two systems.
- B. It will use the configuration from the third system.
- C. It will integrate the files to resolve the differences.
- D. The third node will be unable to start.

Answer: A

QUESTION 3

What is the Veritas Cluster Server term for how a system joining an existing cluster retrieves the cluster configuration?

- A. remote build
- B. local build
- C. onetime build
- D. initial build

Answer: A

QUESTION 4

A service group with the FailoverPolicy set to Priority has a fault and is failing over. The group fails over to the system with the _____.

- A. lowest assigned value in the group's SystemList
- B. highest assigned value in the group's SystemList
- C. lowest number of service groups currently online
- D. highest available capacity in the group's SystemList

Answer: A

QUESTION 5

You are designing a high availability solution for an important new application and you are in the process of identifying single points of failure in the design. What are two possible single points of failure that can be addressed by Veritas Cluster Server? (Choose two.)

- A. network
- B. storage
- C. processors
- D. memory
- E. environment

Answer: AB

QUESTION 6

Four servers available for clustering are located in two buildings. Each building contains two servers and the servers are on the same network. There are two disk arrays to which all four servers have shared data access. Which type of cluster topology is required?

- A. campus cluster
- B. global cluster
- C. shared nothing cluster
- D. split brain cluster

Answer: A

QUESTION 7

Which Symantec product feature or attribute allows for the same application to be started simultaneously on different systems?

- A. parallel service groups
- B. Veritas FlashSnap
- C. the online local dependency
- D. the parallelstart group attribute

Answer: A

QUESTION 8

Which characteristic must an application have in order to be managed by Veritas Cluster Server?

- A. It must be restartable to a known state after failure and takeover.
- B. It must be startable by a user other than the system account.
- C. It must be a stateless application.
- D. It must be capable of running on all systems simultaneously.

Answer: A

QUESTION 9

What are three possible types of Veritas Cluster Server service groups? (Choose three.)

- A. Failover
- B. Hybrid
- C. Parallel
- D. Singlenode
- E. OnOnly

Answer: ABC

QUESTION 10

You have one of three systems in a cluster up and running Veritas Cluster Server. When the second system starts, it finds that it has a valid Veritas Cluster Server configuration file. This configuration is different than the one on the first system. What happens?

- A. Veritas Cluster Server uses the one from the first system.
- B. Veritas Cluster Server uses the one from the second system.
- C. Veritas Cluster Server will integrate the files.
- D. Veritas Cluster Server will wait for the third system.

Answer: A

QUESTION 11

Which two tasks can be performed to improve the overall fault tolerance of a Veritas Cluster Server cluster? (Choose two.)

- A. connect each system in the cluster to separate power sources
- B. mirror the os disk of each system in the cluster
- C. connect a tape drive to each system in the cluster
- D. add a local disk array to each system in the cluster
- E. add CPUs to each node in the cluster

Answer: AB

QUESTION 12

A process is manually shut down to test an automatic failover of a configured Process resource. The service group then fails over to another system. What should be cleared before bringing the service group back to the system on which the test was originally conducted?

- A. resource
- B. attribute
- C. cluster
- D. system

Answer: A

QUESTION 13

What is the Veritas Cluster Server service that maintains resource configuration and state information?

- A. h~d
- B. hastate
- C. haconf
- D. hacf

Answer: A

QUESTION 14

You are tasked with making an existing production system highly available with Veritas Cluster Server. You have already verified that the hardware is compatible with Veritas Cluster Server. You are now evaluating the software on the systems for Veritas Cluster Server compatibility. What must be verified for Veritas Cluster Server compatibility?

- A. the oper~ting system version
- B. the volume management software version
- C. the NIC driver version
- D. the file system version

Answer: A

QUESTION 15

What are two valid settings for the ManageFaults service group attribute? (Choose two.)

- A. All
- B. None
- C. Priority
- D. MonitorOnly
- E. Manual

Answer: AB

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives[®]

10% Discount Coupon Code: BDN2014