

Vendor: Avaya

Exam Code: 3303

Exam Name: Avaya Proactive Contact Implementation and

Maintenance Exam

Version: DEMO

#### QUESTION 1

When opening the Configuator dialog box in Health Manager, what information is required? (Choose three.)

- A. Primary Proactive Contact Details
- B. Secondary Proactive Contact Details
- C. Email Server Details
- D. WebLM Server Details
- E. Database Server Details

Answer: ACE

### **QUESTION 2**

When testing a Reject Report through the System Telnet menu, it is discovered that the wrong field is included in the report.

Where would the list of fields be revised that can be used within the report to include the missing field?

- A. the label section
- B. the fields section
- C. the dimension section
- D. the expression section

Answer: D

### **QUESTION 3**

A system operator complains that Analyst reports are running very slowly. You check disk usage on the dialer and find that the /opt/dbase directory is 80% full.

What are two possible causes of the high disk usage? (Choose two.)

- A. The dialer's disk capacity was not sized properly when the dialer was installed.
- B. The db\_maintenance script is not scheduled in cron.
- C. A database backup has not been run recently.
- D. All data is being stored on the primary dialer rather that distributed across the dialers in a pod.
- E. Another customer service engineer had to run stop\_mts\_services and start\_mts\_services earlier in the day because of an error with data pump.

Answer: BD

#### QUESTION 4

A company's host needs the ability to send multiple downloads to the Proactive Contact system throughout the day rather than one automatic download in the morning. This must occur without interruption in calling activity.

Which feature accomplishes this?

- A. Infinite Job
- B. Post update
- C. Virtual Agent
- D. Batch Campaign Update

#### Answer: A

### **QUESTION 5**

A system operator has edited a current calling list though Editor. The list is not being used currently by any active jobs or processes.

Which two statements are true about this scenario? (Choose two.)

- A. The modified list configuration can be saved as Active and be used immediately.
- B. The modified list configuration can be saved as Pending; then the system operator can right- clickon the pending list configuration and choose "Make Active" for the changes to go live immediately.
- C. The Active list configuration must be deleted before saving the new configuration.
- D. The modified list configuration can be saved as In Progress so that later changes can be made without risk of changing the live configuration.
- E. The modified list configuration can be saved as Pending; the changes will become live upon the next dialing application restart.

### Answer: AE

#### **QUESTION 6**

What permissions can be assigned to a Role in Role Editor Application?

- A. Read/Job control/Write
- B. Read/Write/Execute
- C. Read/Edit/Execute
- D. Read/Manage/Write

### Answer: A

### **QUESTION 7**

Avaya Proactive Contact 5.0 allows a business to run the Unit Work List feature on an Infinite Job. What is the parameter needed and where can it be configured?

- A. MAX EXPANSION UNIT in master.cfg
- B. MAXJOBS in master.cfg
- C. Max Additional Units in Editor
- D. Max Records In Editor

### Answer: A

### **QUESTION 8**

From the System Administrator Main menu option for Transfer and Process records, the option for "Recover old calling list" performs which task?

- A. Restores calling list from Backup storage device.
- B. Reprocesses calling list from previous raw file data from host.
- C. Restores calling list data using Latelist/Latemark processing.
- D. Restores calling list data from prior day's tran.stat files.
- E. Restores calling list from prior day's automated standard calling list file backup.

### Answer: B

### **QUESTION 9**

A system operator needs to see failed login attempts on the Avaya Proactive Contact 5.X dialer. Which login type must be used to see these failed attempts?

- A. sysadm
- B. system
- C. auditor
- D. reporter

Answer: C

### **QUESTION 10**

You have just configured all of the dialers in pod with high availability Lightweight Directory Access Protocol (HA-LDAP). What needs to be performed for the replication of the user accounts to work properly?

- A. Stop and start the mid-tier processes on the primary dialer only.
- B. Stop and start the dialer processes on the primary and secondary dialers.
- C. Stop and start the LDAP service on the primary dialer only.
- D. Stop and start the LDAP service on the primary and secondary dialers.

Answer: D

# **Thank You for Trying Our Product**

## **Braindump2go Certification Exam Features:**

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014