



**Vendor:** Brocade

**Exam Code:** 143-260

**Exam Name:** Brocade Certified Fabric Designer Exam

**Version:** DEMO

**QUESTION 1**

Which two will allow you to assess your customer's current SAN infrastructure? (Choose two.)

- A. supportshow
- B. SAN Health
- C. switch vendor contact information
- D. cost of facilities

**Answer:** AB

**QUESTION 2**

What information will affect the target Data Center Fabric planning details? (Choose two.)

- A. facility's cost
- B. Fabric ID information
- C. switch vendor contact information
- D. customer scheduled target time for pilot

**Answer:** CD

**QUESTION 3**

What are two key components for a SAN Design Installation Plan document for a new Data Center Fabric? (Choose two.)

- A. Disaster Recovery maps
- B. SAN Health report
- C. Logical SAN Layout
- D. Data Center Interface Plan

**Answer:** CD

**QUESTION 4**

You need to measure traffic in a B-Series Data Center Fabric for scalability design options. Which two products or features would you use to collect this information? (Choose two.)

- A. QoS
- B. Top Talkers
- C. Fabric Watch
- D. Traffic Isolation

**Answer:** BC

**QUESTION 5**

Which two will determine scalability requirements in the data center? (Choose two.)

- A. port density
- B. rack space
- C. server throughput
- D. storage utilization

**Answer:** AB

**QUESTION 6**

What data should be collected to assess facility requirements when designing a Data Center Fabric? (Choose three.)

- A. cooling
- B. rack space
- C. power usage
- D. number of ports
- E. data center personnel

**Answer:** ABC

**QUESTION 7**

When designing a Data Center Fabric, which three must be collected regarding the current SAN-enabled applications? (Choose three.)

- A. server consolidation
- B. number of user ports
- C. disaster tolerance
- D. maximum hop count
- E. storage consolidation

**Answer:** ACE

**QUESTION 8**

Which three must be collected from an existing FC-to-FC routed fabric to facilitate designing a Data Center Fabric? (Choose three.)

- A. number of targets per edge fabric
- B. number of physical domains per edge fabric
- C. number of local and remote devices per edge fabric
- D. number of hosts per edge fabric
- E. number of front domains per edge fabric

**Answer:** BCE

**QUESTION 9**

Which two must be estimated when planning Data Center Fabric growth? (Choose two.)

- A. additional storage management stations
- B. additional data storage capacity
- C. additional number of users
- D. additional number of fabric ports

**Answer:** BD

**QUESTION 10**

What current environmental information must be gathered to design a Data Center Fabric? (Choose two.)

- A. DCF cabling requirements
- B. cooling requirements
- C. throughput requirements
- D. power requirements

**Answer:** BD

**QUESTION 11**

Which three must be gathered from all storage subsystems to design a Data Center Fabric? (Choose three.)

- A. storage system internal topology
- B. connection count
- C. storage system name
- D. storage system management application
- E. usable storage capacity

**Answer:** BCE

**QUESTION 12**

What information must be captured from all servers to design a Data Center Fabric? (Choose three.)

- A. capacity of internal hard drive
- B. quantity of HBAs
- C. software applications to be used
- D. amount of system RAM
- E. operating system used

**Answer:** BCE

**QUESTION 13**

You have been hired as a consultant to design a high availability SAN. The first task you must perform is to gather the business requirements. What data should be gathered? (Choose three.)

- A. device mean time between failure
- B. storage utilization
- C. maintenance windows
- D. skills of existing personnel
- E. security levels

**Answer:** BCE

**QUESTION 14**

You have a customer that wants to create a Data Center Fabric solution for a multi-site mission-critical application. What information should be gathered to ensure that availability requirements are satisfied? (Choose two.)

- A. equipment lease agreements
- B. uptime requirements
- C. site-to-site connectivity
- D. staffing levels

**Answer:** BC

**QUESTION 15**

You have been asked to design a highly available SAN. The customer wants a disaster recovery solution between two sites separated by 200 km. What information should you collect to begin your design? (Choose two.)

- A. mean time between failure (MTBF) for selected switches
- B. recovery point objective (RPO)
- C. desired functionality of the disaster recovery site
- D. knowledge of key personnel

**Answer:** BC

## Thank You for Trying Our Product

### Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



**10% Discount Coupon Code: BDN2014**