

Vendor: Citrix

Exam Code: 1Y0-370

**Exam Name:** Designing, Deploying and Managing Citrix XenMobile Solutions

Version: DEMO

# **QUESTION 1**

A Citrix Engineer needs to load balance enrollment requests from Apple iOS devices.

The engineer should implement an SSL Offload virtual server using \_\_\_\_\_\_ protocol and port \_\_\_\_\_\_. (Choose the correct set of options to complete the sentence.)

- A. SSL; 443
- B. TCP; 443
- C. SSL; 8443
- D. TCP; 8443

Answer: C

#### **QUESTION 2**

A school has a pool of mobile devices that students use on premises for coursework.

How could a Citrix Engineer configure XenMobile Device Manager to warn the user when the device is taken off campus?

- A. Deploy a Roaming Configuration policy.
- B. Issue a Locate from the Device Security menu.
- C. Enable Tracking from the Device Security menu.
- D. Set the Geo-fencing options in a Location Services policy.

#### Answer: D

#### **QUESTION 3**

Which two policies should a Citrix Engineer add to a deployment package to set the status of a user's device to Out of Compliance and notify the engineer whenever a user installs a blacklisted application on an enrolled device? (Choose two.)

- A. App Lock
- B. Restriction
- C. Automated Actions
- D. Applications Access

Answer: CD

#### **QUESTION 4**

Which two settings could a Citrix Engineer configure during Express Setup on the App Controller console? (Choose two.)

- A. License file
- B. NTP Server
- C. DNS Servers
- D. HA Peer address

Answer: BC

# **QUESTION 5**

Scenario: A Citrix Engineer needs to provide users with remote access to SaaS applications managed by XenMobile. Users will access the applications on their mobile devices through Worx Home.

Which two options should the engineer configure in the session profile on the NetScaler? (Choose two.)

- A. ICAProxy OFF
- B. Clientless Access ON
- C. URL Encoding OBSCURE
- D. Single Sign-on to Web Applications DISABLED

#### Answer: AB

# **QUESTION 6**

Scenario: A Citrix Engineer is working in a XenMobile proof-of-concept environment, which has a single-hop DMZ. The engineer needs to integrate XenMobile Device Manager with XenMobile App Controller for internal testing purposes.

Which two requirements must the engineer ensure are met in order to successfully configure this environment? (Choose two.)

- A. The Device Manager must be able to resolve the App Controller's Host Name.
- B. The App Controller root certificate must be installed on the Device Manager server.
- C. Ports 80 and 443 must be opened between the Device Manager and the App Controller.
- D. Both the Device Manager and the App Controller must be located on the same network subnet.

# Answer: AC

# **QUESTION 7**

Scenario:StoreFront is implemented as part of a XenMobile solution. Users in the environment currently rely on HTML5 Receiver because Citrix Receiver is NOT installed on their workstations.

How could a Citrix Engineer present Web/SaaS applications to these users based on the scenario?

- A. Enable StoreFront to aggregate App Controller apps.
- B. Add the App Controller server to StoreFront as a Delivery Controller.
- C. Enable the 'Require app installation' option in the Web/SaaS application properties.
- D. Add the StoreFront Legacy support URL to the Windows Apps Configuration on the App Controller.

#### Answer: B

★ Instant Download ★ PDF And VCE ★ 100% Passing Guarantee ★ 100% Money Back Guarantee

# Thank You for Trying Our Product

# Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: <u>http://www.braindump2go.com/all-products.html</u>



10% Discount Coupon Code: BDNT2014