Vendor: IBM

Exam Code: C2090-611

Exam Name: DB2 10.1 DBA for Linux, UNIX, and Windows

Version: DEMO

QUESTION 1
Due to a hardware failure, it appears that there may be some corruption in database DB_1 as DB2 is reporting a "bad page". DB2DART is performed for the entire database and it appears that several bad pages were detected in table space TBSP_1. What command can be used to recover the database and repair the corruption in table space TBSP_1?

A. RESTART DATABASE
B. RECOVER DATABASE
C. RESTORE TABLESPACE
D. ROLLFORWARD DATABASE

Answer: B

QUESTION 2
If a single node database is actively being used by applications when a power failure occurs, what method is used to bring the database back to a consistent state once power has been restored?

A. Crash recovery
B. Version recovery
C. Disaster recovery
D. Roll-forward recovery

Answer: A

QUESTION 3
You have an High Availability and Disaster Recovery (HADR) environment set up and you want to read from the standby database. What must you do?

A. Assign the value ON to the DB2_HADR_ROS registry variable.
B. Assign the value ON to the DB2_HADR_SNAP registry variable.
C. Execute the STOP HADR command to temporarily break the HADR connection to the standby.
D. Execute the TAKEOVER HADR command to instruct the standby database to takeover as the new primary database.

Answer: A

QUESTION 4
Which command can be used to restore a corrupted database using only the recovery history file?

A. RESTART DATABASE
B. RECOVER DATABASE
C. RESTORE DATABASE
D. ROLLFORWARD DATABASE

Answer: B

QUESTION 5
What is the correct procedure for recovering a dropped table when DROPPED TABLE RECOVERY has been enabled and the database must remain online?

A. Run the RECOVER DATABASE command with the RECOVER DROPPED TABLE option to restore the database and recover the droppedtable.
B. Run the RECOVER DATABASE command with the RECOVER DROPPED TABLE option to restore the appropriate table space and recover thedropped table.
C. Restore the database from a backup image that was taken before the table was dropped; run the ROLLFORWARD DATABASE command withthe RECOVER DROPPED TABLE option to restore the database and recover the dropped table.
D. Restore the appropriate table space from a backup image that was taken before the table was dropped; run the ROLLFORWARD DATABASEcommand with the RECOVER DROPPED TABLE option to restore the appropriate table space and recover the dropped table.

Answer: D

QUESTION 6
Which command will define the alternate diagnostic data directory path as /db2data/db2dump2?

A. db2set ALT_DIAGPATH=/db2data/db2dump2
B. db2set SECONDARY_DIAGPATH=/db2data/db2dump2
C. UPDATE DBM CFG USING ALT_DIAGPATH /db2data/db2dump2
D. UPDATE DBM CFG USING SECONDARY_DIAGPATH /db2data/db2dump2

Answer: C

QUESTION 7
What is the MAX_LOG database configuration parameter used for?

A. To limit how many log files a single transaction can span.
B. To limit the percentage of primary log space a running transaction can consume.
C. To limit the total number of primary and secondary log files a database can consume.
D. To limit the total number of secondary log files a transaction can consume before infinite logging is enabled.

Answer: B

QUESTION 8
What unit of measurement is used to represent the cumulative total cost of a node in a Visual Explain access plan diagram?

A. CPU cycles
B. Elapsed time, in milliseconds
C. Processing instructions performed
D. Timerons

Answer: D

QUESTION 9
In IBM Data Studio, where can you schedule script-based jobs?

A. Job Console
B. Job Manager
C. Task Manager
D. Utilities Console

Answer: B

QUESTION 10
Which authority is required to revoke SECADM authority?

A. DBADM
B. SECADM
C. SYSADM
D. SQLADM

Answer: B

QUESTION 11
If the current value for self-tuning memory is: Self Tuning Memory (SELF_TUNING_MEM) = ON (Inactive) Which statement is true?

A. Self-tuning is occurring only on the instance memory area.
B. The memory tuner is actively tuning the memory on the system.
C. Self-tuning is not occurring because it is waiting for the database to be recycled.
D. Self-tuning is not occurring because there are less than two memory consumers enabled.

Answer: D

QUESTION 12
What are two types of security label components that can be used with Label-Based Access Control (LBAC)? (Choose two).

A. Set
B. Tree
C. Group
D. Range
E. Hierarchy

Answer: AB

QUESTION 13
Where are column mask definitions stored?

A. In the table definition
B. In the system catalog
C. In the table space metadata

D. In the database configuration file

Answer: B

QUESTION 14
Which statement is correct when describing trusted contexts?

A. A trusted context defines a trust relationship for a connection between the database and an external entity.
B. A trusted context promotes the authorization level of the connection initiator and grants them DBADM authority.
C. A trusted context defines a trust relationship between a user and a table allowing that user additional capabilities.
D. A trusted context gives the database connection the ability to bypass auditing since authentication has already occurred.

Answer: A

QUESTION 15
Which authorities can be audited with the AUDIT statement?

A. SECADM, DBADM, SYSMAINT, and SYSCTRL can be audited, but SYSADM cannot.
B. SYSADM, DBADM, SYSMAINT, and SYSCTRL can be audited, but SECADM cannot.
C. SYSADM, SECADM, DBADM, SQLADM, ACCESSCTRL, and DATAACCESS can be audited.
D. DBADM, SYSMAINT, ACCESSCTRL, and DATAACCESS can be audited, but SYSADM and SECADM cannot.

Answer: C

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

★ More than 99,900 Satisfied Customers Worldwide.

★ Average 99.9% Success Rate.

★ Free Update to match latest and real exam scenarios.

★ Instant Download Access! No Setup required.

★ Questions & Answers are downloadable in PDF format and VCE test engine format.

★ Multi-Platform capabilities - Windows, Laptop, Mac, Android, iPhone, iPod, iPad.

★ 100% Guaranteed Success or 100% Money Back Guarantee.

★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

10% Discount Coupon Code: BDNT2014