



Vendor: Cloudera

Exam Code: CCA-500

Exam Name: Cloudera Certified Administrator for Apache Hadoop (CCA-H)

Version: DEMO

QUESTION 1

You need to analyze 60,000,000 images stored in JPEG format, each of which is approximately 25 KB. Because your Hadoop cluster isn't optimized for storing and processing many small files, you decide to do the following actions:

1. Group the individual images into a set of larger files
2. Use the set of larger files as input for a MapReduce job that processes them directly with python using Hadoop streaming.

Which data serialization system gives the flexibility to do this?

- A. CSV
- B. XML
- C. HTML
- D. Avro
- E. SequenceFiles
- F. JSON

Answer: AB

QUESTION 2

Identify two features/issues that YARN is designated to address:

- A. Standardize on a single MapReduce API
- B. Single point of failure in the NameNode
- C. Reduce complexity of the MapReduce APIs
- D. Resource pressure on the JobTracker
- E. Ability to run framework other than MapReduce, such as MPI
- F. HDFS latency

Answer: BD

Explanation:

[http://www.revelytix.com/?q=content/hadoop-ecosystem\(YARN, first para\)](http://www.revelytix.com/?q=content/hadoop-ecosystem(YARN, first para))

QUESTION 3

Which YARN daemon or service monitors a Controller's per-application resource using (e.g., memory CPU)?

- A. ApplicationMaster
- B. NodeManager
- C. ApplicationManagerService
- D. ResourceManager

Answer: A

QUESTION 4

Which is the default scheduler in YARN?

- A. YARN doesn't configure a default scheduler, you must first assign an appropriate scheduler class in yarn-site.xml

- B. Capacity Scheduler
- C. Fair Scheduler
- D. FIFO Scheduler

Answer: B

Explanation:

<http://hadoop.apache.org/docs/r2.4.1/hadoop-yarn/hadoop-yarn-site/CapacityScheduler.html>

QUESTION 5

Which YARN process run as "container 0" of a submitted job and is responsible for resource requests?

- A. ApplicationManager
- B. JobTracker
- C. ApplicationMaster
- D. JobHistoryServer
- E. ResoureManager
- F. NodeManager

Answer: C

QUESTION 6

Which scheduler would you deploy to ensure that your cluster allows short jobs to finish within a reasonable time without starting long-running jobs?

- A. Complexity Fair Scheduler (CFS)
- B. Capacity Scheduler
- C. Fair Scheduler
- D. FIFO Scheduler

Answer: C

Explanation:

http://hadoop.apache.org/docs/r1.2.1/fair_scheduler.html

QUESTION 7

Your cluster is configured with HDFS and MapReduce version 2 (MRv2) on YARN.

What is the result when you execute: `hadoop jar SampleJar MyClass` on a client machine?

- A. SampleJar.Jar is sent to the ApplicationMaster which allocates a container for SampleJar.Jar
- B. Sample.jar is placed in a temporary directory in HDFS
- C. SampleJar.jar is sent directly to the ResourceManager
- D. SampleJar.jar is serialized into an XML file which is submitted to the ApplicatoionMaster

Answer: A

QUESTION 8

You are working on a project where you need to chain together MapReduce, Pig jobs. You also need the ability to use forks, decision points, and path joins. Which ecosystem project should you use to perform these actions?

- A. Oozie
- B. ZooKeeper
- C. HBase
- D. Sqoop
- E. HUE

Answer: A

QUESTION 9

Which process instantiates user code, and executes map and reduce tasks on a cluster running MapReduce v2 (MRv2) on YARN?

- A. NodeManager
- B. ApplicationMaster
- C. TaskTracker
- D. JobTracker
- E. NameNode
- F. DataNode
- G. ResourceManager

Answer: D

QUESTION 10

Which two features does Kerberos security add to a Hadoop cluster?

- A. User authentication on all remote procedure calls (RPCs)
- B. Encryption for data during transfer between the Mappers and Reducers
- C. Encryption for data on disk ("at rest")
- D. Authentication for user access to the cluster against a central server
- E. Root access to the cluster for users hdfs and mapred but non-root access for clients

Answer: BD

QUESTION 11

Assuming a cluster running HDFS, MapReduce version 2 (MRv2) on YARN with all settings at their default, what do you need to do when adding a new slave node to cluster?

- A. Nothing, other than ensuring that the DNS (or/etc/hosts files on all machines) contains any entry for the new node.
- B. Restart the NameNode and ResourceManager daemons and resubmit any running jobs.
- C. Add a new entry to /etc/nodes on the NameNode host.
- D. Restart the NameNode of dfs.number.of.nodes in hdfs-site.xml

Answer: B

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



JUNIPER
NETWORKS



EMC²
where information lives[®]

10% Discount Coupon Code: BDNT2014