

Vendor: Cisco

Exam Code: 500-215

Exam Name: SP Mobility Technology Systems Engineer

Representative

Version: DEMO

QUESTION 1

Which two are characteristics of the high availability task? (Choose two.)

- A. It is found on the management module only
- B. It is responsible for executing a recovery action for any failure that occurs in the system
- C. It is responsible for maintaining the operational state of tasks in the system
- D. It triggers an event to the RCT subsystem to take corrective action
- E. It is responsible for storing configuration data for the applications that run on the system
- F. It runs only on the active SMC

Answer: CD

QUESTION 2

Which option lists the types of card that fit into the front of the Cisco ASR 5000 chassis?

- A. gigabit Ethernet cards
- B. fan cards and line cards
- C. line cards and application cards
- D. system management cards and packet service cards

Answer: D

QUESTION 3

Which option is a characteristic of the online software upgrade on the Cisco ASR 5000 Series?

- A. The online upgrade allows active sessions to be maintained until they are self-terminated (subscriber ends the session) or meet the optionally defined upgrade-limit values.
- B. The system accepts new sessions during the online upgrade.
- C. The final step is to migrate active PSCs to standby PSCs.
- D. The online upgrade should not be performed during a planned maintenance window.

Answer: A

QUESTION 4

Which card is used in the Cisco ASR 5000 model to manage system functions?

- A. line card
- B. PSC
- C. SMC
- D. RCC

Answer: C

QUESTION 5

Which option is one of the three identifiers of the area ID?

- A. MME
- B. SWG
- C. TAC

D. GUTI

Answer: C

QUESTION 6

Which functionality in SGSN is in charge of the activation, modification, and deactivation of a GPRS session?

- A. GPRS mobility management
- B. Session management
- C. GPRS Tunneling Protocol
- D. Cisco Security services

Answer: B

QUESTION 7

Which statement about SGSN when it is serving a 2G network is true?

- A. In the 2G environment, the SGSN must connect to the BSS via a "physical" circuit.
- B. Less is required of the SGSN when it is serving a 2G network.
- C. The SGSN communicates with RNC when serving a 2G network.
- D. None of the management tasks that are handled in the 3G environment by the RNC are tasked to the SGSN in the 2G environment.

Answer: A

QUESTION 8

What did Cisco create to address the issues raised with SGSNs without moving to Direct Tunnel?

- A. per-application flow policing
- B. seamless evolution path to LTE/EPC
- C. mobile Internet NPU fast path feature
- D. mobile traffic caching feature

Answer: C

QUESTION 9

How many operator policies are supported?

- A. as many as 500
- B. as many as 1000
- C. as many as 1500
- D. as many as 2000

Answer: B

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than 99,900 Satisfied Customers Worldwide.
- ★ Average 99.9% Success Rate.
- ★ Free Update to match latest and real exam scenarios.
- ★ Instant Download Access! No Setup required.
- ★ Questions & Answers are downloadable in PDF format and VCE test engine format.



- ★ Multi-Platform capabilities Windows, Laptop, Mac, Android, iPhone, iPod, iPad.
- ★ 100% Guaranteed Success or 100% Money Back Guarantee.
- ★ Fast, helpful support 24x7.

View list of all certification exams: http://www.braindump2go.com/all-products.html

























10% Discount Coupon Code: BDNT2014