



**Vendor:** Oracle

**Exam Code:** 1Z0-434

**Exam Name:** Oracle SOA Suite 12c Essentials

**Version:** DEMO

#### QUESTION 1

Which two are available as conditions for an alert rule in BAM 12c?

- A. between two times
- B. when rows are deleted from a data object
- C. a particular day of the week
- D. when a web service is invoked

**Answer:** BD

#### QUESTION 2

Oracle Adapters are deployed to the Oracle SOA Suite server.  
Which three SOA Suite components can use Oracle Adapters?

- A. BPEL Process
- B. Mediator
- C. Proxy Service
- D. Human Workflow
- E. Business Rule

**Answer:** ADE

#### QUESTION 3

In a BPEL model, what is the quickest way to implement a capability to skip rule execution if a particular condition holds?

- A. Model a switch activity to conditionally execute the business rule component.
- B. Use a skip condition on the business rule component.
- C. Include an XPath expression in an annotation on the business rule component.
- D. Use a correlation set on the business rule component.

**Answer:** C

#### QUESTION 4

You have modeled a Composite X for which the following fault policy action has been configured for remote faults:

```
<Action id="ora-retry">
<retry>
<retryCount>2</retryCount>
<retryInterval>2</retryInterval>
<exponentialBackoff/>
</retry>
</Action>
```

At runtime, when a remote fault occurs on an outbound invoke, this ora-retry action is triggered. After the two configured retries are exhausted, which one occurs?

- A. The transaction of Composite X rolls back.
- B. The instance is marked "open.faulted" and is available for auto-recovery.

- C. The instance is marked "closed.faulted" and is available for error recovery from Enterprise Manager where the user can choose actions on the instance such as replay, rethrow, and abort.
- D. The default retryFailureAction is initiated and it rethrows the error back to the caller service.

**Answer: B**

#### QUESTION 5

Which tool would you use to enable more detailed logging of SOA components?

- A. WebLogic Console
- B. Enterprise Manager
- C. BPM Workspace
- D. WebLogic Diagnostics Framework (WLDF)

**Answer: D**

#### QUESTION 6

Which expiration and escalation setting can be used to route a task a specified number of levels up a management chain if the assignee does not respond in a given time period?

- A. Never expire
- B. Expire after
- C. Route to manager
- D. Renew after
- E. Escalate after
- F. Management chain

**Answer: A**

#### QUESTION 7

How are task outcomes processed in BPEL process?

- A. by using a condition (present in each path of the human task activity) in which you specify the outcome that causes a particular path to be followed
- B. by using onMessage or pick activities that receive the outcome from the human workflow engine
- C. with a Switch containing a case for each outcome of interest plus an optional otherwise case after the human task activity
- D. with a Switch containing one case for each possible outcome after the human task activity

**Answer: C**

#### QUESTION 8

Given the following Oracle File Adapter configuration:

```
<adapter-config name="ReadPlanBenefit" adapter="File Adapter"
wsdlLocation="ReadPlanBenefit.wsdl"
xmlns=http://platform.integration.oracle/blocks/adapter/fw/metadata>
<connection-factory location="eis/FileAdapter"/>
<endpoint-interaction portType="SynchRead_ptt" operation=" SynchRead">
```

```
<interaction-spec
className="oracle.tip.adapter.file.outbound.FileReadInteraction.Spec">
<property name="DeleteFile" value="false"/>
<property name="PhysicalDirectory" value="/home/plan_benefit"/>
<property name="FileName" value=" plan_benefit.xml"/>
<property name="PhysicalArchiveDirectory"
value="/home/plan_benefit/archive/>
</interaction-spec>
</endpoint-interaction>
</adapter-config>
```

Which two statements are true?

- A. The actual source directory will be specified by a property in the composite.xml file.
- B. Each file read will be moved to an archive directory after it is successfully processed.
- C. This configuration can be used to create an outbound business service component.
- D. This configuration can be used to create an inbound proxy service component.

**Answer:** CD

#### QUESTION 9

Composite X invokes an outbound DB adapter to write data to a database table.  
You have configured JCA retry at the binding component as follows:

```
<property name = "jca.retry.count" type="xs:int" many="false"
override = "may">2</property>
<property name = "jca.retry.interval" type="xs:int" many="false"
override = "may">2</property>
```

You have also modeled a fault policy to retry the invocation three times in case of remoteFault as follows:

```
<retryCount>3</retryCount>
<retryInterval>3</retryInterval>
```

What happens when the database that is being accessed by the above binding component goes down?

- A. The invocation is retried for a total of two times every two seconds. Fault policy retries are ignored.
- B. The invocation is retried for a total of six times every three seconds.
- C. The invocation is retried for a total of six times every two seconds.
- D. The fault policy retries occur within the JCA retries. So, two JCA retries are executed two seconds apart. Within each fault policy retry, two JCA retries are executed two seconds apart.

**Answer:** D

## Thank You for Trying Our Product

### Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives<sup>®</sup>

**10% Discount Coupon Code: BDN2014**