



Vendor: HP

Exam Code: HPE6-A15

Exam Name: Aruba Certified Clearpass Professional 6.5

Version: DEMO

QUESTION 1

What is the purpose of Operator Profiles?

- A. to enforce role based access control for Aruba Controllers
- B. to enforce role based access control ClearPass Policy Manager admin users
- C. to enforce role based access control for ClearPass Guest Admin users
- D. to assign ClearPass roles to guest users
- E. to map AD attributes to admin privilege levels in ClearPass Guest

Answer: B

QUESTION 2

Based on the information shown, what is the purpose of using [Time Source] for authorization?

Configuration » Services » Edit - MAC Caching - Guest MAC Authentication

Services - MAC Caching - Guest MAC Authentication

Summary	Service	Authentication	Authorization	Roles	Enforcement
Authorization Details:					
Authorization sources from which role mapping attributes are fetched					
Authentication Source					
1. [Endpoints Repository] [Local SQL DB]					
Additional authorization sources from which to fetch role-mapping					
[Insight Repository] [Local SQL DB]					
MAC Caching - MAC-Guest-Check [Generic SQ]					
<div>Remove View Details Modify</div>					
--Select to Add--					

- A. It's used to check if the MAC address status is known in the endpoints table
- B. It's used to check if the guest account has expired
- C. It's used to check if the MAC address status is unknown in the endpoints table
- D. It's used to check how long it's been since the last web login authentication
- E. It's used to check if the MAC address is in the MAC Caching repository

Answer: B

QUESTION 3


A customer with an Aruba Controller wants it to work with ClearPass Guest. How should the customer configure ClearPass as an authentication server in the controller so that guests are able to authenticate successfully?

- A. Add ClearPass as a RADIUS CoA server.
- B. Add ClearPass as a RADIUS authentication server
- C. Add ClearPass as a TACACS+ authentication server
- D. Add ClearPass as an HTTPS authentication server

Answer: C

QUESTION 4

Refer to the exhibit. Based on the network topology diagram shown, how many clusters are needed for this deployment?



- A. 1
- B. 2
- C. 3
- D. 4
- E. 8

Answer: D

QUESTION 5

Which database in the Policy Manager contains the device attributes derived by profiling?

- A. Endpoints Repository
- B. Client Repository
- C. Local Users Repository
- D. Onboard Devices Repository
- E. Guest User Repository

Answer: A

QUESTION 6

Refer to the exhibit. Which statements accurately describes me cp82 CJearPass node? (Select two.)

Parameter-Name	Parameter Value	Default Value
Enable Publisher Failover	TRUE	FALSE
Designated Standby Publisher	cp82.clearpass	0
Failover Wait Time	10 minutes	10

Buttons: Restore Defaults, Save, Cancel

- A. It becomes the Publisher when the primary Publisher fails.
- B. It operates as a Publisher in the same cluster as the primary Publisher when the primary is active.
- C. It operates as a Publisher in a separate cluster when the Publisher is active.
- D. It operates as a Subscriber when the Publisher is active.
- E. It stays as a Subscriber when the Publisher fails.

Answer: AD

QUESTION 7

Refer to the exhibit. Based on the information shown, what is the purpose of using [Time Source] for authorization?

Authorization sources from which role mapping attributes are fetched:

Authentication Source
1. [Guest User Repository] [Local SQL DB]

Additional authorization sources from which to fetch role-mapping:

[Endpoints Repository] [Local SQL DB]	Remove View Details Modify
[Time Source] [Local SQL DB]	

--Select to Add--


- A. to check whether the MAC address status is unknown in the endpoints table
- B. to check whether the MAC address is in the MAC Caching repository
- C. to check how long it has been since the last web login authentication
- D. to check whether the MAC address status is known in the endpoints table

E. to check whether the guest account expired

Answer: E

QUESTION 8

Refer to the exhibit. A customer wants to enable Publisher redundancy. Based on the network topology diagram shown, which node should the network administrator configure as die standby Publisher for the Publisher in the main data ceqter?



- A. Subscriber in the main data center
- B. Publisher in the regional office Publisher
- C. any of the other three Publishers
- D. Publisher is the mid-size branch
- E. Publisher in the DMZ

Answer: A

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



CITRIX



JUNIPER
NETWORKS



EMC²
where information lives[®]

10% Discount Coupon Code: BDN2014