

EMC

E20-562 Exam

VPLEX Specialist Exam for Storage Administrators

Question: 1

Which protocol does the service laptop use to communicate with and maintain an EMC VPLEX environment?

- A. SSH
- B. SNMP
- C. Telnet
- D. UDP

Answer: D

Question: 2

What condition would prevent volume expansion?

- A. Migration occurring on the volume
- B. Volume not belonging to a consistency group
- C. Metadata volume being backed up
- D. Logging volume in re-synchronization state

Answer: A

Question: 3

A storage administrator wants to view additional performance metrics for their VPLEX cluster. The administrator runs the report create-monitors command to help with this task.

- A. Disks, ports, and volumes
- B. Disks, volumes, and hosts
- C. Disks, storage views, and ports
- D. Disks, initiators, and storage volumes

Answer: A

Question: 4

What is required before a host can detect the virtual volumes presented by the VPLEX?

- A. Virtual volumes can only be detected after a reboot
- B. RAID configuration must be enabled for Virtual volumes
- C. EZ Provisioning wizard must be run on the host
- D. Host must initiate a bus-scan of the HBAs

Answer: D

Question: 5

What is a consideration for using a VPLEX logging volume?

- A. Must be created on each VPLEX cluster before creating a distributed device
- B. Automatically provisioned at each VPLEX cluster when the distributed device is created
- C. A distributed device must be created before a logging volume can be created
- D. VIAS can be used to create a logging volume at each cluster

Answer: A

Question: 6

Using the Storage Volume expansion method for virtual volumes built on RAID-1 or distributed RAID-1 devices, what is the maximum number of initialization processes that can run concurrently, per cluster?

- A. 100
- B. 250
- C. 500
- D. 1000

Answer: D

Question: 7

Which type of volumes has individual synchronized copies of data (mirrors) in more than one cluster?

- A. Distributed device
- B. Extent
- C. Storage volume
- D. Virtual volume

Answer: D

Question: 8

Which type of statistics is used to track latencies, determine median, mode, percentiles, minimums, and maximums?

- A. Buckets
- B. Monitors
- C. Readings
- D. Counters

Answer: A
