



**Vendor:** SAP

**Exam Code:** C\_FSUTIL\_60

**Exam Name:** SAP Certified Associate - Utilities with SAP  
ERP 6.0

**Version:** DEMO

#### QUESTION 1

A customer moves in to a premise and requests electricity service starting on June 7. According to the schedule records, the scheduled meter reading date is June 29, the scheduled billing date is July 1, and the allocation date for billing is June 30.

Given that batch billing is executed every night with all portions included, what is the first day the customer's contract could be billed?

- A. July 1
- B. June 30
- C. June 7
- D. June 29

**Answer:** A

#### QUESTION 2

On May 15, you try to process dunning for an account with an issue date of May 10.

Why does dunning fail to produce a result?

- A. A dunning block which expired on May 13 was set on the contract account.
- B. A dunning block which expired on May 13 was set on the business partner.
- C. A dunning block which began on May 13 was set on the business partner.
- D. A dunning block which began on May 13 was set on the contract account.

**Answer:** A

#### QUESTION 3

Which object can be used in monitoring (EL31) to view meter reading results?

- A. Contract
- B. Device location
- C. Connection object
- D. Contract account

**Answer:** A

#### QUESTION 4

Which criteria are used to group the underlying FICA documents for transfer to General Ledger Accounting? (Choose three)

- A. Creation date
- B. Currency
- C. Transaction
- D. Segment
- E. Company code

**Answer:** BDE

**QUESTION 5**

Which processes can be directly called within the account display transaction? (Choose three)

- A. Change contract
- B. Display returns history
- C. Mass change
- D. Create budget billing plan
- E. Display installation

**Answer:** ABC

**QUESTION 6**

Which of the following must exist before an agent can create an automatic billing document?

- A. Validated meter reading result
- B. Posted payment
- C. Billable billing order
- D. Active budget billing plan

**Answer:** C

**QUESTION 7**

A tariff requires that for the same contract account, the consumption from the water meter is used to bill the water consumption charge and the waste water consumption charge.

How can the water meter be installed to meet this tariff requirement?

- A. Technically installed to waste installation; billing installed to water installation
- B. Fully installed to water installation; technically installed to waste water installation
- C. Fully installed to water installation; billing installed to waste water installation
- D. Technically installed to water installation; billing installed to waste water installation

**Answer:** C

**QUESTION 8**

You enter a meter reading manually and receive a message informing you that the reading failed a relative tolerance validation.

What type of meter reading validation is this?

- A. Meter reading control validation
- B. Fixed validation
- C. Independent validation
- D. Dependent validation

**Answer:** C

## Thank You for Trying Our Product

### Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



Microsoft



ORACLE



JUNIPER  
NETWORKS



EMC<sup>2</sup>  
where information lives<sup>®</sup>

**10% Discount Coupon Code: BDNT2014**