NetApp

NS0-183 Exam

NetApp Certified Storage Installation Engineer - ONTAP

What should you do to change the data protocol of a LIF?

- A. Delete and re-recreate the LIF.
- B. Add the new data protocol to the LIF.
- C. Put the LIF in another broadcast domain.
- D. Shut down the assigned port.

Answer: A

Reference: https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUID- 26EEBB35-4CA6-4814-B819-32DAB46F50E5.html

Question: 2

You are preparing for the installation of a new 2-node cluster with ONTAP 9.7 using NL-SAS drives. Your customer wants to use the cluster exclusively with FlexGroups. In this scenario, which two statements are correct? (Choose two.)

- A. All NL-SAS drives are assigned only to one of the nodes.
- B. A NAS protocol is licensed on both nodes.
- C. A SAN protocol is licensed on both nodes.
- D. All NL-SAS drives are divided evenly across both nodes.

Answer: BD

Reference: https://www.netapp.com/media/12385-tr4571.pdf

Question: 3

You are a NetApp Professional Services engineer, employed by NetApp. You have just completed an ONTAP cluster installation. You need to collect the relevant configuration information to enable the Service Event Report (SER) to be created.

Which tool would you use to accomplish this task?

- A. Active IQ scheduled reports
- B. NetAppDocs output report
- C. ONTAP System Manager
- D. Active IQ Config Advisor worksheet

		Answer: A
Question: 4		
What is the default shelf ID for c	lisk shelves with IOM12 modules?	
A. 12		
B. 01		
C. 10 D. 00		
		Answer: D
icg%2FGUID- F6882D15-2C68-40	etapp.com/platstor/index.jsp?topic=% DFC-AAA7-06B227B92377.html	2Fcom.netapp.doc.hw-ds-sas3-
Question: 5		
	n of an AFF A800 ONTAP AI cluster, yo btaining immediate assistance in solv I the customer?	
A. Contact NetApp Support using	g chat.	
B. Use Guided Problem Solving.	Jankana	
C. Contact NetApp Support by to D. Use the NetApp KB TV channe	•	
		Answer: C