



Vendor: Cisco

Exam Code: 642-975

Exam Name: Cisco Data Center Application Services
Implementation

Version: DEMO

QUESTION 1

What does a Cisco ACE Module do upon receiving an SSL version 2/3 hybrid client hello?

- A. drops the hello and sends no reply
- B. replies with an SSL version 3 server hello
- C. replies with an SSL version 2 server hello
- D. replies with a connection-refused message
- E. replies with an SSL version 2/3 hybrid server hello

Answer: B

QUESTION 2

What is the maximum capture size when copying the packet capture buffer to the disk0 file system?

- A. 100 MB
- B. 110 MB
- C. 120 MB
- D. 130 MB

Answer: B

QUESTION 3

Which two statements about digital signatures are true? (Choose two.)

- A. They verify the identity of the sender.
- B. They use public and private key pairs.
- C. They hash only the source IP address of each packet.
- D. They hash the source and destination IP addresses of each packet.
- E. They encrypt application data so that it cannot be read while in transit.

Answer: AB

QUESTION 4

Depending on traffic patterns, which feature might you enable to try to conserve SSL resources?

- A. SSL termination
- B. SSL queue delay
- C. SSL session reuse
- D. SSL client authentication

Answer: B

QUESTION 5

Which command would you use to verify that a management policy you created called "remote-mgmt" has been applied to interface VLAN 231?

- A. `ace/context# show policy-map remote-mgmt`

- B. ace/context# show service-policy remote-mgmt
- C. ace/context# show service-policy interface vlan 231
- D. ace/context# show interface vlan 231 service-policy

Answer: B

QUESTION 6

Two resource classes are defined as follows:

RC1 and RC2 each have two member contexts
RC1 has a minimum allocation of 20% for all resources

Which two are possible values for the maximum allocation of RC2? (Choose two.)

- A. 30%
- B. 60%
- C. 80%
- D. 90%
- E. Unlimited

Answer: AE

QUESTION 7

Which three of these are features of a Cisco ACE virtualization implementation? (Choose three.)

- A. separate routing table per context
- B. global administration and monitoring
- C. separate image versions per context
- D. separate management and data resource control per context
- E. the ability to utilize the same IP addresses across multiple contexts

Answer: ABD

QUESTION 8

Which command would you use to store a PKI resource on an external server?

- A. ace/context# copy {local_filename} ftp {ip_address} {username} {remote_filename}
- B. ace/context# copy {local_filename} sftp {ip_address} {username} {remote_filename}
- C. ace/context# crypto copy {local_filename} ftp {ip_address} {username} {remote_filename}
- D. ace/context# crypto export {local_filename} ftp {ip_address} {username} {remote_filename}

Answer: A

QUESTION 9

Which two statements are true of a DSR configuration? (Choose two.)

- A. Layer 4 load balancing is not possible.
- B. Layer 7 load balancing is not possible.
- C. PBR can be used to redirect return traffic to the Cisco ACE appliance

- D. SNAT can be used to redirect return traffic to the Cisco ACE appliance
- E. Stateful security tracking is not possible; TCP flows must be timed out to be removed from memory.

Answer: BE

QUESTION 10

Which two of these are required to support DNS sticky in a mesh environment? (Choose two.)

- A. DRP on local routers
- B. same global subnet mask values on directly-attached Cisco GSSs
- C. same global subnet mask values on each Cisco GSS in the peer mesh
- D. system clock synchronization using NTP on all Cisco GSSs in the mesh
- E. system clock synchronization using NTP on all Cisco GSSs in the mesh and all directly connected routers

Answer: CD

QUESTION 11

Which of these statements correctly describes a server load balancing design in which traffic must first be load-balanced through firewalls?

- A. Both internal and external Cisco ACE appliances must use the same VIP.
- B. A unique VIP must be assigned to both the internal and external Cisco ACE appliances.
- C. The firewalls must be in the same subnet as the Rservers.
- D. The firewalls require a special policy that will prevent them from changing the forwarding MAC address.

Answer: A

QUESTION 12

When checking the fabric utilization using the show fabric utilization command, which of these values would cause you to recommend purchasing a license upgrade?

- A. Channel 0
- B. Speed 8 G
- C. Ingress & Egress Utilization
- D. Processing and Memory Utilization

Answer: C

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



10% Discount Coupon Code: BDN2014