



Vendor: Amazon

Exam Code: DOP-C02

Exam Name: AWS Certified DevOps Engineer -
Professional (DOP-C02)

Version: DEMO

QUESTION 1

A company has multiple member accounts that are part of an organization in AWS Organizations. The security team needs to review every Amazon EC2 security group and their inbound and outbound rules. The security team wants to programmatically retrieve this information from the member accounts using an AWS Lambda function in the management account of the organization.

Which combination of access changes will meet these requirements? (Choose three.)

- A. Create a trust relationship that allows users in the member accounts to assume the management account IAM role.
- B. Create a trust relationship that allows users in the management account to assume the IAM roles of the member accounts.
- C. Create an IAM role in each member account that has access to the AmazonEC2ReadOnlyAccess managed policy.
- D. Create an IAM role in each member account to allow the sts:AssumeRole action against the management account IAM role's ARN.
- E. Create an IAM role in the management account that allows the sts:AssumeRole action against the member account IAM role's ARN.
- F. Create an IAM role in the management account that has access to the AmazonEC2ReadOnlyAccess managed policy.

Answer: BCE

QUESTION 2

A space exploration company receives telemetry data from multiple satellites. Small packets of data are received through Amazon API Gateway and are placed directly into an Amazon Simple Queue Service (Amazon SQS) standard queue. A custom application is subscribed to the queue and transforms the data into a standard format.

Because of inconsistencies in the data that the satellites produce, the application is occasionally unable to transform the data. In these cases, the messages remain in the SQS queue. A DevOps engineer must develop a solution that retains the failed messages and makes them available to scientists for review and future processing.

Which solution will meet these requirements?

- A. Configure AWS Lambda to poll the SQS queue and invoke a Lambda function to check whether the queue messages are valid. If validation fails, send a copy of the data that is not valid to an Amazon S3 bucket so that the scientists can review and correct the data. When the data is corrected, amend the message in the SQS queue by using a replay Lambda function with the corrected data.
- B. Convert the SQS standard queue to an SQS FIFO queue. Configure AWS Lambda to poll the SQS queue every 10 minutes by using an Amazon EventBridge schedule. Invoke the Lambda function to identify any messages with a SentTimestamp value that is older than 5 minutes, push the data to the same location as the application's output location, and remove the messages from the queue.
- C. Create an SQS dead-letter queue. Modify the existing queue by including a redrive policy that sets the Maximum Receives setting to 1 and sets the dead-letter queue ARN to the ARN of the newly created queue. Instruct the scientists to use the dead-letter queue to review the data that is not valid. Reprocess this data at a later time.
- D. Configure API Gateway to send messages to different SQS virtual queues that are named for each of the satellites. Update the application to use a new virtual queue for any data that it cannot transform, and send the message to the new virtual queue. Instruct the scientists to use the virtual queue to review the data that is not valid. Reprocess this data at a later time.

Answer: C

QUESTION 3

A company wants to use AWS CloudFormation for infrastructure deployment. The company has strict tagging and resource requirements and wants to limit the deployment to two Regions. Developers will need to deploy multiple versions of the same application.

Which solution ensures resources are deployed in accordance with company policy?

- A. Create AWS Trusted Advisor checks to find and remediate unapproved CloudFormation StackSets.
- B. Create a Cloud Formation drift detection operation to find and remediate unapproved CloudFormation StackSets.
- C. Create CloudFormation StackSets with approved CloudFormation templates.
- D. Create AWS Service Catalog products with approved CloudFormation templates.

Answer: D

QUESTION 4

A company requires that its internally facing web application be highly available. The architecture is made up of one Amazon EC2 web server instance and one NAT instance that provides outbound internet access for updates and accessing public data.

Which combination of architecture adjustments should the company implement to achieve high availability? (Choose two.)

- A. Add the NAT instance to an EC2 Auto Scaling group that spans multiple Availability Zones. Update the route tables.
- B. Create additional EC2 instances spanning multiple Availability Zones. Add an Application Load Balancer to split the load between them.
- C. Configure an Application Load Balancer in front of the EC2 instance. Configure Amazon CloudWatch alarms to recover the EC2 instance upon host failure.
- D. Replace the NAT instance with a NAT gateway in each Availability Zone. Update the route tables.
- E. Replace the NAT instance with a NAT gateway that spans multiple Availability Zones. Update the route tables.

Answer: BD

QUESTION 5

A DevOps engineer is building a multistage pipeline with AWS CodePipeline to build, verify, stage, test, and deploy an application. A manual approval stage is required between the test stage and the deploy stage. The development team uses a custom chat tool with webhook support that requires near-real-time notifications.

How should the DevOps engineer configure status updates for pipeline activity and approval requests to post to the chat tool?

- A. Create an Amazon CloudWatch Logs subscription that filters on CodePipeline Pipeline Execution State Change. Publish subscription events to an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe the chat webhook URL to the SNS topic, and complete the subscription validation.
- B. Create an AWS Lambda function that is invoked by AWS CloudTrail events. When a CodePipeline Pipeline Execution State Change event is detected, send the event details to the chat webhook URL.

- C. Create an Amazon EventBridge rule that filters on CodePipeline Pipeline Execution State Change. Publish the events to an Amazon Simple Notification Service (Amazon SNS) topic. Create an AWS Lambda function that sends event details to the chat webhook URL. Subscribe the function to the SNS topic.
- D. Modify the pipeline code to send the event details to the chat webhook URL at the end of each stage. Parameterize the URL so that each pipeline can send to a different URL based on the pipeline environment.

Answer: C

QUESTION 6

A company's application development team uses Linux-based Amazon EC2 instances as bastion hosts. Inbound SSH access to the bastion hosts is restricted to specific IP addresses, as defined in the associated security groups. The company's security team wants to receive a notification if the security group rules are modified to allow SSH access from any IP address. What should a DevOps engineer do to meet this requirement?

- A. Create an Amazon EventBridge rule with a source of aws.cloudtrail and the event name AuthorizeSecurityGroupIngress. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.
- B. Enable Amazon GuardDuty and check the findings for security groups in AWS Security Hub. Configure an Amazon EventBridge rule with a custom pattern that matches GuardDuty events with an output of NON_COMPLIANT. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.
- C. Create an AWS Config rule by using the restricted-ssh managed rule to check whether security groups disallow unrestricted incoming SSH traffic. Configure automatic remediation to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.
- D. Enable Amazon Inspector. Include the Common Vulnerabilities and Exposures-1.1 rules package to check the security groups that are associated with the bastion hosts. Configure Amazon Inspector to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.

Answer: C

QUESTION 7

A DevOps team manages an API running on-premises that serves as a backend for an Amazon API Gateway endpoint. Customers have been complaining about high response latencies, which the development team has verified using the API Gateway latency metrics in Amazon CloudWatch. To identify the cause, the team needs to collect relevant data without introducing additional latency.

Which actions should be taken to accomplish this? (Choose two.)

- A. Install the CloudWatch agent server side and configure the agent to upload relevant logs to CloudWatch.
- B. Enable AWS X-Ray tracing in API Gateway, modify the application to capture request segments, and upload those segments to X-Ray during each request.
- C. Enable AWS X-Ray tracing in API Gateway, modify the application to capture request segments, and use the X-Ray daemon to upload segments to X-Ray.
- D. Modify the on-premises application to send log information back to API Gateway with each request.
- E. Modify the on-premises application to calculate and upload statistical data relevant to the API service requests to CloudWatch metrics.

Answer: AC

QUESTION 8

A company has an application that is using a MySQL-compatible Amazon Aurora Multi-AZ DB cluster as the database. A cross-Region read replica has been created for disaster recovery purposes. A DevOps engineer wants to automate the promotion of the replica so it becomes the primary database instance in the event of a failure.

Which solution will accomplish this?

- A. Configure a latency-based Amazon Route 53 CNAME with health checks so it points to both the primary and replica endpoints. Subscribe an Amazon SNS topic to Amazon RDS failure notifications from AWS CloudTrail and use that topic to invoke an AWS Lambda function that will promote the replica instance as the primary.
- B. Create an Aurora custom endpoint to point to the primary database instance. Configure the application to use this endpoint. Configure AWS CloudTrail to run an AWS Lambda function to promote the replica instance and modify the custom endpoint to point to the newly promoted instance.
- C. Create an AWS Lambda function to modify the application's AWS CloudFormation template to promote the replica, apply the template to update the stack, and point the application to the newly promoted instance. Create an Amazon CloudWatch alarm to invoke this Lambda function after the failure event occurs.
- D. Store the Aurora endpoint in AWS Systems Manager Parameter Store. Create an Amazon EventBridge event that detects the database failure and runs an AWS Lambda function to promote the replica instance and update the endpoint URL stored in AWS Systems Manager Parameter Store. Code the application to reload the endpoint from Parameter Store if a database connection fails.

Answer: D

QUESTION 9

A company hosts its staging website using an Amazon EC2 instance backed with Amazon EBS storage. The company wants to recover quickly with minimal data losses in the event of network connectivity issues or power failures on the EC2 instance.

Which solution will meet these requirements?

- A. Add the instance to an EC2 Auto Scaling group with the minimum, maximum, and desired capacity set to 1.
- B. Add the instance to an EC2 Auto Scaling group with a lifecycle hook to detach the EBS volume when the EC2 instance shuts down or terminates.
- C. Create an Amazon CloudWatch alarm for the StatusCheckFailed System metric and select the EC2 action to recover the instance.
- D. Create an Amazon CloudWatch alarm for the StatusCheckFailed Instance metric and select the EC2 action to reboot the instance.

Answer: C

QUESTION 10

A company wants to use AWS development tools to replace its current bash deployment scripts. The company currently deploys a LAMP application to a group of Amazon EC2 instances behind an Application Load Balancer (ALB). During the deployments, the company unit tests the committed application, stops and starts services, unregisters and re-registers instances with the load balancer, and updates file permissions. The company wants to maintain the same

deployment functionality through the shift to using AWS services.
Which solution will meet these requirements?

- A. Use AWS CodeBuild to test the application. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart services, and deregister and register instances with the ALB. Use the appspec.yml file to update file permissions without a custom script.
- B. Use AWS CodePipeline to move the application from the AWS CodeCommit repository to AWS CodeDeploy. Use CodeDeploy's deployment group to test the application, unregister and re-register instances with the ALB and restart services. Use the appspec.yml file to update file permissions without a custom script.
- C. Use AWS CodePipeline to move the application source code from the AWS CodeCommit repository to AWS CodeDeploy. Use CodeDeploy to test the application. Use CodeDeploy's appspec.yml file to restart services and update permissions without a custom script. Use AWS CodeBuild to unregister and re-register instances with the ALB.
- D. Use AWS CodePipeline to trigger AWS CodeBuild to test the application. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart services. Unregister and re-register the instances in the AWS CodeDeploy deployment group with the ALB. Update the appspec.yml file to update file permissions without a custom script.

Answer: D

QUESTION 11

A company runs an application with an Amazon EC2 and on-premises configuration. A DevOps engineer needs to standardize patching across both environments. Company policy dictates that patching only happens during non-business hours.

Which combination of actions will meet these requirements? (Choose three.)

- A. Add the physical machines into AWS Systems Manager using Systems Manager Hybrid Activations.
- B. Attach an IAM role to the EC2 instances, allowing them to be managed by AWS Systems Manager.
- C. Create IAM access keys for the on-premises machines to interact with AWS Systems Manager.
- D. Run an AWS Systems Manager Automation document to patch the systems every hour
- E. Use Amazon EventBridge scheduled events to schedule a patch window.
- F. Use AWS Systems Manager Maintenance Windows to schedule a patch window.

Answer: ABF

Thank You for Trying Our Product

Braindump2go Certification Exam Features:

- ★ More than **99,900** Satisfied Customers Worldwide.
- ★ Average **99.9%** Success Rate.
- ★ **Free Update** to match latest and real exam scenarios.
- ★ **Instant Download** Access! No Setup required.
- ★ Questions & Answers are downloadable in **PDF** format and **VCE** test engine format.
- ★ Multi-Platform capabilities - **Windows, Laptop, Mac, Android, iPhone, iPod, iPad**.
- ★ **100%** Guaranteed Success or **100%** Money Back Guarantee.
- ★ **Fast**, helpful support **24x7**.



View list of all certification exams: <http://www.braindump2go.com/all-products.html>



10% Discount Coupon Code: ASTR14