



MongoDB

C100DBA Exam

MongoDB Certified DBA Associate Exam

Question: 1

What does the following aggregate query perform?

```
db.posts.aggregate( [
  { $match : { likes : { $gt : 100, $lte : 200 } } },
  { $group: { _id: null, count: { $sum: 1 } } }
] );
```

- A. Fetches the posts with likes between 100 and 200 and sets their _id as null
- B. Groups the posts by number of likes (101, 102, 103.) by adding 1 every time
- C. Calculates the number of posts with likes between 100 and 200
- D. Fetches the posts with likes between 100 and 200, sets the _id of the first document as null and then increments it 1 every time

Answer: C

Question: 2

Which of the following commands finds all the documents in the posts collection with post timestamp field as null?

- A. db.posts.find({ post_timestamp: { \$fieldtype: null } })
- B. db.posts.find({ post_timestamp: { \$type: null } })
- C. db.posts.find({ post_timestamp : { \$type; 10 > > } })
- D. db.posts.find({ post_timestamp: { \$fieldtype: 10 } })

Answer: B

Question: 3

What is the first task that a secondary would perform on being prompted by another secondary for an election?

- A. Start the election process for primary

- B. Vote for the first secondary so that it would become the next primary
- C. Vote for itself and then call for election
- D. Connect to primary to confirm its availability

Answer: D

Question: 4

Aggregation Pipelines have a limit of:

- A. No limit on document and 100 MB RAM
- B. 2 MB document and no limit on RAM
- C. 2 MB document and 100 MB RAM
- D. 16 MB document and 100 MB RAM

Answer: D

Question: 5

Which option should be used to update all the documents with the specified condition in the MongoDB query?

- A. specify {all: true} as the third parameter of update command
- B. updateAll instead of update
- C. specify {updateAll: true} as the third parameter of update command
- D. specify {multi : true} as the third parameter of update command

Answer: D
