

Braindump2go Guarantee All Exams 100% Pass One Time!

Vendor: Cisco

> Exam Code: 100-490

- Exam Name: Supporting Cisco Routing & Switching Network Devices
- ➤ New Updated Questions from <u>Braindump2go</u> (Updated in <u>July/2020</u>)

Visit Braindump2go and Download Full Version 100-490 Exam Dumps

QUESTION 1

What is the primary method for recovering or upgrading a Cisco network device system image?

- A. USB storage
- B. FTP
- C. the tftpdnld command
- D. the xmodem command

Answer: C

QUESTION 2

Which two commands are valid for copying a saved configuration to RAM? (Choose two.)

- A. copy startup-config running-config
- B. copy running-config startup-config
- C. copy tftp running-config
- D. copy running-config tftp
- E. copy tftp startup-config

Answer: AC

QUESTION 3

What are two purposes of a USB thumb drive? (Choose two.)

- A. to save the system log
- B. to copy configuration files to and from a PC
- C. to save router hardware information
- D. to copy IOS images to and from a PC
- E. to increase system memory size

Answer: BD

QUESTION 4

Which method is the fastest way to recover a software version that supports a USB flash port on a Cisco device?

- A. tftp command
- B. xmodem transfer command
- C. copy command with USB memory
- D. copy tftp flash: command



Braindump2go Guarantee All Exams 100% Pass

One Time!

Answer: C

QUESTION 5

Which command initiates the transfer of a Cisco IOS image over IP from ROMMON?

- A. Xmodem
- B. copy tftp: flash:
- C. copy flash: tftp:
- D. tftpdnld

Answer: D

QUESTION 6

What does Cisco use for Return Materials Authorization tracking of field-replaceable parts?

- A. product number
- B. serial number
- C. RMA number
- D. FRU number

Answer: C

QUESTION 7

Which set of steps best describes how to assign a static IP address to the Ethernet port on a computer?

- A. From the Network and Sharing Center, click Internet Protocol (TCP/IP), and follow the New Connection Wizard instructions.
- B. From the Network and Sharing Center, click Change adapter, then double-click a local area connection. Select Internet Protocol (TCP/IP) > Properties > Use the Following Address, and then configure the IP information.
- C. Click Start. Enter cmd and click OK. Enter the IP address XXX.XXX.XXX.XXX.
- D. From the Network and Sharing Center, double-click Local Area Connection. Select Properties > iPass Protocol (IEEE 802.1x) > Properties > Static IP.

Answer: B

QUESTION 8

Which router port is used for dial-in access to the router for CLI management purposes and does not usually pass normal network traffic?

- A. Fast Ethernet
- B. channelized serial
- C. AUX
- D. Gigabit Ethernet

Answer: C

QUESTION 9

ESD is the sudden and momentary electric current that flows between two objects at different electrical potentials, caused by direct contact or induced by an electrostatic field. Which three tools are used to avoid ESD? (Choose three.)

- A. negative static bag
- B. antistatic mat
- C. ESD wrist strap
- D. negative static mat



Braindump2go Guarantee All Exams 100% Pass

One Time!

E. antistatic bagF. latex gloves

Answer: BCE

QUESTION 10

Which type of port is used to connect a laptop to an Ethernet port on a Cisco router?

- A. rollover
- B. fiber
- C. straight-through
- D. crossover

Answer: C

QUESTION 11

Which Xmodem option is used to enhance error checking of an image that is copied to flash memory?

- А. -е
- B. -r
- C. -c
- D. -x

Answer: C