

➤ **Vendor: Cisco**

➤ **Exam Code: 100-490**

➤ **Exam Name: Supporting Cisco Routing & Switching Network Devices**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [July/2020](#))**

[Visit Braindump2go and Download Full Version 100-490 Exam Dumps](#)

QUESTION 45

Which type of memory stores the decompressed form of Cisco IOS Software and the running configuration?

- A. flash
- B. ROM
- C. NVRAM
- D. DRAM

Answer: D

QUESTION 46

Which type of memory is used to permanently store Cisco IOS Software?

- A. NVRAM
- B. flash
- C. SRAM
- D. DRAM

Answer: A

QUESTION 47

What is the default operating mode when you initially log in to a router?

- A. user EXEC
- B. global configuration
- C. privileged EXEC
- D. ROM monitor

Answer: A

QUESTION 48

Which two locations can be configured as a source for the IOS image in the boot system command? (Choose two.)

- A. RAM
- B. NVRAM
- C. flash memory
- D. HTTP server
- E. TFTP server
- F. Telnet server

[100-490 Exam Dumps](#) **[100-490 Exam Questions](#)** **[100-490 PDF Dumps](#)** **[100-490 VCE Dumps](#)**

<https://www.braindump2go.com/100-490.html>

Answer: CE

Explanation:

The following locations can be configured as a source for the IOS image:

1. + Flash (the default location)
2. + TFTP server
3. + ROM (used if no other source is found)

QUESTION 49

What interconnection cable can you use when you use a MDI connection?

- A. cut-through
- B. straight-through
- C. crossover
- D. rollover

Answer: C

QUESTION 50

When you deploy Cisco Catalyst 3850 Series switches, which two modes of operation can you choose from?

- A. Active mode and Standby mode
- B. Install mode and Bundle mode
- C. Boot mode and Run mode
- D. Exec mode and User mode

Answer: B

QUESTION 51

Which command displays a list of file systems that are available on Cisco devices?

- A. show memory
- B. show directory
- C. show file system
- D. show version

Answer: C

QUESTION 52

Which two pieces of information are displayed when you use the show ip interface brief command? (Choose two.)

- A. Layer 2 address
- B. keepalive
- C. Layer 3 address
- D. encapsulation type
- E. interface status

Answer: CE

QUESTION 53

Which command sends an echo request packet to the target host and then waits for an echo response message?

- A. echo
- B. access
- C. ping
- D. connect

Answer: C

QUESTION 54

Which command displays information about the carrier network, cell site, and available service?

- A. show cellular unit network
- B. show cellular unit radio
- C. show cellular unit hardware
- D. show cellular unit profile

Answer: A

QUESTION 55

Which two pieces of information about a neighboring device are displayed when you use the CLI command show cdp neighbor? (Choose two.)

- A. platform
- B. uptime
- C. device ID
- D. Cisco IOS Software version
- E. IP address

Answer: AC