

➤ **Vendor:** Cisco➤ **Exam Code:** 200-901➤ **Exam Name:** Developing Applications and Automating Workflows using Cisco Core Platforms (DEVASC)➤ **New Updated Questions from** [Braindump2go](#) (Updated in [December/2020](#))[Visit Braindump2go and Download Full Version 200-901 Exam Dumps](#)**QUESTION 97**

FILL BLANK

Fill in the blanks to complete the statement.

Cisco DNA Center provides the capability to send an HTTP _____ request to the API endpoint `https://DNA-C_API_ADDRESS/api/v1/network-device/` and receive the network _____ list in _____ format.

Correct Answer: See explanation below.**Section:** (none) **Explanation****Explanation/Reference:****Explanation:**authentication
parameter json**QUESTION 98**

Drag and Drop Question

Drag and drop the requests from the left into the correct order on the right to create and check the path trace between two devices using Cisco DNA center API.

Select and Place:

GET /api/v1/flow-analysis/{flowAnalysisId}

POST /api/v1/flow-analysis

POST /api/system/v1/auth/token

GET /api/v1/network-device/ and choose IP of source and destination devices

Step 1

Step 2

Step 3

Step 4

Correct Answer:

GET /api/v1/network-device/ and choose IP of source and destination devices

POST /api/system/v1/auth/token

GET /api/v1/flow-analysis/{flowAnalysisId}

POST /api/v1/flow-analysis

Section:
(none)
Explanation
n**Explanation/Reference:****QUESTION 99**[200-901 Exam Dumps](#) [200-901 Exam Questions](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#)<https://www.braindump2go.com/200-901.html>

Which YANG statement defines a block of other statements that can be easily referenced in other areas of a data model?

- A. grouping
- B. container
- C. submodule
- D. module

Correct

Answer: A

Section:

(none)

Explanation

Explanation/Reference:

QUESTION 100

Which two operations are defined in the NETCONF base protocol? (Choose two.)

- A. <open-session>
- B. <get-config>
- C. <close-session>
- D. <put>
- E. <remove-config>

Correct

Answer:

BC **Section:**

(none)

Explanation

Explanation/Reference:

Explanation:

<https://en.wikipedia.org/wiki/NETCONF>

QUESTION 101

Drag and

Drop

Question

Refer to the

exhibit.

List the clients that have used this network in the timespan

HTTP REQUEST

GET /networks/ {networkId}/clients

PARAMETERS

t0

The beginning of the timespan for the data. The maximum lookback period is 31 days from today.

timespan

The timespan for which the information will be fetched. If specifying timespan, do not specify parameter t0. The value must be in seconds and be less than or equal to 31 days. The default is 1 day.

perPage

The number of entries per page returned. Acceptable range is 3 – 1000. Default is 10.

startingAfter

A token used by the server to indicate the start of the page. Often this is a timestamp or an ID but it is not limited to those. This parameter should not be defined by client applications. The link for the first, last, prev, or next page in the HTTP Link header should define it.

endingBefore

A token used by the server to indicate the end of the page. Often this is a timestamp or an ID but it is not limited to those. This parameter should not be defined by client applications. The link for the first, last, prev, or next page in the HTTP Link header should define it.

```
base_url = https://api.meraki.com/api/v0"
network_id = "L_12345678910"
api_key = "1098hadpfsiapsf8ahf8ohp"
requests.<item 1> (
    <item 2> + "<item 3>/" + /<item 4>, "<item 5>",
    headers = {
        "X-Cisco-Meraki-API-Key": "<item 6>",
        "Content-Type": "<item 7>"
    },
    <item 8>={"<item 9>":"/<item 10>"})
```

Drag and drop the code from the left code from the left onto the item number on the right to complete the Meraki code to obtain a list of client which have used this network.

Select and Place:

params	<item 1>
networks	<item 2>
timespan	<item 3>
get	<item 4>
432000	<item 5>
base_url	<item 6>
application/json	<item 7>
network_id	<item 8>
clients	<item 9>
api_key	<item 10>

Correct Answer:

get
base_url
432000
networks
clients
application/json
api_key
timespan
params
network_id

Section: (none) Explanation

[200-901 Exam Dumps](#) [200-901 Exam Questions](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#)

<https://www.braindump2go.com/200-901.html>

Explanation/Reference:

QUESTION 102

Drag and Drop Question

Drag and drop the HTTP status codes from the left onto the correct descriptions on the right.

Select and Place:

400	Unauthorized
401	Not Found
403	Bad Request
404	Forbidden

Correct Answer:

401
404
400
403

Section: (none)

Explanation

Explanation/Reference:

Explanation:

<https://www.cisco.com/c/en/us/support/docs/security/web-security-appliance/118217-troubleshoot-wsa-00.html>

QUESTION 103

Drag and Drop Question

Drag and drop elements of the RESTCONF protocol stack from the left onto the correct description on the right. Not all elements on the left are used.

Select and Place:

<data>	content
XML or JSON	operations
SSH	transport
<rpc>, <rpc-reply>	
GET, POST, PUT, PATCH, DELETE	
HTTPS	

Correct Answer:

<data>	XML or JSON
	GET, POST, PUT, PATCH, DELETE
	SSH
<rpc>, <rpc-reply>	
HTTPS	

Section: (none)

Explanation

Explanation/Reference:

Explanation:

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/169/b_169_programmability_cg/restconf_programmable_interface.html

QUESTION 104

Which two elements are foundational principles of DevOps? (Choose two.)

- A. designing applications as microservices
- B. encouraging containers for the deployment of applications
- C. organizing cross-functional teams over organizational silos
- D. optimizing the cost of infrastructures
- E. automating over documenting

Correct

Answer: AD

Section: (none)

Explanation

QUESTION 105

Which two use cases are supported by Meraki APIs? (Choose two.)

[200-901 Exam Dumps](#) [200-901 Exam Questions](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#)

<https://www.braindump2go.com/200-901.html>

- A. Retrieve live streams from a Meraki Camera.
- B. Build a custom Captive Portal for Mobile Apps.
- C. Configure network devices via the Dashboard API.
- D. Build location-aware apps from Wi-Fi and LoRaWAN devices.
- E. Deploy applications onto the devices.

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 106

Package updates from a local server fail to download.
However, the same updates work when a much slower external repository is used. Why are local updates failing?

- A. The update utility is trying to use a proxy to access the internal resource.
- B. The Internet connection is too slow.
- C. The Internet is down at the moment, which causes the local server to not be able to respond.
- D. The server is running out of disk space.

Correct

Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 107

What should a CI/CD pipeline aim to achieve?

- A. to allow manual testing before deployment
- B. to require minimal manual interaction
- C. to support new deployments on a fixed monthly schedule
- D. to provide a documented process for feedback

Correct Answer: B **Section:** (none)

Explanation

Explanation/Reference:

QUESTION 108

What are two benefits of managing network configuration via APIs? (Choose two.)

- A. configuration on devices becomes less complex
- B. more security due to locking out manual device configuration
- C. increased scalability and consistency of network changes
- D. eliminates the need of legacy management protocols like SNMP
- E. reduction in network changes performed manually

Correct Answer: BC **Section:**

(none) Explanation