

➤ **Vendor:** VMware

➤ **Exam Code:** 2V0-41.20


➤ **Exam Name:** Professional VMware NSX-T Data Center

➤ **New Updated Questions from** [Braindump2go](#) (Updated in [Oct./2020](#))

[Visit Braindump2go and Download Full Version 2V0-41.20 Exam Dumps](#)

QUESTION 28

Refer to the exhibit.



Which NAT type must the NSX-T Data Center administrator create on the Tier-0 or Tier-1 Gateway to allow Web VM to initiate communication with public networks?

- A. SNAT
- B. Reverse NAT
- C. DNAT
- D. 1:1 NAT

Correct Answer: A

QUESTION 29

How does Traceflow tool identify issues in a network?

- A. Compares intended network state in the control plane with Tunnel End Point (TEP) keepalives in the data plane.
- B. Compares the management plane configuration states containing control plane traffic and error reporting from transport node agents.
- C. Injects synthetic traffic into the data plane and observes the results in the control plane.
- D. Injects ICMP traffic into the data plane and observes the results in the control plane.

Correct Answer: C

QUESTION 30

Which statement is true about an alarm in a Suppressed state?

- A. An alarm can be suppressed for a specific duration in days.
- B. An alarm can be suppressed for a specific duration in minutes.
- C. An alarm can be suppressed for a specific duration in seconds.
- D. An alarm can be suppressed for a specific duration in hours.

Correct Answer: A

QUESTION 31

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier- 0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information:

```
sa-nsxedge-01> get logical-routers
```

```
Logical Router
```

UUID Type	VRF	LR-ID	Name
Ports			
736a80e3-23f6-5a2d-81d6-bbefb2786666 TUNNEL 3	0	0	
B10ef54e-d5f3-49e5-99b7-8a51366d0592 SERVICE_ROUTER_TIER1 8	1	1025	SR-T1-LR-01
5a5ddd63-3764-4d28-b82e-ee4c964a0dfd SERVICE_ROUTER_TIER0 6	3	2049	SR-T0-LR-01
0E0784db-511f-fa72-ae0b-1ccaa0262ad2 DISTRIBUTED_ROUTER_TIER0 4	4	7	DR-T0-LR-01

Which two commands must be executed to check BGP neighbor status? (Choose two.)

- A. vrf 3
- B. vrf 1
- C. vrf 4
- D. sa-nsxedge-01(tier1_sr)> get bgp neighbor
- E. sa-nsxedge-01(tier0_sr)> get bgp neighbor
- F. sa-nsxedge-01(tier0_dr)> get bgp neighbor

Correct Answer: AE

QUESTION 32

Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- A. Route Aggregation
- B. Route Distribution
- C. Graceful Restart
- D. BGP Neighbors
- E. Local AS

Correct Answer: BD

QUESTION 33

An NSX administrator is troubleshooting a connectivity issue with virtual machines running on an ESXi transport node.

Which feature in the NSX UI shows the mapping between the virtual NIC and the host's physical adapter?

- A. Switch Visualization
- B. Port Mirroring
- C. Activity Monitoring
- D. IPFIX

Correct Answer: A

QUESTION 34

Which two logical router components span across all transport nodes? (Choose two.)

- A. DISTRIBUTED_ROUTER_TIER0
- B. SERVICE_ROUTER_TIER0
- C. TIER0_DISTRIBUTED_ROUTER
- D. DISTRIBUTED_ROUTER_TIER1
- E. SERVICE_ROUTER_TIER1

Correct Answer: AD

QUESTION 35

Which step must be performed before deploying an additional NSX Manager from the NSX-T UI?

- A. Prepare the ESXi hosts as Transport Nodes.
- B. Configure the Virtual IP of the cluster.
- C. Register vCenter Server as a Compute Manager.
- D. Create an Edge Cluster.

Correct Answer: C

QUESTION 36

Which three functions require a Services Router (SR) component on an Edge node? (Choose three.)

- A. Service Insertion
- B. Distributed Routing
- C. Packet Forwarding
- D. Gateway Firewall
- E. Distributed Firewall

F. Virtual Private Network

Correct Answer: ADF

QUESTION 37

Which NSX CLI command is used to check the GENEVE tunnel status on ESXi transport node?

- A. `get host-switch <Host-Switch-Name> tunnels`
- B. `get transport-node tunnel status`
- C. `get host-switch <Host-Switch-Name> tunnel status`
- D. `get transport-node tunnel state`

Correct Answer: A

QUESTION 38

What are two valid options when configuring the scope of a distributed firewall rule? (Choose two.)

- A. Segment Port
- B. Group
- C. Segment
- D. DFW
- E. Tier-1 Gateway

Correct Answer: BD