

➤ **Vendor: VMware**

➤ **Exam Code: 2V0-41.20**

➤ **Exam Name: Professional VMware NSX-T Data Center**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [Oct./2020](#))**

[Visit Braindump2go and Download Full Version 2V0-41.20 Exam Dumps](#)

QUESTION 52

When a stateful service is enabled for the first time on a Tier-0 Gateway, what happens on the NSX Edge node?

- A. SR and DR doesn't need to be connected to provide any stateful services.
- B. DR is instantiated and automatically connected with SR.
- C. SR is instantiated and automatically connected with DR.
- D. SR and DR is instantiated but requires manual connection.

Correct Answer: C

QUESTION 53

An NSX administrator is planning to deploy a multi-tier routing topology in their NSX-T Data Center environment to provide north-south connectivity for the VMs.

Which routing component must be deployed?

- A. Tier-1 Gateway
- B. Edge Services Gateway
- C. Tier-0 Gateway
- D. Layer 2 Gateway

Correct Answer: C

QUESTION 54

Which CLI command on NSX Manager and NSX Edge is used to change NTP settings?

- A. `set time-server`
- B. `get timezone`
- C. `set ntp-server`
- D. `set timezone`

Correct Answer: C

QUESTION 55

Which network virtualization technologies can be used with an Ethernet VPN (EVPN) deployment in NSX-T Data Center? (Choose two.)

- A. Virtual Extensible Local Area Network (VXLAN)
- B. Multiprotocol Border Gateway Protocol (MP-BGP)
- C. Open Shortest Path First (OSPF)

[2V0-41.20 Exam Dumps](#) **[2V0-41.20 Exam Questions](#)** **[2V0-41.20 PDF Dumps](#)** **[2V0-41.20 VCE Dumps](#)**

<https://www.braindump2go.com/2v0-41-20.html>

- D. Multiprotocol Label Switching (MPLS)
- E. Virtual Routing and Forwarding (VRF)

Correct Answer: AB

QUESTION 56

Which three teaming policy modes are supported by NSX-T Data Center? (Choose three.)

- A. Destination MAC
- B. Load Balanced Source IP
- C. Failover Order
- D. Destination Port
- E. Load Balanced Source MAC
- F. Load Balanced Source **Correct**

Answer: CEF **QUESTION 57**

An NSX administrator is creating a Tier-1 Gateway configured in Active-Standby High Availability Mode. In the event of node failure, the failover policy should not allow the original failed node to become the Active node upon recovery.

Which failover policy meets this requirement?

- A. Non-Preemptive
- B. Preemptive
- C. Enable Preemptive
- D. Disable Preemptive

Correct Answer: A

QUESTION 58

Which two choices are solutions of the NSX portfolio (Choose two.)?

- A. vRealize Automation
- B. NSX Distributed IDS/IPS
- C. vRealize Network Insight
- D. Tanzu Kubernetes Grid
- E. NSX Service Mesh

Correct Answer: BE

QUESTION 59

Where are Distributed Firewall logs containing access decisions stored?

- A. NSX API
- B. NSX Edge
- C. NSX Manager
- D. Hypervisor transport node

Correct Answer: C

QUESTION 60

What are three NSX Manager roles? (Choose three.)

- A. cloud

- B. manager
- C. zookeeper
- D. policy
- E. master
- F. controller

Correct Answer: BDF