

Braindump2go Guarantee All Exams 100% Pass

One Time!

- Vendor: VMware
- Exam Code: 2V0-81.20
- **Exam Name:** Professional VMware Security

New Updated Questions from <u>Braindump2go</u>

(Updated in <u>January/2022</u>)

Visit Braindump2go and Download Full Version 2V0-81.20 Exam Dumps

QUESTION 42

An organization is expanding NSX to deploy the NSX Distributed Firewall on an AWS VPC and Azure VNET. Which statement is true concerning the expansion?

- A. The request is not possible because NSX works only in VMware environments.
- B. NSX can only manage native security components on AWS and Azure with agent based mode.
- C. NSX can only do an agent based mode on AWS and Azure.
- D. NSX can choose native security components on AWS and Azure or agent based mode.

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-9522BEC9-E85E-41DC-8AF5-2652A647730F.html

QUESTION 43

What is the correct sequence of options when creating a new compliance policy in Workspace ONE UEM?

- A. Actions, Assignment, Rules, Summary
- B. Rules, Actions, Assignment, Summary
- C. Assignment, Rules, Actions, Summary
- D. Rules, Assignment, Actions, Summary

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-UEM/services/UEM_Managing_Devices/GUID-AddACompliancePolicy.html

QUESTION 44

Which is the built-in two factor authentication method in Workspace ONE Access?

- A. VMware Verify
- B. VMware SMS
- C. VMware Auth
- D. VMware Push

Answer: A

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/ws1_access_authentication_cloud/GUID-

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps



FE8A5B1C-BC17-4A5C-BC8D-614C5EE4057A.html

QUESTION 45

Refer to the exhibit. What command was run on the NSX Edge node to pull this information?

Remote VTEP IP : 172.20.11.151 Remote VTEP Label : 92161 Remote VTEP IP : 172.20.11.156 Remote VTEP Label : 92166 Remote VTEP IP : 172.20.11.155 Remote VTEP IP : 172.20.11.152 Remote VTEP IP : 172.20.11.152 Remote VTEP IP : 172.20.11.153 Remote VTEP IP : 172.20.11.153 Remote VTEP IP : 172.20.11.153 Remote VTEP IP : 172.20.11.153

Remote VTEP IP : 172.20.11.154 Remote VTEP Label : 92164

- A. get tunnel-ID
- B. show vteps
- C. get vteps
- D. list vteps

Answer: C

Explanation:

https://vdc-download.vmware.com/vmwb-repository/dcr-public/c3fd9cef-6b2b-4772-93be-3fe60ce064a1/1f67b9e1-b111-4de7-9ea1-39931d28f560/NSX-T%20Command-Line%20Interface%20Reference.html#get%20vteps

QUESTION 46

What command does an administrator use on an ESXi Transport Node to check connectivity with the management plane?

A. esxcli network ip connection list 1234
B. esxcli firewall ip connection list | grep 1234
C. esxcli ip connection 1234
D. esxcli network ip connection list | grep 1234

Answer: D

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps



One Time!

Explanation:

https://docs.vmware.com/en/VMware-NSX-Data-Center-for-vSphere/6.4/com.vmware.nsx.troubleshooting.doc/GUID-18EDB577-1903-4110-8A0B-FE9647ED82B6.html

QUESTION 47

Which Carbon Black Cloud feature allows an administrator to audit at scale and identify gaps in least privilege configuration controls?

- A. Watchlist
- B. Live Query
- C. Investigate
- D. CB Baseline Tool

Answer: C

Explanation:

https://community.carbonblack.com/gbouw27325/attachments/gbouw27325/product-docs-news/3221/1/VMware%20Carbon%20Black%20App%20Control%20User%20Guide%20v8.6.pdf

QUESTION 48

In what order are NSX-T Distributed Firewall configurable rules categories processed?

- A. Emergency, Ethernet, Environment, Infrastructure, Application
- B. Ethernet, Environment, Infrastructure, Application, Emergency
- C. Ethernet, Emergency, Infrastructure, Environment, Application
- D. Emergency, Ethernet, Infrastructure, Environment, Application

Answer: C

Explanation:

https://searchvmware.techtarget.com/tip/Learn-how-to-configure-NSX-firewall-rules

QUESTION 49

Which statement is true about TraceFlow when used in an NSX-T Data Center deployment?

- A. Traceflow mirrors a source port for inspection.
- B. Traceflow allows you to inject a packet into the network and monitor its flow across the network.
- C. Traceflow allows you to perform a traceroute cmd between selected hosts.
- D. Traceflow enables IPFIX forwarding for the selected port.

Answer: B

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-A85621BC-1CFD-4703-846A-2B3D36E7ABAC.html

QUESTION 50

In a Workspace ONE environment, which two Risk Indicators are supported on the Windows 10 & MacOS platforms? (Choose two.)

- A. Risky Setting
- B. Compulsive App Download
- C. App Collector
- D. Rare App Collector
- E. Laggard Update

Answer: BD

Explanation:

https://docs.vmware.com/en/VMware-Workspace-ONE/services/intelligence-documentation/GUID-

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps



14_intel_user_risk_dashboard.html

QUESTION 51

How does an NSX-T Data Center firewall rule handle an Apply To setting for the firewall policy and firewall rule?

- A. The rule Apply To will take precedent.
- B. The first Apply To created will take precedent.
- C. The last Apply To created will take precedent.
- D. The policy Apply To will take precedent.

Answer: B

QUESTION 52

Which two options are needed to configure NSX-T Data Center to access the Active Directory? (Choose two.)

- A. Domain Controller Name
- B. Distinguished Name
- C. username
- D. Port
- E. netBIOS name

Answer: BE

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-8B60D22B-3119-48F6-AEAE-AE27A9372189.html

QUESTION 53

Considering the NSX Manager Node, what is VMware's recommended size for a typical production deployment?

- A. small appliance for deployments with up to 64 hosts
- B. medium appliance for deployments with up to 64 hosts
- C. medium appliance for deployments with up to 128 hosts
- D. small appliance for deployments with up to 32 hosts

Answer: B

QUESTION 54

When creating a policy in VMware Carbon Black Cloud, what impact does setting the Target Value to Low have?

- A. Alerts Severity scores are raised by 1.
- B. Alerts Severity scores are raised by 2.
- C. Alerts Severity scores are lowered by 1.
- D. Alerts Severity scores are lowered by 2.

Answer: D

Explanation:

https://docs.vmware.com/en/VMware-Carbon-Black-Cloud/services/carbon-black-cloud-user-guide.pdf (20)

QUESTION 55

For Carbon Black Cloud two-factor authentication, which of the following is true?

- A. It is required at first login by default.
- B. At least two registered users are required.
- C. It is enabled once the organization passes 100 users.
- D. Only Google Authentication is supported.

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps



Answer: D

Explanation:

https://community.carbonblack.com/t5/Knowledge-Base/PSC-How-to-Enable-Google-Two-Factor-Authentication/ta-p/84645

QUESTION 56

Which three statements are true about NSX Intelligence and vRealize Network Insight? (Choose three.)

- A. NSX Intelligence provides stateful layer 7 processing using distributed in-line processing on each hypervisor.
- B. vRealize Network Insight complements NSX Intelligence when planning for micro-segmentation.
- C. vRealize Network Insight Enterprise allows for Security Planning and Visibility for VMware Cloud on AWS.
- D. NSX Intelligence provides stateful layer 7 processing on VeloCloud SD-WAN.
- E. Both vRealize Network Insight and NSX Intelligence allow integration with SD-WAN.

Answer: BCD

Explanation:

https://datacenternews.asia/story/vmware-launches-software-defined-networking-and-security-stack-built-for-multi-cloud

QUESTION 57

Which of the following statements is true about Monitor Port Mirroring Sessions in NSX-T Data Center?

- A. This feature requires a SPAN compliant appliance.
- B. A source mirror port can be in more than one mirror session.
- C. A source mirror port cannot be in more than one mirror session.
- D. This feature requires an IPFIX compliant collector.

Answer: C

Explanation:

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.3/com.vmware.nsxt.admin.doc/GUID-3D403B24-51F6-4A16-8266-0827BFE9FAA9.html

QUESTION 58

Which three options are valid unattended installation options for Carbon Black Cloud Sensors? (Choose three.)

- A. UPDATESOURCE=
- B. GROUP_NAME=
- C. LICENSE_CODE=
- D. COMPANY_CODE=
- E. AUTO_UPDATE=

Answer: BDE

Explanation:

https://community.carbonblack.com/t5/Knowledge-Base/Carbon-Black-Cloud-How-to-Perform-an-Unattended-Installation-of/ta-p/65874

QUESTION 59

Which two are features of a hybrid cloud model for networking and security when using NSX-T Data Center and VMware NSX Cloud? (Choose two.)

- A. NSX Data Center provides consistent logical networking and security across protected and recovery sites.
- B. NSX Data Center supports Layer 2 VPN between an NSX Edge and a Direct Connect Gateway.

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps



- C. NSX Data Center and VMware NSX Cloud stretch Layer 2 domains between public clouds using the Geneve overlay.
- D. NSX Data Center supports secure, encrypted user access to private corporate applications (SSL VPN).
- E. NSX Data Center supports remote sites (IPsec VPN) with optional VPN gateways or hardware routers from other vendors.

Answer: AE

Explanation:

https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/nsx/vmware-nsx-datasheet.pdf

QUESTION 60

When deploying a Carbon Black Cloud Sensor using GPO, which option is a required setting?

- A. COMPANY_CODE
- B. LICENSE_CODE
- C. CONNECT_LIMIT
- D. AUTO_UPDATE

Answer: A

Explanation:

https://community.carbonblack.com/t5/Knowledge-Base/Endpoint-Standard-How-to-Deploy-Windows-Sensors-using-GPO/ta-p/33306

QUESTION 61

You are troubleshooting a Carbon Black Cloud Sensor issue. What repcli command will gather the needed logs and package them in a .zip file?

- A. repcli capture
- B. repcli gather
- C. repcli logs
- D. repcli collect

Answer: A

Explanation:

https://community.carbonblack.com/t5/Knowledge-Base/Carbon-Black-Cloud-How-To-Collect-Sensor-Logs-Locally-Windows/ta-p/62006

QUESTION 62

When designing NSX-T for high availability with Layer 2 adjacency, what is the recommended number of NSX Managers that should be deployed?

- A. 2 NSX Managers deployed using a load balancer
- B. 1 NSX Manager using vSphere for high availability
- C. 3 NSX Managers using a VIP address for Management
- D. 2 NSX Managers using a VIP address for Management

Answer: C

Explanation:

https://docs.vmware.com/en/VMware-Cloud-Foundation/4.3/vcf-management-domain-design/GUID-E8F4757B-8C4A-4CBB-BE93-E6969A8940D3.html

2V0-81.20 Exam Dumps 2V0-81.20 Exam Questions 2V0-81.20 PDF Dumps 2V0-81.20 VCE Dumps