

➤ **Vendor: Cisco**

➤ **Exam Code: 300-730**

➤ **Exam Name: Implementing Secure Solutions with Virtual Private Networks (SVPN)**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [May/2020](#))**

[Visit Braindump2go and Download Full Version 300-730 Exam Dumps](#)

QUESTION 1

Which VPN solution uses TBAR?

- A. GETVPN
- B. VTI
- C. DMVPN
- D. Cisco AnyConnect

Answer: A

Explanation:

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_getvpn/configuration/xr-3s/sec-get-vpn-xr-3s-book/sec-get-vpn.html

QUESTION 2


Which two commands help determine why the NHRP registration process is not being completed even after the IPsec tunnel is up? (Choose two.)

- A. show crypto isakmp sa
- B. show ip traffic
- C. show crypto ipsec sa
- D. show ip nhrp traffic
- E. show dmvpn detail

Answer: AD

QUESTION 3

Refer to the exhibit. All internal clients behind the ASA are port address translated to the public outside interface that has an IP address of 3.3.3.3. Client 1 and client 2 have established successful SSL VPN connections to the ASA. What must be implemented so that "3.3.3.3" is returned from a browser search on the IP address?



- A. Same-security-traffic permit inter-interface under Group Policy
- B. Exclude Network List Below under Group Policy
- C. Tunnel All Networks under Group Policy
- D. Tunnel Network List Below under Group Policy

Answer: D

QUESTION 4

Cisco AnyConnect clients need to transfer large files over the VPN sessions. Which protocol provides the best throughput?

- A. SSL/TLS
- B. L2TP
- C. DTLS
- D. IPsec IKEv1

Answer: C

QUESTION 5

Refer to the exhibit. Which VPN technology is used in the exhibit?

```
crypto isakmp policy 10
  encr aes 256
  hash sha256
  authentication pre-share
  group 14

crypto isakmp key cisco address 0.0.0.0

crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
mode transport

crypto ipsec profile CCNP
set transform-set TS

interface Tunnell
ip address 10.0.0.1 255.255.255.0
tunnel source GigabitEthernet1
tunnel mode ipsec ipv4
tunnel destination 172.18.10.2
tunnel protection ipsec profile CCNP
```

- A. DVTI
- B. VTI
- C. DMVPN
- D. GRE

Answer: B

Explanation:

https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnips/configuration/zZ-Archive/IPsec_Virtual_Tunnel_Interface.html#GUID-EB8C433B-2394-42B9-997F-B40803E58A91

QUESTION 6

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

Answer: D

QUESTION 7

Which parameter must match on all routers in a DMVPN Phase 3 cloud?

- A. GRE tunnel key
- B. NHRP network ID
- C. tunnel VRF
- D. EIGRP split-horizon setting

Answer: A

QUESTION 8

Which parameter is initially used to elect the primary key server from a group of key servers?

- A. code version
- B. highest IP address
- C. highest-priority value
- D. lowest IP address

Answer: C

Explanation:

https://www.cisco.com/c/en/us/products/collateral/security/group-encrypted-transport-vpn/deployment_guide_c07_554713.html

QUESTION 9

A Cisco ASA is configured in active/standby mode. What is needed to ensure that Cisco AnyConnect users can connect after a failover event?

- A. AnyConnect images must be uploaded to both failover ASA devices.
- B. The vpnsession-db must be cleared manually.
- C. Configure a backup server in the XML profile.
- D. AnyConnect client must point to the standby IP address.

Answer: A

Explanation:

https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/ha_active_standby.html

QUESTION 10

Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

Answer: B

QUESTION 11

What is a requirement for smart tunnels to function properly?

- A. Java or ActiveX must be enabled on the client machine.
- B. Applications must be UDP.
- C. Stateful failover must not be configured.
- D. The user on the client machine must have admin access.

Answer: A

Explanation:

<https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-asa-00.html>