

➤ **Vendor: Cisco**➤ **Exam Code: 300-735**➤ **Exam Name: Automating and Programming Cisco Security Solutions**➤ **New Updated Questions from [Braindump2go](#) (Updated in [May/2020](#))****[Visit Braindump2go and Download Full Version 300-735 Exam Dumps](#)****QUESTION 34**

Which two destinations are supported by the Cisco Security Management Appliance reporting APIs? (Choose two.)

- A. email
- B. Microsoft Word file
- C. FTP
- D. web
- E. csv file

Correct Answer: AD**QUESTION 35**

What are two capabilities of Cisco Firepower Management Center eStreamer? (Choose two.)

- A. eStreamer is used to get sources for intelligence services.
- B. eStreamer is used to send malware event data.
- C. eStreamer is used to get a list of access control policies.
- D. eStreamer is used to send policy data.
- E. eStreamer is used to send intrusion event data.

Correct Answer: BE**QUESTION 36**

```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.obsrvbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit. A security engineer created a script and successfully executed it to retrieve all currently open alerts.

Which print command shows the first returned alert?

- A. `print(response[data][0])`
- B. `print(response[results][0])`
- C. `print(response.json()[data][0])`
- D. `print(response.json()[results][0])`

Correct Answer: A**QUESTION 37**

```
import json
import requests

BASE_URL = "https://investigate.api.umbrella.com"
HEADERS = {"Authorization": "Bearer %YourToken%"}

---MISSING CODE---

request= requests.get(URL, parmas= PARAMS,
verify=False)
```

Refer to the exhibit. A network operator must create a Python script that makes an API request to Cisco Umbrella to do a pattern search and return all matched URLs with category information.

[300-735 Exam Dumps](#) [300-735 Exam Questions](#) [300-735 PDF Dumps](#) [300-735 VCE Dumps](#)**<https://www.braindump2go.com/300-735.html>**

Which code completes the script?

- A. URL = BASE_URL + "/find/exa\[a-z\]ple.com"
PARAMS = {"categoryinclude" : "true"}
- B. URL = BASE_URL + "/find/exa\[a-z\]ple.com"
PARAMS = {"returncategory" : "true"}
- C. URL = BASE_URL + "/find/exa\[a-z\]ple.com"
PARAMS = {"includeCategory" : "true"}
- D. URL = BASE_URL + "/find/exa\[a-z\]ple.com"
PARAMS = {"returnCategory" : "true"}

Correct Answer: D

QUESTION 38

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

- A. REST-based APIs function in a similar way to procedures.
- B. REST-based APIs are used primarily for CRUD operations.
- C. REST and RPC API styles are the same.
- D. RPC-based APIs function in a similar way to procedures.
- E. RPC-based APIs are used primarily for CRUD operations.

Correct Answer: BD

QUESTION 39

What are two benefits of Ansible when managing security platforms? (Choose two.)

- A. End users can be identified and tracked across a network.
- B. Network performance issues can be identified and automatically remediated.
- C. Policies can be updated on multiple devices concurrently, which reduces outage windows.
- D. Anomalous network traffic can be detected and correlated.
- E. The time that is needed to deploy a change is reduced, compared to manually applying the change.

Correct Answer: CE

QUESTION 40

```
import requests

URL =
'https://sma.cisco.com:6080/sma/api/v2.0/reporting/web_malware_category_malware_name_user_detail/
blocked_malware?startDate=2019-03-14T02:00+00:00&endDate=2019-04-14T01:00+00:00&
filterValue=23&filterBy=na&filterOperator=is&device_type=wsa'

HEADERS = {'Authorization': "Basic Y2hlcGFLYWJSQSZe'"}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit.

What must be present in a Cisco Web Security Appliance before the script is run?

- A. reporting group with the name web_malware_category_malware_name_user_detail
- B. data for specified dates
- C. reporting group with the name blocked_malware
- D. data in the queried category

Correct Answer: A

QUESTION 41

The Cisco Security Management Appliance API is used to make a GET call using the URI
/sma/api/v2.0/reporting/mail_incoming_traffic_summary/ detected_amp?startDate=2016-09-10T19:00:00.000Z&endDate=2018-09-24T23:00:00.000Z&device_type=esa&device_name=esa01.

What does this GET call return?

- A. values of all counters of a counter group, with the device group name and device type for web
- B. value of a specific counter from a counter group, with the device name and type for email
- C. value of a specific counter from a counter group, with the device name and type for web
- D. values of all counters of a counter group, with the device group name and device type for email

Correct Answer: D

QUESTION 42

Which two APIs are available from Cisco ThreatGRID? (Choose two.)

- A. Access
- B. User Scope
- C. Data

D. Domains

E. Curated Feeds

Correct Answer: CE**QUESTION 43**
DRAG DROP

Drag and drop the code to complete the Cisco Umbrella Investigate WHOIS query that returns a list of domains that are associated with the email address "admin@example.com". Not all options are used.

Select and Place:

<code>"https://investigate.api.umbrella.com/ [] /</code>		
<code>[]</code>	<code>/</code>	<code>[] "</code>
email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

Correct Answer:

<code>"https://investigate.api.umbrella.com/ WHOIS /</code>		
<code>emails</code>	<code>/</code>	<code>admin@example.com "</code>
email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

QUESTION 44

Which two commands create a new local source code branch? (Choose two.)

- A. `git checkout -b new_branch`
- B. `git branch -b new_branch`
- C. `git checkout -f new_branch`
- D. `git branch new_branch`
- E. `git branch -m new_branch` Correct

Answer: AD**QUESTION 45**

Which header set should be sent with all API calls to the Cisco Stealthwatch Cloud API? A.

- A. Content-Type: application/json
Accept: application/json
- B. Content-Type: application/json
Accept: application/json
Authorization: ApiKey <username>:<api_key>
- C. Content-Type: application/json
Accept: application/json
Authorization: Basic <api_key>
- D. Content-Type: application/json
Accept: application/json
Authorization: <username>:<api_key>

Correct Answer: B