

➤ **Vendor: Cisco**

➤ **Exam Code: 300-735**

➤ **Exam Name: Automating and Programming Cisco Security Solutions**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [December/2020](#))**

**[Visit Braindump2go and Download Full Version 300-735 Exam Dumps](#)**

**QUESTION 41**

What are two advantages of Python virtual environments? (Choose two.)

- A. Virtual environments can move compiled modules between different platforms.
- B. Virtual environments permit non-administrative users to install packages.
- C. The application code is run in an environment that is destroyed upon exit.
- D. Virtual environments allow for stateful high availability.
- E. Virtual environments prevent packaging conflicts between multiple Python projects.

**Answer: CE**

**QUESTION 42**

When the URI "/api/fmc\_config/v1/domain/e276abec-e0f2-11e3-8169-6d9ed49b625f/policy/accesspolicies" is used to make a POST request, what does "e276abec-e0f2-11e3-8169-6d9ed49b625f" represent?

- A. API token
- B. domain UUID
- C. access policy UUID
- D. object UUID

**Answer: B**

**QUESTION 43**

Which snippet is used to create an object for network 10.0.69.0/24 using Cisco Firepower Management Center REST APIs?

- A.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networks

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " ",
  "name": "Branch_1_net"
}
```
- B.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
PUT

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " ",
  "name": "Branch_1_net"
}
```
- C.
- ```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/networkgroups

- METHOD:
POST

- INPUT JSON:
{
  "type": "Network",
  "value": "10.0.69.0/24",
  "overridable": false,
  "description": " "
```

**[300-735 Exam Dumps](#) [300-735 Exam Questions](#) [300-735 PDF Dumps](#) [300-735 VCE Dumps](#)**

**<https://www.braindump2go.com/300-735.html>**

D.

- API PATH:  
/api/fmc\_config/v1/domain/<domain\_uuid>/object/networks
- METHOD:  
POST
- INPUT JSON:  
{  
  "type": "Network",  
  "value": "10.0.69.0/24",  
  "overridable": false,  
  "description": " "  
}

**Answer: A**

#### QUESTION 44

Which Cisco AMP file disposition valid?

- A. pristine
- B. malware
- C. dirty
- D. nonmalicios

**Answer: B**

#### QUESTION 45

In Cisco AMP for Endpoints, which API queues to find the list of endpoints in the group "Finance Hosts," which has a GUID of 6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03?

- A. https://api.amp.cisco.com/v1/endpoints?group[]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03
- B. https://api.amp.cisco.com/v1/computers?group\_guid[]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03
- C. https://api.amp.cisco.com/v1/computers?group\_guid=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03
- D. https://api.amp.cisco.com/v1/endpoints?group=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03

**Answer: B**

#### QUESTION 46

For which two programming languages does Cisco offer an SDK for Cisco pxGrid 1.0? (Choose two.)

- A. Python
- B. Perl
- C. Java
- D. C
- E. JavaScript

**Answer: CD**

#### QUESTION 47

Which two URI parameters are needed for the Cisco Stealthwatch Top Alarm Host v1 API? (Choose two.)

- A. startAbsolute
- B. externalGeos
- C. tenantId
- D. intervalLength
- E. tagID

**Answer: CE**

#### QUESTION 48

Refer to the exhibit. Which URL returned the data?

```
{
  "version": "v1.2.0",
  "metadata": {
    "links": {
      "self":
    },
    "results": {
      "total": 33,
      "current_item_count": 33,
      "index": 0,
      "items_per_page": 500
    }
  },
  "data": [
    {
      "connector_guid": "0e37a552-2cdd-4178-b29e-1be15598d730",
      "hostname": "Demo_AMP",
      "active": true,
      "links": {
        "computer": "0e37a552-2cdd-4178-b29e-1be15598d730",
        "trajectory": "0e37a552-2cdd-4178-b29e-1be15598d730/trajectory",
        "group": "6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03"
      }
    }
  ]
}
```

- A. https://api.amp.cisco.com/v1/computers

**[300-735 Exam Dumps](#) [300-735 Exam Questions](#) [300-735 PDF Dumps](#) [300-735 VCE Dumps](#)**

**<https://www.braindump2go.com/300-735.html>**

- B. <https://api.amp.cisco.com/v0/computers>
- C. <https://amp.cisco.com/api/v0/computers>
- D. <https://amp.cisco.com/api/v1/computers>

**Answer: A**

#### QUESTION 49

After changes are made to the Cisco Firepower Threat Defense configuration using the Cisco Firepower Device Manager API, what must be done to ensure that the new policy is activated?

- A. Submit a POST to the `/api/fdm/latest/operational/deploy` URI.
- B. Submit a GET to the `/api/fdm/latest/operational/deploy` URI.
- C. Submit a PUT to the `/api/fdm/latest/devicesettings/pushpolicy` URI.
- D. Submit a POST to the `/api/fdm/latest/devicesettings/pushpolicy` URI.

**Answer: A**

#### QUESTION 50

Refer to the exhibit. A Python function named "query" has been developed and the goal is to use it to query the service "com.cisco.ise.session" via Cisco pxGrid 2.0 APIs.

```
def query(config, secret, url, payload):
    print('query url=' + url)
    print(' request=' + payload)
    handler = urllib.request.HTTPSHandler(context=config.get_ssl_context())
    opener = urllib.request.build_opener(handler)
    rest_request = urllib.request.Request(url=url, data=str.encode(payload))
    rest_request.add_header('Content-Type', 'application/json')
    rest_request.add_header('Accept', 'application/json')
    b64 = base64.b64encode((config.get_node_name() + ':' + secret).encode()).decode()
    rest_request.add_header('Authorization', 'Basic ' + b64)
    rest_response = opener.open(rest_request)
    print(' response status=' + str(rest_response.getcode()))
    print(' response content=' + rest_response.read().decode())
```

How is the function called, if the goal is to identify the sessions that are associated with the IP address 10.0.0.50?

- A. `query(config, secret, "getSessionByIpAddress/10.0.0.50", "ipAddress")`
- B. `query(config, "10.0.0.50", url, payload)`
- C. `query(config, secret, url, "10.0.0.50")`
- D. `query(config, secret, url, '{"ipAddress": "10.0.0.50"}')`

**Answer: D**

#### QUESTION 51

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

- A. <https://s-platform.api.opendns.com/1.0/events?example.com>
- B. <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C. <https://investigate.api.umbrella.com/domains/volume/example.com>
- D. <https://s-platform.api.opendns.com/1.0/domains?example.com>

**Answer: B**