

➤ **Vendor: Cisco**

➤ **Exam Code: 300-810**

➤ **Exam Name: Implementing Cisco Collaboration Applications (CLICA)**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [Sep/2020](#))**

**[Visit Braindump2go and Download Full Version 300-810 Exam Dumps](#)**

**QUESTION 30**

After integrating Cisco Unity Express with Cisco Unified Communications Manager Express, users report that the system does not respond to their digit presses. Which two configuration snippets resolve this issue? (Choose two.)

- A. dial-peer voice 6800 voip destination-pattern 5... session protocol sipv2 session target ipv4:10.3.6.127 dtmf-relay sip-kpml codec g729r8
- B. dial-peer voice 6800 voip destination-pattern 5... session protocol sipv2 session target ipv4:10.3.6.127 dtmf-relay sip-notify codec g711ulaw
- C. dial-peer voice 6800 voip destination-pattern 5... session protocol sipv2 session target ipv4:10.3.6.127 dtmf-relay rtp-nte codec g711ulaw
- D. dial-peer voice 6800 voip destination-pattern 5... session protocol sipv2 session target ipv4:10.3.6.127 dtmf-relay sip-kpml codec g711ulaw
- E. dial-peer voice 6800 voip destination-pattern 5... session protocol sipv2 session target ipv4:10.3.6.127 dtmf-relay sip-notify codec g729r8

**Answer:** BC

**QUESTION 31**

What prevents toll fraud on voicemail ports?

- A. IP address trusted list on the PSTN gateway
- B. CSS
- C. Block OffNet to OffNet Transfer service parameter
- D. FAC

**Answer:** B

**Explanation:**

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unity-connection/119337-technote-cuc-00.html>

**QUESTION 32**

An engineer is configuring SAML SSO for a Cisco Unified Communications Manager. After completing all required steps, the engineer wants to verify the status. Which CLI command provides the status of SAML SSO?

- A. utils sso status
- B. show sso status
- C. show saml status

[300-810 Exam Dumps](#) [300-810 Exam Questions](#) [300-810 PDF Dumps](#) [300-810 VCE Dumps](#)

<https://www.braindump2go.com/300-810.html>

D. `utils saml status`


**Answer:** A

**Explanation:**

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-callmanager/213293-troubleshoot-ss0-in-cucm.html>

**QUESTION 33**

Refer to the exhibit. Which protocol is used for communication between Cisco IM and Presence and Microsoft Exchange Server?



- A. POP3
- B. IMAP
- C. EWS
- D. XMPP

**Answer:** C

**Explanation:**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/srnd/collab11/collab11/presence.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab11/collab11/presence.html)

**QUESTION 34**

Which dial-peer configuration routes calls from SIP-based phones on Cisco Unified Communications Manager Express to Cisco Unity Express?

- A. `dial-peer voice 7000 voip destination-pattern 7000 session protocol sipv2 session target ipv4: 10.3.6.127 codec g711alaw`
- B. `dial-peer voice 7000 voip destination-pattern 7000 session protocol sipv2 session target ipv4: 10.3.6.127 codec ilbc`
- C. `dial-peer voice 7000 voip destination-pattern 7000 session protocol sipv2 session target ipv4: 10.3.6.127 codec g711ulaw`
- D. `dial-peer voice 7000 voip destination-pattern 7000 session protocol sipv2 session target ipv4: 10.3.6.127 codec g729r6`


**Answer:** C

**Explanation:**

<https://www.cisco.com/c/en/us/support/docs/voice-unified-communications/unity-express/62609-tdcmecue.html>

**QUESTION 35**

Refer to the exhibit. Which statement is true?



- A. If the IM&P node in sub-cluster-1 goes down, then users assigned to it are randomly split between the two remaining subclusters.
- B. The administrator must add one node to each subcluster for high availability.
- C. IM&P nodes in each subcluster must be configured from the same OVA template.
- D. Each Cisco IM&P subcluster must have the same number of nodes.

**Answer: B**

**QUESTION 36**

In the integration of Cisco Unity Connection using SIP, which SIP trunk security profile option is required for MWI to work correctly?

- A. Accept out-of-dialog refer
- B. Accept replaces header
- C. Accept unsolicited notification
- D. Accept presence subscription

**Answer: A**

**QUESTION 37**

What is the maximum number of Cisco Unity Connection locations connected in a HTTPS network?

- A. 50
- B. 25
- C. 200
- D. 10

**Answer: B**

**Explanation:**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/https\\_networking/guide/10xcuchttpsnetx/10xcuchttpsnet010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/https_networking/guide/10xcuchttpsnetx/10xcuchttpsnet010.html)

**QUESTION 38**

What is the primary mechanism in Cisco Unity Connection that is used for toll fraud prevention?

- A. restriction tables
- B. fraud tables
- C. transfer rules
- D. calling search spaces

**Answer: A**

**Explanation:**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/connection/10x/security/guide/10xcucsecx/10xcucsec020.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/security/guide/10xcucsecx/10xcucsec020.pdf)

**QUESTION 39**

Which CLI command is used to collect traces from the Cisco Presence engine for seven days?

- A. file build log cisco\_presence\_engine 7
- B. file build log cisco\_presence 168
- C. file build log presence\_engine 7
- D. file build log presence\_engine 168

**Answer: A**

**Explanation:**

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/im\\_presence/configAdminGuide/12\\_0\\_1/cup0\\_b\\_config-admin-guide-imp-1201/cup0\\_b\\_config-admin-guide-imp-1201\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/im_presence/configAdminGuide/12_0_1/cup0_b_config-admin-guide-imp-1201/cup0_b_config-admin-guide-imp-1201_chapter_010101.html)

**QUESTION 40**

How is automatic fallback enabled on a Cisco IM and Presence server?

- A. In IM and Presence Service Parameter Configuration > Cisco Server Recovery Manager, change the Failover parameter to True.
- B. In Communications Manager Service Parameter Configuration > Cisco Server Recovery Manager, change the Enable Automatic Fallback parameter to True.
- C. Automatic fallback is enabled by default.
- D. In the Presence Redundancy Group Configuration > Cisco Unified Communications Manager, check the Enable Automatic Fallback parameter.

**Answer: B**

**Explanation:**

<https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-manager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html>

**QUESTION 41**

Refer to the exhibit. A customer reports that after a network failure, all of the Cisco Jabber clients are not switched back to their home nodes. An engineer determines that the primary Cisco IM&P server is in Failed Over state. Which two actions should be performed to bring the system back to operational state and to prevent future occurrences? (Choose two.)

High Availability			
<input checked="" type="checkbox"/> Enable High Availability			
Monitored Server	Assigned Users	Active Users	Server State
IMPPub.CiscoLiveUS.net	4	0	Failed Over
IMPSub.CiscoLiveUS.net	0	0	Running in Backup Mode

- A. Advise all users to re-login to their Jabber clients.
- B. Confirm that both IM&P servers are configured in the Presence Redundancy Group configuration pane.
- C. Perform a restart of the IM&P primary server to force fallback.
- D. Click the Fallback button in the Server Action pane.
- E. Set the Automatic Failover parameter in the Server Recovery Manager Service Parameters to the value True.

**Answer: BD**