

➤ **Vendor:** Cisco

➤ **Exam Code:** 300-920

➤ **Exam Name:** Developing Applications for Cisco Webex and Webex Devices (DEVWBX)

➤ **New Updated Questions from** [Braindump2go](#) **(Updated in** [Dec./2020](#)**)**

Visit Braindump2go and Download Full Version 300-920 Exam Dumps

QUESTION 1

Which Webex Teams webhook resource type indicates that a user interacted with a card?

- A. buttonActions
- B. attachmentActions
- C. webhookCardActions
- D. cardActions

Answer: B

Explanation:

<https://developer.webex.com/docs/api/guides/webhooks>

QUESTION 2

Refer to the exhibit. An end user reports that the speed dial button is not working on their Webex Device, and when loading into the Macro Editor, this error was presented. On which line is the incorrect syntax?

[300-920 Exam Dumps](#) [300-920 Exam Questions](#) [300-920 PDF Dumps](#) [300-920 VCE Dumps](#)

<https://www.braindump2go.com/300-920.html>

```
1  /**
2  * A small In-Room controls panel with 4 quick dial numbers
3  */
4  const xapi = require('xapi');
5
6  //These match the widget ids of the In-Room control buttons
7  const numbers = {
8      dial_catering: 'catering@example.com',
9      dial_it_support: 'itsupport@example.com',
10     dial_taxi: 'taxi@example.com',
11     dial_reception: 'reception@example.com',
12 },
13
14 function dial(number) {
15     xapi.command('call', {Number:number});
16 }
17
18 function listenToGui() {
19     xapi.event.on('UserInterface Extensions Widget Action', (event)=> {
20         if (event.Type === 'clicked') {
21             const number = numbers[event.WidgetId];
22             if(number) dial(number);
23             else console.log('Unknown button pressed', event.WidgetId);
24         }
25     });
26 }
```

Severity ▾

Enter filter

☐ Show history

```
22:38:35 [system] > Starting macros...
22:38:35 Quick dial > Loading...
22:38:36 Quick dial > Ready!
22:38:36 Quick dial > 'Unhandled promise rejection' {code: 3,
message: 'Ambiguous command',
data: {xpath: '/Call'} }
```

- A. line 4
- B. line 14
- C. line 15
- D. line 22

Answer: C

Explanation:

<https://community.cisco.com/t5/telepresence-and-video/ce9-2-1-macro-framework-discussions/td-p/3220093>

QUESTION 3

Refer to the exhibit. Which code completes the return statement that initiates local screen sharing on the active meeting?

```
document.getElementById('share-screen').addEventListener('click', () => {
  if (activeMeeting) {
    const mediaSettings = {
      receiveShare: true,
      sendShare: true,
    };

    console.info('SHARE-SCREEN: Preparing to share screen via 'getMediaStreams');
    activeMeeting.getMediaStreams(mediaSettings)
      // '[, localShare]' is grabbing index 1 from the mediaSettingsResultsArray
      // and storing it in a variable called localShare.
      .then((mediaSettingsResultsArray) => {
        const [, localShare] = mediaSettingsResultsArray;

        console.info('SHARE-SCREEN: Add local share via 'updateShare');

        return << missing code >>
      })
      .then(() => {
        console.info('SHARE-SCREEN: Screen successfully added to meeting.');
```

- A. activeMeeting.updateShare({
 sendShare: true
 receiveShare: true,
 stream: null
})
- B. activeMeeting.updateShare({
 sendShare: true
 receiveShare: false,
 stream: remoteShare
})
- C. activeMeeting.updateShare({
 sendShare: true
 receiveShare: true,
 stream: localShare
})
- D. activeMeeting.updateShare({
 sendShare: false
 receiveShare: false,
 stream: null
})

Answer: C

Explanation:

https://github.com/webex/webex-js-sdk/tree/master/packages/node_modules/%40webex/plugin-meetings

QUESTION 4

Which list of API calls must be made to provision 50 new Webex Room devices for an organization?

[300-920 Exam Dumps](#) **[300-920 Exam Questions](#)** **[300-920 PDF Dumps](#)** **[300-920 VCE Dumps](#)**

<https://www.braindump2go.com/300-920.html>

- A. POST to /places with `displayName`, POST the returned `placeld` to /devices/
- B. POST `displayName` to /places, POST the returned `placeld` to /devices/activationCode
- C. POST to /licenses, POST the returned `licneseld` and a specified `displayName` to /devices
- D. POST to /licenses, POST `displayName` to /places, POST `licensed` and placeld` to /devices

Answer: A

Explanation:

<https://developer.webex.com/docs/api/v1/devices/list-devices>

QUESTION 5

Which two tasks should use a Webex bot instead of aWebex integration? (Choose two.)

- A. Ask a question in natural language to obtain the current price of a stock.
- B. Translate a word or phrase from Italian to English.
- C. Notify all users who send a 1:1 message that the user is currently out of the office.
- D. Automatically delete a message that was sent with spelling or grammatical errors.
- E. Archive all the messages in a group space.


Answer: AB

Explanation:

<https://developer.webex.com/docs/bots>

QUESTION 6

Refer to the exhibit. Certain lighting conditions are needed when hosting Webex meetings for a particular department in a company. A split button that integrates with the lighting controls is added to the Touch 10. However, when the user selects Chill, the lights turn off completely. Which code change resolves this issue?



```
function lights(mood) {
  if (mood === 'chill'){
    Hue({"on" : true, "bri": 254, "hue": 7676, "sat": 199});
  }
  else {
    Hue({"on": false, "bri": 255, "hue": 255, "sat": 255});
  }
}
xapi.on('ready', () => {
  xapi.event
    .on('UserInterface Extensions Widget Action', (x) => {
      if (x.WidgetId === 'widget_3' && x.Type === 'released'){
        lights(x)
      }
    })
})
});
```

- A. Change xapi.event to xapi.httpfeedback.
- B. Set x.Type to 'pressed' instead of 'released'.
- C. Set x.Type to 'clicked' instead of 'released'.
- D. Pass x.Value instead of x to the lights function.

Answer: B

Explanation:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce81/sx-mx-in-room-control-guide-ce81.pdf>

QUESTION 7

Which two statements are true when comparing the SSH, HTTP, and WebSocket interfaces of a Cisco Collaboration device? (Choose two.)

- A. The SSH interface supports XML payloads only.
- B. The SSH, HTTP, and WebSocket interfaces support JSON and XML payloads.
- C. The HTTP interface supports JSON and XML payloads.
- D. Communications can be encrypted for all SSH, HTTP, and WebSocket interfaces.
- E. The WebSocket interface supports JSON payloads only.

Answer: BD

[300-920 Exam Dumps](#) [300-920 Exam Questions](#) [300-920 PDF Dumps](#) [300-920 VCE Dumps](#)

<https://www.braindump2go.com/300-920.html>

QUESTION 8

Which two statements about incoming WebEx call notifications on iOS and Android applications are true? (Choose two.)

- A. When running in the background on Android, Firebase Cloud Messaging must use a notification message.
- B. When running in the background on Android, Firebase Cloud Messaging must use a data message.
- C. Webhooks are required with the iOS SDK only when the application is in the background.
- D. When running in the background on iOS, Application Push Notifications must be configured to be silent.
- E. Webhooks are required in the foreground and background for iOS and Android applications.

Answer: BC

Explanation:

<https://github.com/webex/webex-android-sdk-example-push-notification-server/blob/master/README.md>
<https://developer.webex.com/docs/sdks/ios>

QUESTION 9

Which two statements about using the Compliance Office role to manage data in Webex Teams are true? (Choose two.)

- A. For group rooms with members from multiple organizations, only the compliance officer of the owning organization can manage all data.
- B. The compliance officer can manage data only for users who have granted the spark-compliance messages scope.
- C. For direct rooms between two organizations, each compliance officer can manage data only from their organization.
- D. For group rooms with members from multiple organizations, either compliance officer can manage all data.
- E. For direct rooms between two organizations, the compliance officer of either organization can manage all data.

Answer: CE

Explanation:

<https://developer-portal-intb.ciscospark.com/docs/api/guides/compliance>

QUESTION 10

Refer to the exhibit. Assume that there is already a connection to a device for this jsxapi.code snippet. Which snippet completes the code so that the connected device makes a call to the user jdoe@example.com?

```
jsxapi.on('ready', () => {  
  console.log("connection successful");  
  
  // Start a call  
  
  * _____ *  
  
  .then((call) => {  
    console.log('Started call with status: ${call.status}, id: ${call.CallId}');  
  });  
});
```

- A. `jsxapi.command('Dial', {Endpoint: 'jdoe@example.com'})`
- B. `jsxapi.command('Call', { SIP: 'jdoe@example.com' })`

[300-920 Exam Dumps](#) [300-920 Exam Questions](#) [300-920 PDF Dumps](#) [300-920 VCE Dumps](#)

<https://www.braindump2go.com/300-920.html>

- C. `xapi.command('SIP', {Number: 'jdoe@example.com'})`
- D. `xapi.command('Dial', {Number: 'jdoe@example.com'})`

Answer: D

Explanation:

<https://github.com/CiscoDevNet/labs-xapi/pull/12/files/40c9fc38e115f4dec4709836501a165008caeaba>

QUESTION 11

Which user role implicitly has permission in the Events API to retrieve "message created" events from other users in the same organization?

- A. Compliance Officer
- B. User and Device Administrator
- C. Full Administrator
- D. User Administrator

Answer: A

Explanation:

<https://developer.webex.com/docs/api/guides/compliance>

QUESTION 12

Which code adds a Space Widget in an HTML script that uses the CSS Webex CDN?

- A. `<link rel= "stylesheet" href= "https://code.s4d.io/widget-recents/production/main.css">`
- B. `<script src= "stylesheet" href= "https://code.s4d.io/widget-space/production/main.css">`
- C. `<link rel= "stylesheet" href= "https://code.s4d.io/widget-recents/production/bundle.js">`
- D. `<link rel= "stylesheet" href= "https://code.s4d.io/widget-space/production/main.css">`

Answer: D

Explanation:

<https://developer.webex.com/docs/widgets>

QUESTION 13

Refer to the exhibit. A company uses Webex Teams extensively for communications involving customers, and want to enforce a consistent messaging policy. Which code completes line 20 to send a notification when noncompliant messages are detected?


```
1 const request = require('request-promise').defaults({
2   json: true,
3   baseUrl: 'https://api.ciscospark.com/v1/'
4 })
5
6 const dontsay = ['swag', 'fleek', 'stay', 'shade', 'bae', 'yas', 'lit', 'ratchet']
7
8 function isSensitive(text) {
9   sensitive = false
10  for (j = 0 ; j < dontsay.length ; j++) {
11    if (text && text.includes(dontsay[j])) {
12      sensitive = true
13    }
14  }
15  return sensitive
16 }
17
18 function getMessages() {
19   request.get({
20     url: "https://api.ciscospark.com/v1/messages",
21     headers: {Authorization: 'Bearer ${compliance_token}' }
22   }).then(events => {
23     for (i = 0; i < events.items.length; i++) {
24       if (events.items[i].data.text && isSensitive(events.items[i].data.text)) {
25         request.post({
26           uri: 'messages',
27           headers: {Authorization: 'Bearer ${bot_token}'},
28           body: {
29             'toPersonId' : '${events.items[i].actorId}',
30             'markdown': 'Please don't say **${events.items[i].data.text}** ever again..'
31           },
32         })
33       }
34     }
35   })
36 }
37 getMessages()
38
39
40
```

- A. events?resource=people
- B. compliance?resource=messages
- C. events?resource=messages
- D. compliance?resource=people

Answer: C

Explanation:

The function is getmessages. Then a request is made so the get comes in action and does events?Resource=messages to get the data for the events.

QUESTION 14

Which XML snippet does an admin use with a Webex Meetings XML API request to retrieve info on multiple users?

- A. <bodyContent xsi:type="java:com.webex.service.binding.user.GetUser">
<webExId>.*</webExId>
</bodyContent>
- B. <bodyContent xsi:type="java:com.webex.service.binding.user.LstsummaryUser">
<webExId>.*</webExId>
</bodyContent>
- C. <bodyContent xsi:type="java:com.webex.service.binding.user.GetUser">
</bodyContent>
- D. <bodyContent xsi:type="java:com.webex.service.binding.user.LstsummaryUser">
</bodyContent>

[300-920 Exam Dumps](#) [300-920 Exam Questions](#) [300-920 PDF Dumps](#) [300-920 VCE Dumps](#)

<https://www.braindump2go.com/300-920.html>

Answer: A

Explanation:

<https://developer.cisco.com/docs/webex-xml-api-reference-guide/#!getuser>

QUESTION 15

Which two statements describe valid limitations for Webex Teams bot accounts in a group space? (Choose two.)

- A. A bot account cannot send a message without an SSL certificate.
- B. A bot account cannot hear a message unless the bot is @ mentioned.
- C. A bot account cannot send a message without a valid access token.
- D. A bot account cannot respond to another bot.
- E. A bot account cannot send a message with an @mention.

Answer: BC

Explanation:

<https://developer.webex.com/docs/bots>

QUESTION 16

Which three host capabilities are available on WebEx for iPad? (Choose three.)

- A. schedule, start, or cancel a meeting
- B. invite attendees
- C. pass presenter control
- D. stream media from a PC
- E. chat privately with attendees
- F. run WebEx in the background

Answer: ABC

QUESTION 17

What are trusted domains external to WebEx Connect?

- A. whitelist domains
- B. CSV files
- C. blacklist domains
- D. XMPP domains

Answer: A