

➤ **Vendor:** Cisco➤ **Exam Code:** 300-920➤ **Exam Name:** Developing Applications for Cisco Webex and Webex Devices (DEVWBX)➤ **New Updated Questions from** [Braindump2go](#) (Updated in [April/2020](#))**Visit Braindump2go and Download Full Version 300-920 Exam Dumps****QUESTION 23**

With CE 9.8 and above, which two statements are correct when an application is sending and receiving data over a connection established with an xAPI interface? (Choose two.)

- A. All Serial, SSH, and WebSockets can be used to send and receive data.
- B. HttpClient can be used to send requests but not receive responses.
- C. HttpFeedback is the only option to receive data.
- D. The HttpClient command can be used to send requests and read responses over HTTP.
- E. WebSockets is the only option to send and receive data.

**Correct Answer:** BD**Explanation****Explanation/Reference:**Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>**QUESTION 24**

DRAG DROP

Drag and drop the expressions from the right onto the Webex JavaScript SDK code on the left to create a Webex Teams space, add a person to the space, and send a welcome message. Not all expressions are used.

**Select and Place:**

```
const Webex = require('webex');
const webex = Webex.init({
  credentials: {
    access_token: 'process.env.webextoken'
  }
});
webex.  .create({title: 'Q3 Budget Planning'})
.then(function(x) {
  return webex.  .create({
    personEmail: 'jle@devnet.io',
    roomId:  id
  });
})
.then(function(y) {
  webex.  .create({
    text: 'You've been assigned a new task!',
    roomId: y.roomId
  });
})
```

memberships

teams

rooms

messages

X

**Correct Answer:**

```
const Webex = require('webex');
const webex = Webex.init({
  credentials: {
    access_token: 'process.env.webextoken'
  }
});
webex.  .create({title: 'Q3 Budget Planning'})
.then(function(x) {
  return webex.  .create({
    personEmail: 'jle@devnet.io',
    roomId:  id
  });
});
.then(function(y) {
  webex.  .create({
    text: 'You've been assigned a new task!',
    roomId: y.roomId
  });
});
```

memberships
teams
rooms
messages
X

**Explanation**

**Explanation/Reference:**

**QUESTION 25**

```
xcommand UserInterface Extensions List
OK
*r ExtensionsListResult (status=OK):
*r ExtensionsListResult Extensions Version: "1.5"
*r ExtensionsListResult Extensions Panel 1 Icon: Lightbulb
*r ExtensionsListResult Extensions Panel 1 Type: Statusbar
*r ExtensionsListResult Extensions Panel 1 Name: Panel
*r ExtensionsListResult Extensions Panel 1 PanelId: "panel_1"
*r ExtensionsListResult Extensions Panel 1 Order: 1
*r ExtensionsListResult Extensions Panel 1 Page 1 Name: "Page"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Name: "Row"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 WidgetId: "widget_1"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Type: Slider
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Options: "size=3"
** end
--
```

Refer to the exhibit. With this in-room configuration, which command successfully sets the slider to 50?

- A. xcommand UserInterface Extensions Widget SetSlider Value: 50
- B. xcommand UserInterface Extensions Widget Slider: 50 Widget: "widget\_1"
- C. xconfiguration UserInterface Extensions widget\_1 50
- D. xcommand UserInterface Extensions Widget SetValue WidgetId: "widget\_1" Value: 50

**Correct Answer: A**

**Explanation**

**Explanation/Reference:**

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>

**QUESTION 26**

Which element is needed to build a Web application that authenticates Webex users and can post messages under the user's identity?

- A. OAuth integration configured with the 'messages\_write' scope
- B. bot access token
- C. Guest Issuer application
- D. self-signed certificate that is created from a public authority

**Correct Answer: A**

**Explanation**

**Explanation/Reference:**

Reference: <https://developer.webex.com/blog/real-world-walkthrough-of-building-an-oauth-webex-integration>

**QUESTION 27**

**DRAG DROP**

Drag and drop the code to complete the JavaScript to display the first URL from a user's list of Webex Meetings recordings. Not all options are used.

[300-920 Exam Dumps](#) [300-920 Exam Questions](#) [300-920 PDF Dumps](#) [300-920 VCE Dumps](#)

<https://www.braindump2go.com/300-920.html>

Select and

Place: Correct

Answer:

Explanation

Explanation/R

eference:

#### QUESTION 28

Which two filters are valid for limiting a webhook? (Choose two.)

- A. roomId=<roomId>
- B. personId!=<personId>
- C. spaceId=<spaceId>
- D. personId=<personId>\$spaceId=<spaceId>
- E. personId=<personId>\$roomId=<roomId>


**Correct Answer: AB**

**Explanation**

**Explanation/Reference:**

Reference: <https://developer.webex.com/docs/api/guides/webhooks>

#### QUESTION 29



The screenshot shows the 'UI Extensions configuration - Edited' window. On the left, there's a 'Settings' tab for a 'Volume' widget, which is a slider. On the right, the 'Properties' tab shows the 'Widget id' as 'volume\_slider'. Below this, there are minus, value (4), and plus buttons. At the bottom, a code editor shows the macro code:

```

1  const xapi = require('xapi');
2
3  xapi.on('ready', () => {
4    console.log('macro started');
5
6    xapi.status.get("Auto Volume").then((volume) => {
7      xapi.command('UserInterface Extensions widget SetValue', {
8        WidgetId: 'volume_slider',
9        Value: volume * 255 / 100
10     });
11   });
12
13  xapi.event.on('UserInterface Extensions Widget Action', (event) => {
14    if ((event.WidgetId == 'volume_slider') && (event.Type == 'released')) {
15      const volume = Math.round(parseInt(event.Value) * 100/255);
16      xapi.command('Auto Volume Set', {Level: volume});
17      return;
18    }
19  });
20 });

```

At the bottom, a console log shows the error:

```

18:42:36 exam > 'macro started'
18:42:36 exam > 'Unhandled precise rejection' (code: 0,
  message: 'Unknown widget:\ 'volume_slider\'',
  data: {status: 'Error', Reason: 'Unknown widget:\ 'volume_slider\''})

```

Refer to the exhibit. A macro and a UI extension (also called In-Room Control) are being developed. What is the reason for the error displayed in the console?

- A. Widgets of type "Slider" are not supported on the device.
- B. The UI extension was not exported to the device.
- C. The name of the widget in the macro and the UI extension must match.
- D. Promises are not supported for this device.

**Correct Answer: B**

**Explanation**



**Explanation/Reference:**Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce99/webex-board-administrator-guide-ce99.pdf>**QUESTION 30****DRAG DROP**

Drag and drop the code to create a valid Guest Issuer JWT token to use with the Webex Teams Browser SDK. Not all options are used.

**Select and Place:**

```
const jwt = require('jsonwebtoken')
let token = jwt.sign(
  {
    'sub': ,
    'name': ,
    'iss': ,
  },
  Buffer.from(, 'base64'),
  { expiresIn:  }
);
```

'Time span or seconds count'

'Guest Application Identifier'

'User Display Name'

'Guest User Key'

'Guest Application Secret'

'User Identifier'

**Correct Answer:**

```
const jwt = require('jsonwebtoken')
let token = jwt.sign(
  {
    'sub': ,
    'name': ,
    'iss': ,
  },
  Buffer.from(, 'base64'),
  { expiresIn:  }
);
```

'Time span or seconds count'

'Guest Application Identifier'

'User Display Name'

'Guest User Key'

'Guest Application Secret'

'User Identifier'

**Explanation****Explanation/Reference:**Reference: <https://developer.webex.com/docs/guest-issuer>**QUESTION 31****DRAG DROP**

Drag and drop the definitions from the left onto the correct Webex Teams REST API HTTP response status codes on the right.

**Select and Place:**

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.	401
The request to a resource used an unsupported HTTP request method.	403
Authentication credentials were missing or incorrect.	405
The request is understood but has been refused, or access is not allowed.	429

**Correct Answer:**

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.	Authentication credentials were missing or incorrect.
The request to a resource used an unsupported HTTP request method.	The request is understood but has been refused, or access is not allowed.
Authentication credentials were missing or incorrect.	The request to a resource used an unsupported HTTP request method.
The request is understood but has been refused, or access is not allowed.	Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.

**Explanation**

**Explanation/Reference:**

Reference: <https://developer.webex.com/docs/api/basics>

**QUESTION 32**

DRAG DROP

### Create a Membership

Add someone to a room by Person ID or email address, optionally making them a moderator.

**POST** /v1/memberships

**Body Parameters**

**roomId**  
string **Required**  
The room ID.

**personID**  
string  
The person ID.

**personEmail**  
string  
The email address of the person

**isModerator**  
boolean  
Whether or not the participant is a room moderator

Refer to the exhibit. Drag and drop the code on the snippet to add the user with email "alice@example.com" as moderator of the space with the identifier "987654321".

**Select and Place:**

```

curl -X [ ] "https://api.ciscospark.com/v1/[ ]"
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1cb65fdf-ad72cae0c10f"
-H "Content-Type: application/json"
data raw '{ [ ] : "987654321" : [ ] : "alice@example.com" : isModerator : [ ] }'
```

personEmail
true
POST
memberships
roomId

**Correct Answer:**

curl -s -X	POST	https://api.ciscospark.com/v1/	memberships	"
-H 'Authorization: Bearer MDMYzTM1YTA_Pf84_1cb65fdf-ad72cae0c10f'				
-H 'Content-Type: application/json'				
data raw ('	roomId	"907654321"	personEmail	"alice@example.com", "isModerator":
	personEmail	true	POST	memberships
			roomId	

**Explanation****Explanation/Reference:**Reference: <https://developer.webex.com/docs/api/v1/memberships/create-a-membership>**QUESTION 33**

```
{
  "items":
  {
    "id": "Y21zY29zcGFyazovL3VzL1LWT4Y2UtMTEzZjZjZmMxNGJl",
    "title": "DevNet Dev Support Questions",
    "lastActivity" : "2019-12-13T21:32:11.424Z",
    "created": "2016-01-22T19:07:24.785Z",
    ...
  },
  {
    "id": "Y21zY29zcGFyazovL3VzWU1LWT0ZjZjZmJmMjI3Y2ZmYWYz",
    "title": "DevNet Program Questions",
    "lastActivity" : "2019-12-13T16:53:14.920Z",
    "created": "2016-02-24T18:52:35.013Z",
    ...
  }
}
```

Refer to the exhibit. Which Webex Teams REST API request has generated the response body in the exhibit?

- A. GET/v1/rooms?sortBy=lastactivity
- B. GET/v1/rooms?sortBy=created
- C. GET/v1/rooms?max=1
- D. GET/v1/spaces?orderBy=lastActivity

**Correct Answer: C****Explanation****Explanation/Reference:**Reference: <https://developer.webex.com/docs/api/v1/rooms/list-rooms>