

➤ **Vendor: Cisco**

➤ **Exam Code: 350-401**

➤ **Exam Name: Implementing and Operating Cisco Enterprise Network Core Technologies (ENCOR)**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [July/2020](#))**

**[Visit Braindump2go and Download Full Version 350-401 Exam Dumps](#)**

#### **QUESTION 174**

What is the role of the vsmart controller in a Cisco SD-WAN environment?

- A. IT performs authentication and authorization
- B. It manages the control plane.
- C. It is the centralized network management system.
- D. It manages the data plane.

**Answer: B**

#### **QUESTION 175**

What mechanism does PIM use to forward multicast traffic?

- A. PIM sparse mode uses a pull model to deliver multicast traffic.
- B. PIM dense mode uses a pull model to deliver multicast traffic.
- C. PIM sparse mode uses receivers to register with the RP.
- D. PIM sparse mode uses a flood and prune model to deliver multicast traffic.

**Answer: A**

#### **QUESTION 176**

Which two security features are available when implementing NTP? (Choose two )

- A. symmetric server passwords
- B. dock offset authentication
- C. broadcast association mode
- D. encrypted authentication mechanism
- E. access list-based restriction scheme

**Answer: DE**

#### **QUESTION 177**

What is calculated using the numerical values of the transmitter power level, cable loss, and antenna gain?

- A. EIRP
- B. dBi
- C. RSSI
- D. SNR

**[350-401 Exam Dumps](#) [350-401 Exam Questions](#) [350-401 PDF Dumps](#) [350-401 VCE Dumps](#)**

**<https://www.braindump2go.com/350-401.html>**

**Answer: B**

**QUESTION 178**

In a Cisco SD-WAN solution, how is the health of a data plane tunnel monitored?

- A. with IP SLA
- B. ARP probing
- C. using BFD
- D. with OMP

**Answer: C**

**QUESTION 179**

Which two LISP infrastructure elements are needed to support LISP to non-LISP internetworking? (Choose two)

- A. PETR
- B. PITR
- C. MR
- D. MS
- E. ALT

**Answer: AC**

**QUESTION 180**

In an SD-WAN deployment, which action in the vSmart controller responsible for?

- A. handle, maintain, and gather configuration and status for nodes within the SD-WAN fabric
- B. distribute policies that govern data forwarding performed within the SD-WAN fabric
- C. gather telemetry data from vEdge routers
- D. onboard vEdge nodes into the SD-WAN fabric

**Answer: B**

**QUESTION 181**

In OSPF, which LSA type is responsible for pointing to the ASBR router?

- A. type 1
- B. type 2
- C. type 3
- D. type 4

**Answer: D**

**QUESTION 182**

Drag and Drop Question

Drag the drop the description from the left onto the routing protocol they describe on the right.

summaries can be created anywhere in the IGP topology	OSPF
uses areas to segment a network	
DUAL algorithm	ETGRP
summaries can be created in specific parts of the IGP topology	

Answer:

	OSPF
	summaries can be created in specific parts of the IGP topology
	uses areas to segment a network
	ETGRP
	DUAL algorithm
	summaries can be created anywhere in the IGP topology

### QUESTION 183

Drag and Drop Question

Drag and drop the LISP components from the left onto the function they perform on the right. Not all options are used.

LISP map resolver	accepts LISP encapsulated map requests
LISP proxy ETR	learns of EID prefix mapping entries from an ETR
LISP route reflector	receives traffic from LISP sites and sends it to non-LISP sites
LISP ITR	receives packets from site-facing interfaces
LISP map server	

Answer:

	LISP map resolver
	LISP map server
LISP route reflector	LISP proxy ETR
	LISP ITR

**QUESTION 184**

Drag and Drop Question

Drag and drop the REST API authentication method from the left to the description on the right.

HTTP basic authentication	public API resource
token-based authentication	username and password in an encoded string
secure vault	API-dependent secret
OAuth	authorization through identity provider

Answer:

	secure vault
	HTTP basic authentication
	token-based authentication
	OAuth