

➤ **Vendor: Cisco**

➤ **Exam Code: 350-701**

➤ **Exam Name: Implementing and Operating Cisco Security Core Technologies (SCOR)**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [Nov./2020](#))**

[Visit Braindump2go and Download Full Version 350-701 Exam Dumps](#)

QUESTION 72

Elliptic curve cryptography is a stronger more efficient cryptography method meant to replace which current encryption technology?

- A. 3DES
- B. RSA
- C. DES
- D. AES

Answer: B

QUESTION 73

How is ICMP used as an exfiltration technique?

- A. by flooding the destination host with unreachable packets
- B. by sending large numbers of ICMP packets with a targeted host's source IP address using an IP broadcast address
- C. by encrypting the payload in an ICMP packet to carry out command and control tasks on a compromised host
- D. by overwhelming a targeted host with ICMP echo-request packets

Answer: C

QUESTION 74

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attack aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

Answer: B

QUESTION 75

An engineer needs a solution for TACACS+ authentication and authorization for device administration. The engineer also wants to enhance wired and wireless network security by requiring users and endpoints to use 802.1X, MAB, or WebAuth.

[350-701 Exam Dumps](#) [350-701 Exam Questions](#) [350-701 PDF Dumps](#) [350-701 VCE Dumps](#)

<https://www.braindump2go.com/350-701.html>

Which product meets all of these requirements?

- A. Cisco Prime Infrastructure
- B. Cisco Identity Services Engine
- C. Cisco Stealthwatch
- D. Cisco AMP for Endpoints

Answer: B

QUESTION 76

When wired 802.1X authentication is implemented, which two components are required? (Choose two.)

- A. authentication server: Cisco Identity Service Engine
- B. supplicant: Cisco AnyConnect ISE Posture module
- C. authenticator: Cisco Catalyst switch
- D. authenticator: Cisco Identity Services Engine
- E. authentication server: Cisco Prime Infrastructure

Answer: AC

Explanation:

<https://www.lookingpoint.com/blog/ise-series-802.1x>

QUESTION 77

The Cisco ASA must support TLS proxy for encrypted Cisco Unified Communications traffic. Where must the ASA be added on the Cisco UC Manager platform?

- A. Certificate Trust List
- B. Endpoint Trust List
- C. Enterprise Proxy Service
- D. Secured Collaboration Proxy

Answer: A

Explanation:

<https://www.cisco.com/c/en/us/td/docs/security/asa/special/unified-communications/guide/unifiedcomm/unified-comm-tlsproxy.html>

QUESTION 78

Which API is used for Content Security?

- A. NX-OS API
- B. IOS XR API
- C. OpenVuln API
- D. AsyncOS API

Answer: D

Explanation:

https://www.cisco.com/c/en/us/td/docs/security/security_management/sma/sma12-0/api/b_SMA_API_12/test_chapter_01.html

QUESTION 79

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.

- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

Answer: BD

Explanation:

https://en.wikipedia.org/wiki/Ping_of_death

QUESTION 80

Which two mechanisms are used to control phishing attacks? (Choose two.)

- A. Enable browser alerts for fraudulent websites.
- B. Define security group memberships.
- C. Revoke expired CRL of the websites.
- D. Use antispyware software.
- E. Implement email filtering techniques.

Answer: AE

QUESTION 81

When web policies are configured in Cisco Umbrella, what provides the ability to ensure that domains are blocked when they host malware, command and control, phishing, and more threats?

- A. Application Control
- B. Security Category Blocking
- C. Content Category Blocking
- D. File Analysis

Answer: B

Explanation:

<https://support.umbrella.com/hc/en-us/articles/115004563666-Understanding-Security-Categories>

QUESTION 82

What two mechanisms are used to redirect users to a web portal to authenticate to ISE for guest services? (Choose two.)

- A. TACACS+
- B. central web auth
- C. single sign-on
- D. multiple factor auth
- E. local web auth

Answer: BE

Explanation:

https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_01110.html

QUESTION 83

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application
- B. Linux and Windows operating systems
- C. database
- D. web page images

Answer: C

Explanation:

https://tools.cisco.com/security/center/resources/sql_injection

QUESTION 84

Which deployment model is the most secure when considering risks to cloud adoption?

- A. public cloud
- B. hybrid cloud
- C. community cloud
- D. private cloud

Answer: D

QUESTION 85

What does the Cloudlock Apps Firewall do to mitigate security concerns from an application perspective?

- A. It allows the administrator to quarantine malicious files so that the application can function, just not maliciously.
- B. It discovers and controls cloud apps that are connected to a company's corporate environment.
- C. It deletes any application that does not belong in the network.
- D. It sends the application information to an administrator to act on.

Answer: B

Explanation:

<https://www.cisco.com/c/en/us/products/security/cloudlock/index.html#~features>

QUESTION 86

What is the primary benefit of deploying an ESA in hybrid mode?

- A. You can fine-tune its settings to provide the optimum balance between security and performance for your environment
- B. It provides the lowest total cost of ownership by reducing the need for physical appliances
- C. It provides maximum protection and control of outbound messages
- D. It provides email security while supporting the transition to the cloud

Answer: D

QUESTION 87

Which option is the main function of Cisco Firepower impact flags?

- A. They alert administrators when critical events occur.
- B. They highlight known and suspected malicious IP addresses in reports.
- C. They correlate data about intrusions and vulnerability.
- D. They identify data that the ASA sends to the Firepower module.

Answer: C