➢ **Vendor: Microsoft**

➢ **Exam Code: 70-743**

➢ **Exam Name:** **Upgrading Your Skills to MCSA: Windows Server 2016**

➢ **New Updated Questions from Braindump2go (Updated in Feb./2021)**

**Visit Braindump2go and Download Full Version 70-743 Exam Dumps**

**QUESTION 330**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear m the review screen.**
Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DO and OC1.
DC1 holds the RID master operations role.
You need to move the RID role to DC2.
Solution: On DC2, you open the command prompt, run dsmgmt.exe, connect to DC2, and use the Seize RID master opinion.
Does this meet the goal?

A. Yes
B. No

**Answer:** B

**QUESTION 331**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.**
Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DO aodDC2.
DC1 holds the RID master operations role.
DO fails and cannot be repaired.
You need to move the RIO role to DC2.
Solution: On DC2, you open Active Directory Users and Computers, click Operations Masters.., verify that dc2.contoso.com is listed on the RID tab, and click Change.
Does this meet the goal?

A. Yes
B. No

**Answer:** B
**Explanation:**
This would work if DC1 was still online. In that case we would be "transferring" the role. However, as DC1 is offline, we need to "seize" the role which can only be done by using the ntdsutil command or the Move-AddirectoryServerOperationMasterRole PowerShell cmdlet with the -Force parameter.

**QUESTION 332**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.**
You are planning the deployment of DNS to a new network. You have three internal DNS servers configured as shown in the following table.

| Name | Location | IP address | DNS zone |
|---|---|---|---|
| Server1 | Montreal | 10.0.1.10 | Contoso.com |
| Server2 | Toronto | 10.0.2.10 | East.contoso.com |
| Server3 | Seattle | 10.0.3.10 | West.contoso.com |

The conloso.com zone contains zone delegations for east.contcso.com and wesLcontoso.com. All the DNS servers use root hints. You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.
Solution: On Server2 and Server3, you configure a conditional forwarder for contoso.com.
Does the meet the goal?

A. Yes
B. No

**Answer:** B

**QUESTION 333**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.**
You are planning the deployment of DNS to a new network. You have three internal DNS servers configured as shown in the following table.

| Name | Location | IP address | DNS zone |
|---|---|---|---|
| Server1 | Montreal | 10.0.1.10 | Contoso.com |
| Server2 | Toronto | 10.0.2.10 | East.contoso.com |
| Server3 | Seattle | 10.0.3.10 | West.contoso.com |

the contoso.com zone contains zone delegations for east.contcso.com and west.contoso.com. All the DNS servers use root hints You need to ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.
Solution: You configure Server2 and Server 1 to forward DNS requests to 10.0 1 10.
Does the meet the goal?

A. Yes
B. No

**Answer:** B

**QUESTION 334**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.**
You are planning the deployment of DNS to a new network. You have three internal DNS servers configured as shown in the following table.

| Name | Location | IP address | DNS zone |
|------|----------|------------|----------|
| Server1 | Montreal | 10.0.1.10 | Contoso.com |
| Server2 | Toronto | 10.0.2.10 | East.contoso.com |
| Server3 | Seattle | 10.0.3.10 | West.contoso.com |

the contoso.com zone contacts zone delegations for east.contoso.com and wesLconloso.com. All the DNS servers use root hints.
You need 10 ensure that all the DNS servers can resolve the names of all the internal namespaces and internet hosts.
Solution: On Server2, you create a conditional forwarder for contoso com and west.contoso.com. On Server3, you create a conditional forwarder for contoso.com and east.contoso.com
Does the meet the goal?

A. Yes
B. No

**Answer:** A

**QUESTION 335**
**Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have a correct solution.**
**After you answer a question in this section, you will NOT be able to return to it. As a result these questions will not appear in the review screen.**
Your network contains an Active Directory domain named contoso com. The domain contains a DNS server named Server 1. All client computers run Windows 10 On Server 1. You nave the following zone confirmation.

| ZoneName | ZoneType | IsAutoCreated | IsDsIntegrated | IsReverseLookupZone | IsSigned |
|----------|----------|---------------|----------------|---------------------|----------|
| _msdcs.contoso.com | Primary | False | True | False | False |
| adatum.com | Forwarder | False | False | False | |
| contoso.com | Primary | False | True | False | False |
| fabrikam.com | Primary | False | False | False | True |
| TrustAnchors | Primary | False | True | False | False |

You have the following subnets defined on Server1.

| Name | IPV4Subnet | IPV6Subnet |
|------|------------|------------|
| Subnet1 | (10.0.0.0/24) | |
| Subnet2 | (10.0.1.0/24) | |
| Subnet3 | (192.168.15.0/24) | |
| Subnet4 | (172.16.1.0/24) | |

You need to prevent Server1 from resolving queries from DNS clients located on Subnet4, Server1 must resolve queries from all other DNS clients.
Solution: From PowerShell on Server1, you run the Add-DnsServerResolutionPolicy cmdlet.
Does this meet the goal?

A. Yes
B. No

**Answer:** A

**QUESTION 336**
Your network contains an Active Directory forest. The forest contains a domain named Contoso.com. All o' the DHCP servers and the DNS servers in the forest are managed by using an IP Address Management (IPAM) server named Cont_IPAM1.
You acquire a new company that has an Active Directory forest. The forest contains a domain named fabrikam.com.
You have six servers that are configured as shown In the following table.

| Server name | Forest | Operating system | Configuration |
|-------------|--------|------------------|---------------|
| Cont_IPAM1 | Contoso.com | Windows Server 2012 R2 | IPAM |
| Cont_DNS1 | Contoso.com | Windows Server 2016 | DNS |
| Cont_DNS2 | Contoso.com | Windows Server 2016 | DNS |
| Cont_DHCP1 | Contoso.com | Windows Server 2016 | DHCP |
| Fabr_DNS1 | Fabrikam.com | Windows Server 2012 R2 | DNS |
| Fabr_DHCP1 | Fabrikam.com | Windows Server 2012 R2 | DHCP |

You need to ensure that all of the DHCP and DNS servers in both of the forest can be managed by using Cont_IPAM1.
The solution must use the principle of least privileges.
Which two actions should you perform? Each correct answer presents part of the solution.

A. Create an 00190109 forest trust Com contoio.com to fabrikam com
B. Upgrade fabr_DNS1 to Windows Server 2016.
C. Upgrade Cont_IPAM1 to Windows Server 2016.
D. Create a two-way forest trust between Contoso.com nd fabnlcam.com.
E. Upgrade Fabr_DHCP1 to Windows Server 2016

**Answer:** CD

**QUESTION 337**
You have a server named Server1. Server1 contains a volume that has Data Deduplication enabled. You need to reduce the amount of memory allocated to the Data Deduplication process.
Which cmdlet should you run?

A. Set-DedupVolume
B. Set-DedupSchedule
C. Update-Dedupstatus
D. Enable-DedupVolume

**Answer:** B

**QUESTION 338**
Your network contains an Active Directory domain. The domain contains the servers shown in the following table.

| Name | Configuration |
|------|---------------|
| DC1 | Domain controller |
| DC2 | Domain controller |
| ADFS1 | Active Directory Federation Services (AD FS) |
| ADFS2 | Active Directory Federation Services (AD FS), Internet Information Services (IIS) |
| Exch1 | Microsoft Exchange Server 2016 Mailbox server |
| WebServer1 | Internet Information Services (IIS) |

You have a server named WebServer2 in a workgroup. WebServer2 has the Web Server (IIS) server role installed.
You plan to deploy a Web Application Proxy to provide preauthentication for HTTP Basic application publishing to allow users to conned to mailboxes by using Exchange ActiveSync.
You need to install the Web Application Proxy rote service. The solution must minimize the attack surface.
On which server should you install the role service?

A. ADFS2
B. WebServer2
C. WebServer1

D. ADFS1

**Answer:** B

**QUESTION 339**
You are deploying a web application named WebApp1 to your Internal ne work WebApp1 is hosted on a server named Web1 that runs Windows Server 2016 You deploy a Active Directory Federation Services (AD FS1 infrastructure and a Web Application Proxy to provide access to WebApp1 tor remote users. You need to ensure that Web1 can authenticate the remote users. What should you do?

A. Publish WebApp1 by using pass-through preauthentication.
B. Publish WebApp1 by using AD FS preauthentication.
C. Publish WebApp1 as a Remote Desktop Gateway (RD Gateway) application in the Web Application Proxy.
D. Publish WebApp1 by using client certificate preauthentication.

**Answer:** B

**QUESTION 340**
You have a five-node failover cluster named Cluster1. All the nodes run Windows Server 2012 R2. All the nodes run on physical hardware. You need to upgrade Cluster1 to Windows Server 2016. The solution must minimize administrative effort and <0StS.
What should you do fast?

A. Add a Windows Server 2016 node to Cluster 1.
B. CreateanewWlndowsServer2016failovercluster.
C. Enable cluster-Aware updating (CAU) on Cluster1.
D. Drain and evict a node from Clusterl1.

**Answer:** D