

➤ **Vendor: Microsoft**

➤ **Exam Code: AZ-120**

➤ **Exam Name: Planning and Administering Microsoft Azure for SAP Workloads**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [Jan/2021](#))**

[Visit Braindump2go and Download Full Version AZ-120 Exam Dumps](#)

QUESTION 48

Hotspot Question

You have an Azure Availability Set that is configured as shown in the following exhibit.

```
PS Azure:> get-azavailabilityset | Select Sku, PlatformFaultDomainCount, PlatformUpdateDomainCount, name, type | FL
```

Sku	: Aligned
PlatformFaultDomainCount	: 2
PlatformUpdateDomainCount	: 4
Name	: SAP-Databases-AS
Type	: Microsoft.Compute/availabilitySets

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Virtual machines that share [answer choice] will be susceptible to a storage outage.

	▼
aligned SKUs	
the same fault domain	
the same update domain	

Virtual machines in the Azure Availability Set can support [answer choice].

	▼
datacenter outages	
managed disks	
regional outages	

Answer:

[AZ-120 Exam Dumps](#) **[AZ-120 Exam Questions](#)** **[AZ-120 PDF Dumps](#)** **[AZ-120 VCE Dumps](#)**

<https://www.braindump2go.com/az-120.html>

Answer Area

Virtual machines that share [answer choice] will be susceptible to a storage outage.

▼

aligned SKUs

the same fault domain

the same update domain

Virtual machines in the Azure Availability Set can support [answer choice].

▼

datacenter outages

managed disks

regional outages

Explanation:

Box 1: the same fault domain

Fault domains define the group of virtual machines that share a common power source and network switch. If a storage fault domain fails due to hardware or software failure, only the VM instance with disks on the storage fault domain fails.

Box 2: managed disks

Managed disks provide better reliability for Availability Sets by ensuring that the disks of VMs in an Availability Set are sufficiently isolated from each other to avoid single points of failure. It does this by automatically placing the disks in different storage fault domains (storage clusters) and aligning them with the VM fault domain.

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/manage-availability>

QUESTION 49

Drag and Drop Question

Your on-premises network contains an Active Directory domain.

You have an SAP environment on Azure that runs on SUSE Linux Enterprise Server (SLES) servers.

You configure the SLES servers to use domain controllers as their NTP servers and their DNS servers.

You need to join the SLES servers to the Active Directory domain.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add realm details to /etc/krb5.conf and /etc/samba/smb.conf

Shut down the following services: smbd, nmbd, and winbindd

Run net ads join -U administrator

Run net rpc join -U administrator

Install the samba-winbind package

Answer Area



Answer:

[AZ-120 Exam Dumps](#) [AZ-120 Exam Questions](#) [AZ-120 PDF Dumps](#) [AZ-120 VCE Dumps](#)

<https://www.braindump2go.com/az-120.html>

Actions

Shut down the following services: smb, nmbd, and winbindd

Run net rpc join -U administrator

Answer Area

Install the samba-winbind package

Add realm details to /etc/krb5.conf and /etc/samba/smb.conf

Run net ads join -U administrator


Explanation:

Step 1: Install the samba-winbind package

Install samba-winbind

Step 2: Add realm details to /etc/krb5.conf and /etc/samba/smb.conf Edit files - best way to do this is to use yast on test machine and copy files from it In following examples you need to replace EXAMPLE/EXAMPLE.COM/example.com with your values/ settings

/etc/samba/smb.conf

[global]

workgroup = EXAMPLE

usershare allow guests = NO #disallow guests from sharing idmap gid = 10000-20000

idmap uid = 10000-20000

kerberos method = secrets and keytab

realm = EXAMPLE.COM

security = ADS

template homedir = /home/%D/%U

template shell = /bin/bash

winbind offline logon = yes

winbind refresh tickets = yes

/etc/krb5.conf

[libdefaults]

default_realm = EXAMPLE.COM

clockskew = 300

[realms]

EXAMPLE.COM = {

kdc = PDC.EXAMPLE.COM

default_domain = EXAMPLE.COM

admin_server = PDC.EXAMPLE.COM

}

..

Step 3: Run net ads join -U administrator

Join the SLES 12 Server to the AD domain

References:

<https://www.suse.com/support/kb/doc/?id=7018461>

QUESTION 50

Drag and Drop Question

You have a large and complex SAP environment on Azure.

You are designing a training landscape that will be used 10 times a year.

You need to recommend a solution to create the training landscape. The solution must meet the following

[AZ-120 Exam Dumps](#) [AZ-120 Exam Questions](#) [AZ-120 PDF Dumps](#) [AZ-120 VCE Dumps](#)

<https://www.braindump2go.com/az-120.html>

requirements:

- Minimize the effort to build the training landscape.
- Minimize costs.

In which order should you recommend the actions be performed for the first training session? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Build the training landscape	
Create a custom image by using the snapshot	
Deliver the training	
Take a snapshot of the virtual machine disks	
Shut down and delete the virtual machines	

Answer:

Actions	Answer Area
	Build the training landscape
	Deliver the training
	Take a snapshot of the virtual machine disks
	Create a custom image by using the snapshot
	Shut down and delete the virtual machines

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/planning-guide>

QUESTION 51

Drag and Drop Question

You are validating an SAP HANA on Azure (Large Instances) deployment.

You need to ensure that sapconf is installed and the kernel parameters are set appropriately for the active profile.

How should you complete the commands? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

sap-ase
sap-bobj
sapconf
sap-hana
sap-netweaver
saptune
tuned

Answer Area

```
osprompt> more /etc/sysconfig/ Value
osprompt> more /usr/lib/tuned/ Value /tuned.conf
```

Answer:**Values**

sap-ase
sap-bobj
sap-hana
sap-netweaver
saptune

Answer Area

```
osprompt> more /etc/sysconfig/ sapconf
osprompt> more /usr/lib/tuned/ tuned /tuned.conf
```

Explanation:

Box 1: sapconf

The configuration is split into two parts:

/etc/sysconfig/sapconf

/usr/lib/tuned/tuned.conf

Box 2: tuned

References:

<https://www.suse.com/c/sapconf-a-way-to-prepare-a-sles-system-for-sap-workload-part-2/>**QUESTION 52**

Hotspot Question

You have the following Azure Resource Manager template.


```
{
  "$schema": "https://schema.management.azure.com/schemas/2015-01-01/deploymentTemplate.json#",
  "contentVersion": "1.0.0.0",
  "parameters": {},
  "resources": [
    {
      "apiVersion": "2016-01-01",
      "type": "Microsoft.Storage/storageAccounts",
      "name": "[concat(copyIndex(), 'storage', uniqueString(resourceGroup().id))]",
      "location": "[resourceGroup().location]",
      "sku": {
        "name": "Premium_LRS"
      },
      "kind": "Storage",
      "properties": {},
      "copy": {
        "name": "storagecopy",
        "count": 6,
        "mode": "Serial",
        "batchSize": 1
      }
    }
  ]
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Six storage accounts will be created.	<input type="radio"/>	<input type="radio"/>
The storage accounts will be created in parallel.	<input type="radio"/>	<input type="radio"/>
The storage accounts will be replicated to multiple regions.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
Six storage accounts will be created.	<input checked="" type="radio"/>	<input type="radio"/>
The storage accounts will be created in parallel.	<input type="radio"/>	<input checked="" type="radio"/>
The storage accounts will be replicated to multiple regions.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

[AZ-120 Exam Dumps](#) [AZ-120 Exam Questions](#) [AZ-120 PDF Dumps](#) [AZ-120 VCE Dumps](#)

<https://www.braindump2go.com/az-120.html>

Count is 6.

Box 2: No

Mode is serial.

Box 3: Yes

References:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/templates/copy-resources>

QUESTION 53

Hotspot Question

You deploy SAP HANA by using SAP HANA on Azure (Large Instances). For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can use SAP HANA Studio to monitor CPU, memory, network, and storage usage for SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>
Azure Enhanced Monitoring is required to monitor the performance of SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>
You can use the SAP HANA HW Configuration Check Tool (HWCCT) to monitor SAP HANA running on SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
You can use SAP HANA Studio to monitor CPU, memory, network, and storage usage for SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input checked="" type="radio"/>
Azure Enhanced Monitoring is required to monitor the performance of SAP HANA on Azure (Large Instances).	<input checked="" type="radio"/>	<input type="radio"/>
You can use the SAP HANA HW Configuration Check Tool (HWCCT) to monitor SAP HANA running on SAP HANA on Azure (Large Instances).	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: No

Box 2: Yes

The SAP Azure Enhanced Monitoring Extension allows for collecting diagnostic data including OS and Application performance counters from Azure VMs running SAP workloads.

Box 3: No

References:

<http://www.deployazure.com/compute/virtual-machines/sap-azure-enhanced-monitoring-extension/>

QUESTION 54

Drag and Drop Question

You need to connect SAP HANA on Azure (Large Instances) to an Azure Log Analytics workspace.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Answer Area

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	<input type="radio"/>	<input type="radio"/>
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	<input type="radio"/>	<input type="radio"/>
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	<input type="radio"/>	<input type="radio"/>

Answer:
Answer Area

Statements	Yes	No
You can segregate the SAP application layer and the DBMS layer into different virtual networks that are peered by using Global Vnet peering.	<input checked="" type="radio"/>	<input type="radio"/>
You can segregate the SAP application layer and the DBMS layer into different subnets in the same virtual network.	<input type="radio"/>	<input checked="" type="radio"/>
If you segregate the SAP application layer and the DBMS layer into different peered virtual networks, you will incur costs for the data transferred between the virtual networks.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: Yes

Box 2: No

A design that's not supported is the segregation of the SAP application layer and the DBMS layer into different Azure virtual networks that aren't peered with each other. We recommend that you segregate the SAP application layer and DBMS layer by using subnets within an Azure virtual network instead of by using different Azure virtual networks.

Box 3: Yes

Be aware that network traffic between two peered Azure virtual networks is subject to transfer costs. Huge data volume that consists of many terabytes is exchanged between the SAP application layer and the DBMS layer. You can accumulate substantial costs if the SAP application layer and DBMS layer are segregated between two peered Azure virtual networks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general
QUESTION 56

Drag and Drop Question

You plan to deploy multiple SAP HANA virtual machines to Azure by using an Azure Resource Manager template.

How should you configure Accelerated Networking and Write Accelerator in the template? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area
<input type="text" value="false"/>	<pre> { "apiVersion": "2017-06-01", "type": "Microsoft.Network/networkInterfaces", "name": "[concat(parameters('vmName'), '-nic')]", "location": "[resourceGroup().location]", "properties": { "enableAcceleratedNetworking": <input type="text" value="Value"/> "ipConfigurations": [{ "name": "ipconfig1", "properties": { "privateIPAllocationMethod": "Static", "privateIPAddress": "[parameters('StaticIP')]", "subnet": { "id": "[variables('subnetRef')]" } } }] } }, { "apiVersion": "2016-12-01", "type": "Microsoft.Compute/virtualMachines", "name": "[parameters('vmName')]", "location": "[resourceGroup().location]", "dependsOn": ["[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]"], "properties": { "availabilitySet": { "id": "[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]" }, "hardwareProfile": { "vmSize": "Standard_H6es" }, "osProfile": { "computerName": "[parameters('vmName')]", "adminUsername": "[parameters('vmUsername')]", "adminPassword": "[parameters('vmPassword')]" }, "storageProfile": { "imageReference": { "publisher": "RedHat", "offer": "RHEL-SAP-HANA", "sku": "7.2", "version": "latest" }, "osDisk": { "createOption": "FromImage" }, "dataDisks": [{ "lun": 0, "name": "[concat(parameters('vmName'), '-log')]", "createOption": "Empty", "writeAcceleratorEnabled": <input type="text" value="Value"/> "diskSizeGB": 2048, "managedDisk": { "storageAccountType": "Premium_LRS" } }] } } }, { "networkProfile": { "networkInterfaces": [{ "id": "[resourceId('Microsoft.Network/networkInterfaces', concat(parameters('vmName'), '-nic'))]" }] } } } </pre>
<input type="text" value="nic"/>	
<input type="text" value="true"/>	

Answer:

Values	Answer Area
<input type="text" value="false"/>	<pre> { "apiVersion": "2017-06-01", "type": "Microsoft.Network/networkInterfaces", "name": "[concat(parameters('vmName'), '-static')]", "location": "[resourceGroup().location]", "properties": { "enableAcceleratedNetworking": <input type="text" value="true"/>, "ipConfigurations": [{ "name": "ipconfig1", "properties": { "privateIPAllocationMethod": "Static", "privateIPAddress": "[parameters('staticIP')]", "subnet": { "id": "[variables('subnetRef')]" } } }] } }, { "apiVersion": "2016-12-01", "type": "Microsoft.Compute/virtualMachines", "name": "[parameters('vmName')]", "location": "[resourceGroup().location]", "dependsOn": ["[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]"], "properties": { "availabilitySet": { "id": "[resourceId('Microsoft.Compute/availabilitySets', parameters('AvailabilitySetName'))]" }, "hardwareProfile": { "vmSize": "Standard_H6es" }, "osProfile": { "computerName": "[parameters('vmName')]", "adminUsername": "[parameters('vmUsername')]", "adminPassword": "[parameters('vmPassword')]" }, "storageProfile": { "imageReference": { "publisher": "RedHat", "offer": "RHEL-SAP-HANA", "sku": "1.2", "version": "latest" }, "osDisk": { "createOption": "FromImage" }, "dataDisks": [{ "lun": 7, "name": "[concat(parameters('vmName'), '-log')]", "createOption": "Empty", "writeAcceleratorEnabled": <input type="text" value="true"/>, "diskSizeGB": 2048, "managedDisk": { "storageAccountType": "Premium_LRS" } }] } } }, { "networkProfile": { "networkInterfaces": [{ "id": "[resourceId('Microsoft.Network/networkInterfaces', concat(parameters('vmName'), '-static'))]" }] } } </pre>
<input type="text" value="true"/>	
<input type="text" value="true"/>	

Explanation:

Box 1: true

enableAcceleratedNetworking: If the network interface is accelerated networking enabled. To further reduce network latency between Azure VMs, we [Microsoft] recommend that you choose Azure Accelerated Networking. Use it when you deploy Azure VMs for an SAP workload, especially for the SAP application layer and the SAP DBMS layer.

Box 2: true

Write Accelerator should be used for the volumes that contain the transaction log or redo logs of a DBMS. It is not recommended to use Write Accelerator for the data volumes of a DBMS as the feature has been optimized to be used against log disks.

References:

https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/dbms_guide_general

QUESTION 57

Hotspot Question

Your on-premises network contains SAP and non-SAP applications.

You have JAVA-based SAP systems that use SPNEGO for single-sign on (SSO) authentication.

Your external portal uses multi-factor authentication (MFA) to authenticate users.

You plan to extend the on-premises authentication features to Azure and to migrate the SAP applications to Azure.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

[AZ-120 Exam Dumps](#) [AZ-120 Exam Questions](#) [AZ-120 PDF Dumps](#) [AZ-120 VCE Dumps](#)

<https://www.braindump2go.com/az-120.html>

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
Azure Active Directory (Azure AD) pass-through authentication can be used to enable MFA for on-premises users.	<input type="radio"/>	<input checked="" type="radio"/>
Azure Active Directory (Azure AD) password hash synchronization ensures that users can use on their on-premise credentials to authenticate to ABAP-based SAP systems on Azure.	<input checked="" type="radio"/>	<input type="radio"/>
Active Directory Federation Services (AD FS) can be used to enable MFA for on-premises users.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

Box 1: No

Need AD FS for MFA. See box 3.

Note: Azure Active Directory (Azure AD) Pass-through Authentication allows your users to sign in to both on-premises and cloud-based applications using the same passwords. This feature is an alternative to Azure AD Password Hash Synchronization (see Box 2).

Box 2: Yes

Password hash synchronization is one of the sign-in methods used to accomplish hybrid identity. Azure AD Connect synchronizes a hash, of the hash, of a users password from an on-premises Active Directory instance to a cloud-based Azure AD instance.

Password hash synchronization is an extension to the directory synchronization feature implemented by Azure AD Connect sync. You can use this feature to sign in to Azure AD services like Office 365. You sign in to the service by using the same password you use to sign in to your on-premises Active Directory instance.

Box 3: Yes

If your organization is federated with Azure AD, you can use Azure Multi-Factor Authentication to secure AD FS resources, both on-premises and in the cloud. Azure MFA enables you to eliminate passwords and provide a more secure way to authenticate.

References:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/whatis-phs>

<https://docs.microsoft.com/en-us/windows-server/identity/ad-fs/operations/configure-ad-fs-and-azure-mfa>

QUESTION 58

Hotspot Question

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Azure AD Connect is required to sign into Linux virtual machines hosted in Azure.	<input type="radio"/>	<input type="radio"/>
An SAP application server that runs on a Linux virtual machine in Azure must be joined to Active Directory.	<input type="radio"/>	<input type="radio"/>
Before you can sign into an SAP application server that runs on a Linux virtual machine in Azure, you must create a Managed Service Identity (MSI).	<input type="radio"/>	<input type="radio"/>

Answer:**Answer Area**

Statements	Yes	No
Azure AD Connect is required to sign into Linux virtual machines hosted in Azure.	<input type="radio"/>	<input checked="" type="radio"/>
An SAP application server that runs on a Linux virtual machine in Azure must be joined to Active Directory.	<input checked="" type="radio"/>	<input type="radio"/>
Before you can sign into an SAP application server that runs on a Linux virtual machine in Azure, you must create a Managed Service Identity (MSI).	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Box 1: No

To log in to a Linux VM with Azure AD credentials, install the Azure Active Directory login VM extension.

Note: Azure AD Connect is the Microsoft tool designed to meet and accomplish your hybrid identity goals.

Box 2: Yes

If you deploy SAP VMs in a cross-premises scenario, where on-premises Active Directory and DNS are extended in Azure, it is expected that the VMs are joining an on-premises domain.

Box 3: No

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/workloads/sap/deployment-guide>