

➤ **Vendor: Microsoft**

➤ **Exam Code: AZ-140**

➤ **Exam Name: Configuring and Operating Windows Virtual Desktop on Microsoft Azure**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [October/2023](#))**

[Visit Braindump2go and Download Full Version AZ-140 Exam Dumps](#)

QUESTION 190

Hotspot Question

You have an Azure Virtual Desktop deployment that uses Cloud Cache to store user profiles.

You plan to deploy Microsoft Defender Antivirus exclusions to the session hosts by using the following PowerShell script.

```
$Cloudcache = $true
$StorageAcct1 = "storageacct1"
$StorageAcct2 = "storageacct2"

$filelist = `
"%ProgtamFiles%\FSLogix\Apps\frxdrv.sys", `
"%ProgtamFiles%\FSLogix\Apps\frxdrwt.sys", `
"%ProgtamFiles%\FSLogix\Apps\frxccd.sys", `
"%TEMP%\*.VHD", `
"%TEMP%\*.VHDX", `
"%Windir%\TEMP\*.VHD", `
"%Windir%\TEMP\*.VHDX", `
"%appdata%\Microsoft\Teams\*.txt", `
"%appdata%\Microsoft\Teams\Media-stack\*", `
"%appdata%\Microsoft\Teams\meeting-addin\Cache\*", `
"\\$Storageacct1.file.core.windows.net\shared1\*.VHD", `
"\\$Storageacct1.file.core.windows.net\shared1\*.VHDX", `
"\\$Storageacct2.file.core.windows.net\shared2\*.VHD", `
"\\$Storageacct2.file.core.windows.net\shared2\*.VHDX"

$processlist = `
"%ProgtamFiles%\FSLogix\Apps\frxccd.exe", `
"%ProgtamFiles%\FSLogix\Apps\frxccds.exe", `
"%ProgtamFiles%\FSLogix\Apps\frxsvc.exe",

Foreach($item in $filelist){
    Add-MpPreference -ExclusionPath $item}
Foreach($item in $processlist){
    Add-MpPreference -ExclusionProcess $item}

If ($Cloudcache){
    Add-MpPreference -ExclusionPath "%ProgtamFiles%\FSLogix\Cache\*.VHD"
    Add-MpPreference -ExclusionPath "%ProgtamFiles%\FSLogix\Cache\*.VHDX"
    Add-MpPreference -ExclusionPath "%ProgtamFiles%\FSLogix\Proxy\*.VHD"
    Add-MpPreference -ExclusionPath "%ProgtamFiles%\FSLogix\Proxy\*.VHDX"}
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

[AZ-140 Exam Dumps](#) [AZ-140 Exam Questions](#) [AZ-140 PDF Dumps](#) [AZ-140 VCE Dumps](#)

<https://www.braindump2go.com/az-140.html>

Answer Area

VHD and VHDX antivirus exclusions will be enabled for [answer choice].

▼
the Cloud Cache folder only
storageacct1 and storageacct2 only
the Cloud Cache folder, storageacct1, and storageacct2

Antivirus exclusions for the Microsoft Teams caching folder will be enabled for the [answer choice].

▼
Cache folder only
Media-stack folder and Cache folder
Media-stack folder, Cache folder, and all text files

Answer:

Answer Area

VHD and VHDX antivirus exclusions will be enabled for [answer choice].

▼
the Cloud Cache folder only
storageacct1 and storageacct2 only
the Cloud Cache folder, storageacct1, and storageacct2

Antivirus exclusions for the Microsoft Teams caching folder will be enabled for the [answer choice].

▼
Cache folder only
Media-stack folder and Cache folder
Media-stack folder, Cache folder, and all text files

QUESTION 191

Drag and Drop Question

You have an Azure Virtual Desktop deployment.

You plan to use a Conditional Access policy to enforce multi-factor authentication (MFA) when users connect to the deployment. The solution must meet the following requirements:

- Enforce MFA when a user connects to Azure Virtual Desktop by using a subscription feed.
- Enforce MFA when a user authenticates to a session host that has single sign-on (SSO) enabled.

You need to identify which cloud apps to use for the Conditional Access policy.

Which app should you use for each requirement? To answer, drag the appropriate apps to the correct requirements.

Each app may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Apps	Answer Area
<div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Azure Virtual Desktop</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Azure Windows VM Sign-in</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Microsoft Remote Desktop</div> <div style="border: 1px solid gray; padding: 2px; margin-bottom: 2px;">Office 365</div> <div style="border: 1px solid gray; padding: 2px;">Windows Virtual Desktop Client</div>	<p>Connecting to Azure Virtual Desktop by using a subscription feed: <input style="width: 150px; height: 20px;" type="text"/></p> <p>Authenticating to a session host that has SSO enabled: <input style="width: 150px; height: 20px;" type="text"/></p>

Answer:

Apps

- Azure Windows VM Sign-in
- Office 365
- Windows Virtual Desktop Client

Answer Area

- Connecting to Azure Virtual Desktop by using a subscription feed: Azure Virtual Desktop
- Authenticating to a session host that has SSO enabled: Microsoft Remote Desktop

QUESTION 192

Hotspot Question

You have an Azure Virtual Desktop deployment that has just-in-time (JIT) VM access enabled.














You need to request access to a session host by using JIT VM access.

Which three virtual machine settings can you use to request access? To answer, select the appropriate settings in the answer area.

NOTE: Each selection is worth one point.

Answer Area














Settings

-  Networking
-  Connect
-  Disks
-  Size
-  Microsoft Defender for Cloud
-  Advisor recommendations
-  Extensions + applications
-  Continuous delivery
-  Availability + scaling
-  Configuration
-  Identity
-  Properties
-  Locks

Answer:

Answer Area

Settings

 Networking
 Connect
 Disks
 Size
 Microsoft Defender for Cloud
 Advisor recommendations
 Extensions + applications
 Continuous delivery
 Availability + scaling
 Configuration
 Identity
 Properties
 Locks

Explanation:

Connect: <https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#request-access-to-a-jit-enabled-vm-from-the-azure-virtual-machines-connect-page>

Microsoft Defender for Cloud: <https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#work-with-jit-vm-access-using-microsoft-defender-for-cloud>

Configuration: <https://learn.microsoft.com/en-us/azure/defender-for-cloud/just-in-time-access-usage#enable-jit-on-your-vm-from-azure-virtual-machines>

QUESTION 193

[AZ-140 Exam Dumps](#) [AZ-140 Exam Questions](#) [AZ-140 PDF Dumps](#) [AZ-140 VCE Dumps](#)

<https://www.braindump2go.com/az-140.html>

You have an Azure Virtual Desktop deployment that contains a host pool named Pool1. Pool1 contains two session hosts named Host1 and Host2.
You need to enable screen capture protection for the deployment.
What should you do?

- A. Configure a Group Policy setting on Host1 and Host2.
- B. From RDP Properties for Pool1, disable Clipboard redirection.
- C. Install an Azure virtual machine extension on Host1 and Host2.
- D. From RDP Properties for Pool1, disable encoding of redirected video.

Answer: A

Explanation:

<https://learn.microsoft.com/en-us/azure/virtual-desktop/screen-capture-protection>

QUESTION 194

Hotspot Question

You have an Azure Virtual Desktop host pool that contains 20 Windows 11 session hosts.
You create a Windows Defender Application Control (WDAC) policy named Policy1.xml.
You need to deploy Policy1.xml to the session hosts.

How should you prepare the policy, and to where should you copy the policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To prepare the policy:

▼
Compress Policy1.xml.
Convert Policy1.xml to its binary form.
Digitally sign Policy1.xml.

Copy the policy to:

▼
C:\Windows\System32\AppLocker
C:\Windows\System32\Configuration
C:\Windows\System32\Codeintegrity\CiPolicies\Active
C:\Windows\SystemResources\Windows\UI.AccountsControl

Answer:

Answer Area

To prepare the policy:

▼
Compress Policy1.xml.
Convert Policy1.xml to its binary form.
Digitally sign Policy1.xml.

Copy the policy to:

▼
C:\Windows\System32\AppLocker
C:\Windows\System32\Configuration
C:\Windows\System32\Codeintegrity\CiPolicies\Active
C:\Windows\SystemResources\Windows\UI.AccountsControl

Explanation:

<https://learn.microsoft.com/en-us/windows/security/application-security/application-control/windows-defender-application-control/deployment/wdac-deployment-guide>

<https://learn.microsoft.com/en-us/windows/security/application-security/application-control/windows-defender->

application-control/deployment/deploy-wdac-policies-with-script

QUESTION 195

Hotspot Question

You have an Azure Virtual Desktop deployment that contains 10 session hosts and a RemoteApp named App1. You have users that connect to the deployment by using the clients shown in the following table.

Name	Client type	Operating system
User1	Web	Windows 11 (latest version)
User2	Windows Desktop	Windows 11 (latest version)
User3	Windows Desktop	Windows 10 (latest version)
User4	Android	Android (latest version)

You enable screen capture protection on all the session hosts.

Which users can connect to a session host by using the full desktop, and which users can connect to App1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Full desktop:

▼

User2 only

User1 and User2 only

User2 and User3 only

User1, User2, and User3 only

User1, User2, User3, and User4

App1:

▼

User2 only

User1 and User2 only

User2 and User3 only

User1, User2, and User3 only

User1, User2, User3, and User4

Answer:

Answer Area

Full desktop:

App1:

QUESTION 196

You have an Azure Virtual Desktop deployment that contains two Azure regions. You plan to implement a disaster recovery solution for user profiles. The solution must meet the following requirements:

- Users must retain their user profiles if a single region fails.
- Administrative effort must be minimized.

What should you include in the recommendation?

- A. Azure Storage accounts that use zone-redundant storage (ZRS)
- B. Azure Site Recovery
- C. FSLogix Cloud Cache
- D. Azure Backup
- E. FSLogix with VHDLocations

Answer: C

QUESTION 197

Drag and Drop Question
 You have an Azure Virtual Desktop deployment and the Azure Storage accounts shown in the following table.

Name	Kind	Performance	Redundancy
storage1	StorageV2	Standard	Geo-redundant storage (GRS)
storage2	FileShares	Premium	Locally-redundant storage (LRS)
storage3	PageBlobs	Premium	Zone-redundant storage (ZRS)
storage4	BlockBlobs	Premium	Locally-redundant storage (LRS)
storage5	StorageV2	Standard	Zone-redundant storage (ZRS)

You plan to create FSLogix profile containers and store the containers in the storage accounts. You need to identify which storage accounts support the FSLogix profile containers, and then order the accounts from highest to lowest redundancy. Which three storage accounts should you identify in sequence? To answer, move the appropriate accounts from the list of accounts to the answer area and arrange them in the correct order.

Storage accounts

storage1
storage2
storage3
storage4
storage5



Answer Area

1
2
3



Answer:

Storage accounts

storage3
storage4



Answer Area

1	storage1
2	storage5
3	storage2



QUESTION 198

Hotspot Question

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Location	Azure Files share
storage1	West US	share1
storage2	West US	share2, share3

The subscription contains the vaults shown in the following table.

Name	Location	Type
Vault1	East US	Recovery Services vault
Vault2	West US	Recovery Services vault
Vault3	West US	Recovery Services vault
Vault4	West US	Backup vault

The subscription contains the Azure Virtual Desktop host pools shown in the following table.

Name	Session host	Location	FSLogix user profile location
Pool1	P1-0	West US	share1
Pool2	P2-0	West US	share2
Pool3	P3-0	West US	share3

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The FSLogix user profiles in Pool1 can be backed up to Vault1.	<input type="radio"/>	<input type="radio"/>
The FSLogix user profiles in Pool2 can be backed up to Vault2.	<input type="radio"/>	<input type="radio"/>
P3-0 can be backed up to Vault4.	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Statements	Yes	No
The FSLogix user profiles in Pool1 can be backed up to Vault1.	<input type="radio"/>	<input checked="" type="radio"/>
The FSLogix user profiles in Pool2 can be backed up to Vault2.	<input checked="" type="radio"/>	<input type="radio"/>
P3-0 can be backed up to Vault4.	<input type="radio"/>	<input checked="" type="radio"/>

QUESTION 199

You have an Azure Virtual Desktop deployment that contains a host pool named Pool1. Pool1 contains a session host named Host1 that is Azure AD-joined. You need to verify whether a Windows license is assigned to Host1. What should you do?

- A. From the Azure Active Directory admin center, view the product licenses.
- B. From VM1, run the Get-WindowsDeveloperLicense cmdlet.
- C. From the Azure portal, view the properties of Host1.
- D. From Azure Cloud Shell, run the Get-AzVm cmdlet.

Answer: D

Explanation:

<https://learn.microsoft.com/en-us/azure/virtual-machines/windows/hybrid-use-benefit-licensing#powershell-2>

QUESTION 200

You have an Azure subscription that contains an Azure Compute Gallery named Gallery1 and a virtual machine named Template1. Template1 has custom apps and settings configured. You plan to deploy Azure Virtual Desktop session hosts by using a custom virtual machine image. The solution must meet the following requirements:

- The custom image must be stored in Gallery1.
- The custom image must be based on Template1.
- All new session hosts must have unique computer names and identifiers.

You need to create the custom image.

What should you do in the Azure portal?

- A. From Gallery1, create a new VM application definition.
- B. From Gallery1, create a new VM image definition.
- C. From Template1, capture a generalized virtual machine image.
- D. From Template1, capture a specialized virtual machine image.

Answer: C

Explanation:

When you generalize a VM, it removes any specific computer names, identifiers, or other settings that would make it unique. This is typically done using a tool like Sysprep on a Windows VM. Once you've generalized the VM, you can create an image from it and store it in Gallery1. This image can then be used to deploy new session hosts in Azure Virtual Desktop.