

- **Vendor:** Juniper
- **Exam Code:** JN0-231
- **Exam Name:** Security, Associate (JNCIA-SEC)
- **New Updated Questions from** [Braindump2go](#)
- **(Updated in** [September/2022](#)**)**

Visit Braindump2go and Download Full Version JN0-231 Exam Dumps

Question:1

Which two criteria should a zone-based security policy include? (Choose two.)

- A. a source port
- B. a destination port
- C. zone context
- D. an action

Answer: B,D

Explanation:

Question:2

You are assigned a project to configure SRX Series devices to allow connections to your web servers. The web servers have a private IP address, and the packets must use NAT to be accessible from the

Internet. You do not want the web servers to initiate connections with external update servers on the Internet using the same IP address as customers use to access them.

Which two NAT types must be used to complete this project? (Choose two.)

- A. static NAT
- B. hairpin NAT
- C. destination NAT
- D. source NAT

Answer: C,D

Explanation:

Question:3

[JN0-231 Exam Dumps](#) [JN0-231 Exam Questions](#) [JN0-231 PDF Dumps](#) [JN0-231 VCE Dumps](#)

<https://www.braindump2go.com/jn0-231.html>

You are asked to verify that a license for AppSecure is installed on an SRX Series device.
In this scenario, which command will provide you with the required information?

- A. user@srx> show system license
- B. user@srx> show services accounting
- C. user@srx> show configuration system
- D. user@srx> show chassis firmware

Answer: A,C

Answer: A

Explanation:

Question: 21

Which IPsec protocol is used to encrypt the data payload?

- A. ESP
- B. IKE
- C. AH
- D. TCP

Answer: A

Explanation:

Question: 22

What are three primary match criteria used in a Junos security policy? (Choose three.)

- A. application
- B. source address
- C. source port
- D. class
- E. destination address

Answer: A, B, E

Explanation:

Question: 23

You have an FTP server and a webserver on the inside of your network that you want to make available to users outside of the network. You are allocated a single public IP address. In this scenario, which two NAT elements should you configure? (Choose two.)

- A. destination NAT
- B. NAT pool
- C. source NAT
- D. static NAT

Answer: A, D

Explanation:

Question: 24

Which three Web filtering deployment actions are supported by Junos? (Choose three.)

- A. Use IPS.
- B. Use local lists.
- C. Use remote lists.
- D. Use Websense Redirect.
- E. Use Juniper Enhanced Web Filtering.

Answer: B, D, E

Explanation:

Question: 25

Which two IPsec hashing algorithms are supported on an SRX Series device? (Choose two.)

- A. SHA-1
- B. SHAKE128
- C. MD5
- D. RIPEMD-256

Answer: A, C

Explanation:

Question: 26

Click the Exhibit button.

```
[edit]
user@SRX# show security zones
security-zone Internal {
    host-inbound-traffic {
        system-services {
            http {
                except;
            }
            all;
        }
    }
    interfaces {
        ge-0/0/1.0;
    }
}
```

What is the purpose of the host-inbound-traffic configuration shown in the exhibit?

- A. to permit host inbound HTTP traffic and deny all other traffic on the internal security zone
- B. to deny and log all host inbound traffic on the internal security zone, except for HTTP traffic
- C. to permit all host inbound traffic on the internal security zone, but deny HTTP traffic
- D. to permit host inbound HTTP traffic on the internal security zone

Answer: C

Explanation:

Question: 27

When operating in packet mode, which two services are available on the SRX Series device? (Choose two.)

- A. MPLS
- B. UTM
- C. CoS
- D. IDP

Answer: A,C

Explanation:

Question: 28

Which two statements are correct about the default behavior on SRX Series devices? (Choose two.)

- A. The SRX Series device is in flow mode.

B. The SRX Series device supports stateless firewall filters.

- C. The SRX Series device is in packet mode.
- D. The SRX Series device does not support stateless firewall filters.

Answer: A,B

Explanation:

Question: 29

Which two statements are correct about functional zones? (Choose two.)

- A. Functional zones must have a user-defined name.
- B. Functional zone cannot be referenced in security policies or pass transit traffic.
- C. Multiple types of functional zones can be defined by the user.
- D. Functional zones are used for out-of-band device management.

Answer: B,D

Explanation:

Question: 30

What must be enabled on an SRX Series device for the reporting engine to create reports?

- A. packet capture
- B. security logging
- C. system logging
- D. SNMP

Answer: B

Explanation:

Question: 31

You are assigned a project to configure SRX Series devices to allow connections to your web servers. The web servers have a private IP address, and the packets must use NAT to be accessible from the

Internet. The web servers must use the same address for both connections from the Internet and communication with update servers.

Which NAT type must be used to complete this project?

- A. source NAT
- B. destination NAT
- C. static NAT
- D. hairpin NAT

Explanation:

[JN0-231 Exam Dumps](#) [JN0-231 Exam Questions](#) [JN0-231 PDF Dumps](#) [JN0-231 VCE Dumps](#)

<https://www.braindump2go.com/jn0-231.html>

—
An
swer: B

Question: 32

Which two user authentication methods are supported when using a Juniper Secure Connect VPN? (Choose two.)

- A. certificate-based
- B. multi-factor authentication
- C. local authentication
- D. active directory

Answer: A,C

Explanation:

Question: 33

Click the Exhibit button.

```

policies {
  from-zone untrust to-zone trust {
    policy permit-all {
      [...]
      then {
        permit;
      }
    }
    policy deny-all {
      [...]
      then {
        deny;
      }
    }
    policy reject-all {
      [...]
      then {
        reject;
      }
    }
  }
}

```

Which two statements are correct about the partial policies shown in the exhibit? (Choose two.)

- A. UDP traffic matched by the deny-all policy will be silently dropped.

[JN0-231 Exam Dumps](#) [JN0-231 Exam Questions](#) [JN0-231 PDF Dumps](#) [JN0-231 VCE Dumps](#)

<https://www.braindump2go.com/jn0-231.html>

B. TCP traffic matched by the reject-all policy will have a TCP RST sent.

- C. TCP traffic matched from the zone trust is allowed by the permit-all policy.
- D. UDP traffic matched by the reject-all policy will be silently dropped.

Answer: A, B

Explanation:

Question: 34

You are monitoring an SRX Series device that has the factory-default configuration applied.
In this scenario, where are log messages sent by default?

- A. JunosSpace Log Director
- B. Junos Space Security Director
- C. to a local syslog server on the management network
- D. to a local log file named messages

Answer: C

Explanation:

Question: 35

When transit traffic matches a security policy, which three actions are available? (Choose three.)

- A. Allow
- B. Discard
- C. Deny
- D. Reject
- E. Permit

Answer: C, D, E

Explanation:

Question: 36

Which two services does Juniper Connected Security provide? (Choose two.)

- A. protection against zero-day threats
- B. IPsec VPNs
- C. Layer 2 VPN tunnels
- D. inline malware blocking

Answer: A, D

Explanation:

Question: 37

You are creating Ipsec connections.

In this scenario, which two statements are correct about proxy IDs? (Choose two.)

- A. Proxy IDs are used to configure traffic selectors.
- B. Proxy IDs are optional for Phase 2 session establishment.
- C. Proxy IDs must match for Phase 2 session establishment.
- D. Proxy IDs default to 0.0.0.0/0 for policy-based VPNs.

Answer: A, B

Explanation:

Question: 38

Which two components are configured for host inbound traffic? (Choose two.)

- A. zone
- B. logical interface
- C. physical interface
- D. routing instance

Answer: A, B

Explanation:

Question: 39

Which two security features inspect traffic at Layer 7? (Choose two.)

- A. IPS/IDP
- B. security zones
- C. application firewall
- D. integrated user firewall

Answer: A, C

Explanation:

Question: 40

Which two UTM features should be used for tracking productivity and corporate user behavior? (Choose two.)

- A. the content filtering UTM feature
- B. the antivirus UTM feature
- C. the Web filtering UTM feature
- D. the antispam UTM feature

Answer: A,C

Explanation:

Question: 41

What is the order in which malware is detected and analyzed?

- A. antivirus scanning → cache lookup → dynamic analysis → static analysis
- B. cache lookup → antivirus scanning → static analysis → dynamic analysis
- C. antivirus scanning → cache lookup → static analysis → dynamic analysis
- D. cache lookup → static analysis → dynamic analysis → antivirus scanning

Explanation: