

- **Vendor: Juniper**
- **Exam Code: JN0-250**
- **Exam Name: Mist AI, Associate (JNCIA-MistAI)**
- **New Updated Questions from [Braindump2go](#)**
- **(Updated in [September/2022](#))**

Visit Braindump2go and Download Full Version JN0-250 Exam Dumps

Question: 21

When designing for a multiple frequency deployment (5 GHz and 2.4 GHz), which statement is correct?

- A. The coverage of the multiple bands at the same power will be identical.
- B. 5 GHz is a higher frequency and so will travel further and penetrate walls better.
- C. 5 GHz should generally be used for planning.
- D. 802.11ac is available in both frequency bands so the design frequency is not important.

Answer: B

Explanation:

Reference:

https://www.grandstream.com/hubfs/Product_Documentation/WP820_WiFi_Roaming_Application_Note.pdf

Question: 22

A Mist access point is booting up, and will soon receive a channel assignment from the Mist Cloud. The channel assigned by the cloud is a DFS channel. In this scenario, what must the AP do before broadcasting an SSID on the channel?

- A. Validate client device support.
- B. Listen for radar.
- C. Transmit radar pulses for 60 seconds.
- D. Validate available non-DFS channels.

Answer: B

Explanation:

Reference: <http://wifinigel.blogspot.com/2018/05/the-5ghz-problem-for-wi-fi-networks-dfs.html>

Question: 23

How should you design a WLAN to ensure optimal performance?

- A. Place one access point in every room and allow RRM to tune the power and channel settings.
- B. Use RF modelling software to design a WLAN to satisfy customer requirements.
- C. Initially install 4-8 access points, then use the Mist capacity SLE to determine the remaining access point placements.
- D. Place an access point every 8-15 meters in all areas requiring coverage.

Answer: B

Explanation:

Reference: <https://www.mist.com/design-your-wi-fi/>

Question: 24

Which statement is correct about the Mist API?

- A. Proprietary tools are required to use the Mist API.
- B. The Mist API is part of the basic subscription.
- C. You need one AP connected to use the Mist API.
- D. The Mist API requires calling support for access.

Answer: A

Explanation:

Reference: <https://www.juniper.net/assets/jp/jp/local/pdf/additional-resources/mist-ai-for-it-interop2020.pdf>

Question: 25

What is the base subscription required to get started with a Mist access point?

- A. Wi-Fi Management and Assurance
- B. Virtual Network Assistant
- C. Premium Analytics
- D. Mist Edge

Answer: A

Explanation:

Reference: <https://www.mist.com/resources/ap41-access-point/>

Question: 26

Which SLE would you use to determine Wi-Fi interference?

- A. AP Uptime
- B. Roaming
- C. Successful Connects
- D. Capacity

Answer: D

Explanation:

Reference: <https://www.mist.com/documentation/service-level-expectations-sle/>

Question: 27

You configured an 802.11n AP to use the 2.4 GHz frequency band and 20 MHz channel width. In this scenario, how many non-overlapping channels are available for clients to use in Europe?

- A. 11
- B. 4
- C. 1
- D. 6

Answer: B

Explanation:

Question: 28

[JN0-250 Exam Dumps](#) [JN0-250 Exam Questions](#) [JN0-250 PDF Dumps](#) [JN0-250 VCE Dumps](#)

<https://www.braindump2go.com/jn0-250.html>

By default, which statement is correct regarding the upstream interfaces configuration on a Mixtape?

- A. The interface is configured to send untagged traffic.
- B. The interface is configured as a trunk port and accepts only tagged traffic.
- C. The interface is configured to use VLAN 10.

D. The Interface is configured to use VLAN 11.

Answer: B

Explanation:

Reference: https://www.juniper.net/documentation/us/en/software/nce/nce-214-midsized-branch-mist-pwp/topics/topic-map/nce-214-midsized-branch-mist-example_part2.html

Question: 29

You have discovered an access point that is connected to a corporate network, but it is not under the corporation's control.

In this scenario, what is this type of access point called?

- A. honeypot
- B. airgap
- C. rogue
- D. neighbor

Answer: C

Explanation:

Question: 30

Which device is responsible for roaming decisions?

- A. user
- B. client
- C. controller
- D. AP

Answer: B

Explanation:

Reference: <http://wifinigel.blogspot.com/2015/03/what-are-sticky-clients.html>

Question: 31

What are three valid administrator roles that you would be able to assign to a user within an organization? (Choose three.)

- A. Super User
- B. View
- C. Root User
- D. Network Admin

E. Helpdesk

Answer: A, B, C

Explanation:

Reference: <https://www.juniper.net/documentation/us/en/software/junos/user-access/topics/topic-map/junos-os-administrative-roles.html>

Question: 32

Which organization is responsible for WLAN standards?

- A. FCC
- B. IEEE
- C. IETF
- D. ISO

Answer: B

Explanation:

Reference:
<https://standards.ieee.org/featured/802/index.html#:~:text=IEEE%20802.11%20is%20a%20standard,s,formerly%20called%20IEEE%20Project%20802>

Question: 33

Marvis requires which subscription?

- A. Wired Assurance
- B. Asset Visibility
- C. Virtual Network Assistant
- D. Premium Analytics

Answer: C

Explanation:

Question: 34

Which Mist device is designed exclusively for Bluetooth Low Energy?

- A. AP63
- B. BT11
- C. AP43
- D. AP12

Explanation:

—
An
swer: B

Reference: <https://complit.be/wp-content/uploads/2019/01/Mist-AP21-Datasheet.pdf>

Question: 35

You are designing a wireless network that requires smooth roaming performance and redundant coverage from at least two access points at every location.

What ensures that both of these functional requirements are satisfied?

- A. co-channel interference
- B. secondary coverage
- C. primary coverage
- D. data rate

Answer: D

Explanation:

Reference: <https://www.mist.com/resources/ap43-access-point/>

Question: 36

What would cause 5 GHz interference?

- A. Bluetooth
- B. a wireless video camera
- C. BLE
- D. a microwave oven

Answer: B

Explanation:

Reference: <https://help.keenetic.com/hc/en-us/articles/213968709-What-affects-Wi-Fi-networks-The-possible-sources-of-interference>

Question: 37

What happens if your Juniper Mist subscriptions expire?

- A. Devices are bricked.
- B. Access to the UI will be shut off.
- C. Devices remain operational but cannot make any further configuration changes.
- D. Devices will be randomly turned off and on.

Answer: C

Explanation:

Reference:

<https://www.mist.com/documentation/subscriptions-and-activations/#:~:text=After%20subscriptions%20are%20expired%2C%20the,be%20active%20within%2090%20days>

Question: 38

Which statement is correct about Wi-Fi?

- A. Wi-Fi operates at full-multiplex.
- B. Only two devices can transmit on the same channel at the same time.
- C. A user device can be connected on multiple frequency bands at the same time.
- D. Wi-Fi operates at half-duplex.

Answer: D

Explanation:

Reference: <https://community.meraki.com/t5/Wireless-LAN/Why-can-t-WiFi-work-as-full-duplex-while-3G-and-4G-can/td-p/74017>

Question: 39

What would cause reduced Wi-Fi performance?

- A. using 40 MHz channels on 5 GHz
- B. using a PSK
- C. using a single SSID
- D. using too many SSIDs

Answer: D

Explanation:

Reference: <https://syntechnologies.co.uk/blog/too-many-access-points>

Question: 40

A user is experiencing DNS problems.

In this scenario, where in the GUI would you be able to see the problems?

- A. WLAN tab
- B. Live View
- C. Clients tab

[JN0-250 Exam Dumps](#) [JN0-250 Exam Questions](#) [JN0-250 PDF Dumps](#) [JN0-250 VCE Dumps](#)

<https://www.braindump2go.com/jn0-250.html>

D. Insights

Answer: D

Explanation:

Reference:

<https://www.mist.com/documentation/troubleshooting-steps-client-issues/>

Answer: A

Explanation:

Reference:

<https://www.mist.com/resources/mist-edge-datasheet-2/>

Question:**41**

Which statement is correct about Mist Edge?

- A. Mist Edge extends select microservices to the customer premises.
- B. Mist Edge must be deployed in the public cloud.
- C. Mist Edge is a firewall.
- D. Mist Edge is a VPN client.