

- **Vendor: Microsoft**
- **Exam Code: MD-100**
- **Exam Name: Windows 10**
- **New Updated Questions from [Braindump2go](#) (Updated in [January/2022](#))**

[Visit Braindump2go and Download Full Version MD-100 Exam Dumps](#)

QUESTION 307

You have 10 new Windows 10 devices.

You plan to deploy a provisioning package that will configure a wireless network profile.

You need to ensure that a support technician can install the provisioning package on the devices. The solution must use the principle of least privilege.

To which group should you add the support technician?

- A. Users
- B. Power Users
- C. Network Configuration Operators
- D. Administrators

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/windows/configuration/provisioning-packages/provisioning-apply-package>

QUESTION 308

Drag and Drop Question

You have a computer that runs Windows 10 and has the Windows Assessment and Deployment Kit (Windows ADK) installed.

You need to perform the following tasks:

- Prepare a Windows PE (WinPE) working directory.
- Add scripting support to a WinPE image.
- Mount and unmount a WinPE image.

Which command should you use for each task? To answer, drag the appropriate commands to the correct tasks. Each command may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Commands

- dism.exe
- copype.cmd
- mount.exe
- diskpart.exe
- mountvol.exe
- MakeWinPEMedia.cmd

Answer Area

- Prepare a WinPE working directory: Command
- Mount and unmount a WinPE image: Command
- Add scripting support to a WinPE image: Command

Answer:

Commands

- dism.exe
- copype.cmd
- mount.exe
- diskpart.exe
- mountvol.exe
- MakeWinPEMedia.cmd

Answer Area

- Prepare a WinPE working directory: copype.cmd
- Mount and unmount a WinPE image: dism.exe
- Add scripting support to a WinPE image: dism.exe

Explanation:

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/winpe-mount-and-customize?view=windows-11>

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/winpe-adding-powershell-support-to-windows-pe?view=windows-11>

QUESTION 309

Your network contains an Active Directory domain. The domain contains a computer named Computer1 that runs Windows 10.

The domain contains the users shown in the following table.

Name	Member of
Admin1	Domain Admins, Group1
User1	Group1
User2	Group2

Computer1 has four printers as shown in the following table.

Name	Type	Added by	Permissions
Printer1	Local printer	Admin1	Print: Group1 Manage the printer: Group1
Printer2	Network printer	Admin1	Print: Domain Users Manage the printer: Domain Users
Printer3	Local printer	User1	Print: Group1 Manage the printer: Group1
Printer4	Local printer	User2	Print: Domain Users Manage the printer: Domain Users

Which printers will be available to User1 when the user signs in to Computer1?

- A. Printer3 only
- B. Printer1 and Printer3 only
- C. Printer1, Printer2, and Printer3 only
- D. Printer1, Printer3, and Printer4 only
- E. Printer1, Printer2, Printer3, and Printer4

Answer: E

QUESTION 310

Hotspot Question

Your network contains an Active Directory domain. The domain contains the users shown in the following table.

Name	Member of
User1	Domain Admins
User2	Backup Operators

The domain contains a computer named Computer1. Computer1 contains the users shown in the following table.

Name	Member of
User3	Administrators
User4	Users

On Computer1, you create a restore point named RP1.

Which users can restore RP1 on Computer1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Can restore RP1 on Computer1 while Windows is running:

User3 only
User1 and User3 only
User3 and User4 only
User1, User2, and User3 only
User1, User3, and User4 only

Can restore RP1 if Computer1 restarts by using Advanced startup:

User3 only
User1 and User3 only
User3 and User4 only
User1, User2, and User3 only
User1, User3, and User4 only

Answer:

Answer Area

Can restore RP1 on Computer1 while Windows is running:

User3 only
User1 and User3 only
User3 and User4 only
User1, User2, and User3 only
User1, User3, and User4 only

Can restore RP1 if Computer1 restarts by using Advanced startup:

User3 only
User1 and User3 only
User3 and User4 only
User1, User2, and User3 only
User1, User3, and User4 only

Explanation:

https://ss64.com/nt/syntax-security_groups.html

QUESTION 311

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a computer that runs Windows 10. The computer contains a folder. The folder contains sensitive data. You need to log which user reads the contents of the folder and modifies and deletes files in the folder.

Solution: From the properties of the folder, you configure the Auditing settings and from the Audit Policy in the local Group Policy, you configure Audit privilege use.

Does this meet the goal?

- A. Yes
- B. No
- C.
- D.

Answer: B

Explanation:

Files and folders are objects and are audited through object access, not through privilege use.
https://www.netwrix.com/how_to_detect_who_changed_file_or_folder_owner.html

QUESTION 312

Your company has a branch office that contains 25 workgroup computers. The computers run Windows 10 Pro. Users report that they cannot see other computers from Network in File Explorer. What should you do to resolve the issue?

- A. Set Network profile to Private.
- B. Turn off random hardware addresses for the network connection.
- C. Set Network profile to Public.
- D. Configure the network connection as a metered connection.

Answer: A