

Vendor: Microsoft

> Exam Code: MS-203

Exam Name: Microsoft 365 Messaging

→ New Updated Questions from Braindump2go (Updated in Sep/2020)

Visit Braindump2go and Download Full Version MS-203 Exam Dumps

QUESTION 13

Case Study: 2 - Litware, inc

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome. Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site. Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory. Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance. Each office has the following servers and client computers:

- One reverse proxy appliance
- One Microsoft Exchange Server 2019 server
- One Windows Server Update Services (WSUS) server
- Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers. Each user has an archive mailbox. Archiving is configured to use the default settings. Exchange services are published to the internet by using a reverse proxy in each office. A full backup of Exchange is performed nightly. Incremental backups occur every six hours. All the users in the transport department connect to network resources by using a connection in the main office.

Requirements

Planned Changes

Litware plans to implement the following changes:

- Implement calendar sharing to partner companies.
- Implement a solution that prevents malware from being delivered to end users.
- Use personal archives to eliminate the need for PST files.
- Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
- Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements



Litware identifies the following technical requirements:

- Minimize administrative effort.
- Use the principle of least privilege.
- Ensure that junk email is deleted automatically after 14 days.
- Ensure that sent items and deleted items are deleted automatically after 30 days.
- Ensure that users in the customer service department can open multiple mailboxes.
- Ensure that all the former Brussels office users always maintain access to hosted voicemail.
- Ensure that the staff in the IT department can manage the email environment without and-user involvement.
- Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
- Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.

Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow. Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

QUESTION 14

Case Study: 2 - Litware, inc

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome. Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site. Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory. Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance. Each office has the following servers and client computers:

- One reverse proxy appliance
- One Microsoft Exchange Server 2019 server
- One Windows Server Update Services (WSUS) server
- Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers. Each user has an archive mailbox. Archiving is configured to use the default settings. Exchange services are published to the internet by using a reverse proxy in each office. A full backup of Exchange is performed nightly. Incremental backups occur every six hours. All the users in the



transport department connect to network resources by using a connection in the main office.

Requirements

Planned Changes

Litware plans to implement the following changes:

- Implement calendar sharing to partner companies.
- Implement a solution that prevents malware from being delivered to end users.
- Use personal archives to eliminate the need for PST files.
- Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
- Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize administrative effort.
- Use the principle of least privilege.
- Ensure that junk email is deleted automatically after 14 days.
- Ensure that sent items and deleted items are deleted automatically after 30 days.
- Ensure that users in the customer service department can open multiple mailboxes.
- Ensure that all the former Brussels office users always maintain access to hosted voicemail.
- Ensure that the staff in the IT department can manage the email environment without and-user involvement.
- Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
- Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.

Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow. Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

You need to resolve the issue for the customer service department users.

What should you modify?

- A. a transport rule
- B. the Send connector to the Internet
- C. the tarpit interval
- D. the global throttling policy

Answer: D

QUESTION 15

Case Study: 2 - Litware, inc

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome. Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site. Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory. Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.



All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance. Each office has the following servers and client computers:

- One reverse proxy appliance
- One Microsoft Exchange Server 2019 server
- One Windows Server Update Services (WSUS) server
- Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers. Each user has an archive mailbox. Archiving is configured to use the default settings. Exchange services are published to the internet by using a reverse proxy in each office. A full backup of Exchange is performed nightly. Incremental backups occur every six hours. All the users in the transport department connect to network resources by using a connection in the main office.

Requirements

Planned Changes

Litware plans to implement the following changes:

- Implement calendar sharing to partner companies.
- Implement a solution that prevents malware from being delivered to end users.
- Use personal archives to eliminate the need for PST files.
- Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
- Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize administrative effort.
- Use the principle of least privilege.
- Ensure that junk email is deleted automatically after 14 days.
- Ensure that sent items and deleted items are deleted automatically after 30 days.
- Ensure that users in the customer service department can open multiple mailboxes.
- Ensure that all the former Brussels office users always maintain access to hosted voicemail.
- Ensure that the staff in the IT department can manage the email environment without and-user involvement.
- Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
- Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.


Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow. Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

Hotspot Question

You need to implement a solution to meet the technical requirements for the SCL.

How should you complete the command? To answer, select the appropriate options in the answer area.





Answer:







Explanation:

https://docs.microsoft.com/en-us/powershell/module/exchange/organization/set-organizationconfig?view=exchange-ps

QUESTION 16

Case Study: 2 - Litware, inc

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome. Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site. Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory. Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins_Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance. Each office has the following servers and client computers:

- One reverse proxy appliance
- One Microsoft Exchange Server 2019 server
- One Windows Server Update Services (WSUS) server
- Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers. Each user has an archive mailbox. Archiving is configured to use the default settings. Exchange services are published to the internet by using a reverse proxy in each office. A full backup of Exchange is performed nightly. Incremental backups occur every six hours. All the users in the transport department connect to network resources by using a connection in the main office.

Requirements

Planned Changes

Litware plans to implement the following changes:

- Implement calendar sharing to partner companies.
- Implement a solution that prevents malware from being delivered to end users.
- Use personal archives to eliminate the need for PST files.
- Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
- Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize administrative effort.
- Use the principle of least privilege.
- Ensure that junk email is deleted automatically after 14 days.



- Ensure that sent items and deleted items are deleted automatically after 30 days.
- Ensure that users in the customer service department can open multiple mailboxes.
- Ensure that all the former Brussels office users always maintain access to hosted voicemail.
- Ensure that the staff in the IT department can manage the email environment without and-user involvement.
- Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
- Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.

Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow. Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

Hotspot Question

You need to implement a solution that meets the technical requirements for the retention of junk email, sent items, and deleted items.

What is the minimum number of retention policies and retention tags you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Retention tags:	R	et	e	nti	0	n t	a	g	S	:
-----------------	---	----	---	-----	---	-----	---	---	---	---

	•
1	
2	
3	
14	
30	

Retention policies:

	•
1	
2	
3	
14	
30	


Answer:



Retention tags:

	•
1	
2	
3	
14	
30	

Retention policies:



QUESTION 17

Case Study: 2 - Litware, inc

Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome. Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site. Each branch office is represented organizational unit (OU) in an OU named Offices in Active Directory. Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance. Each office has the following servers and client computers:

- One reverse proxy appliance
- One Microsoft Exchange Server 2019 server
- One Windows Server Update Services (WSUS) server
- Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers. Each user has an archive mailbox. Archiving is configured to use the default settings. Exchange services are published to the internet by using a reverse proxy in each office. A full backup of Exchange is performed nightly. Incremental backups occur every six hours. All the users in the transport department connect to network resources by using a connection in the main office.

Requirements



Planned Changes

Litware plans to implement the following changes:

- Implement calendar sharing to partner companies.
- Implement a solution that prevents malware from being delivered to end users.
- Use personal archives to eliminate the need for PST files.
- Ensure the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
- Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.

Technical Requirements

Litware identifies the following technical requirements:

- Minimize administrative effort.
- Use the principle of least privilege.
- Ensure that junk email is deleted automatically after 14 days.
- Ensure that sent items and deleted items are deleted automatically after 30 days.
- Ensure that users in the customer service department can open multiple mailboxes.
- Ensure that all the former Brussels office users always maintain access to hosted voicemail.
- Ensure that the staff in the IT department can manage the email environment without and-user involvement.
- Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
- Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.

Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow. Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

Hotspot Question

Your company named Contoso, Ltd. has a Microsoft Exchange Server 2019 organization that contains the mailbox databases shown in the following table.

NAME	Description
MBX01	Contains all the mailboxes for the managers at Contoso
MBX02	Contains all the mailboxes for the finance department of Contoso

You need to assign an offline address book (OAB) named Managers to all the users in a group named Managers. How should you complete the PowerShell script? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	0	0
User2 can share free/busy hours, subject, and location with the users at Contoso.	0	0
User3 can share calendars with the users at Litware.	0	0

Answer:



Statements	Yes	No
For User1 to share contacts with the users at Fabrikam, a federation trust is required.	0	0
User2 can share free/busy hours, subject, and location with the users at Contoso.	0	0
User3 can share calendars with the users at Litware.	0	0

QUESTION 18

Hotspot Question

Your company has a Microsoft Exchange Server 2019 hybrid deployment. The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No. NOTE: Each correct selection is worth one point.



	Statements	Yes	No
	Admin1 can search for email messages in every mailbox in the organization by running the New-ComplianceSearch cmdlet.	0	0
	Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the Search-mailbox cmdlet.	0	0
	Admin1 can delete email message from every mailbox of the marketing department by running the Search-Mailbox cmdlet.	0	
Answer:			
	Statements	Yes	No
	Admin1 can search for email messages in every mailbox in the organization by running the New-ComplianceSearch cmdlet.	0	0
	Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the Search-mailbox cmdlet.	0	0
	Admin1 can delete email message from every mailbox of the marketing department by running the Search-Mailbox cmdlet.	0	0

Explanation:

https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps

QUESTION 19

Your company has a Microsoft Exchange Server 2019 organization. The company purchases five portable projectors for its sales department.

You need to enable the users in the sales department to reserve the projectors by using their calendar in Exchange. What is the best type of recipient to use to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. a user mailbox
- B. a resource mailbox
- C. a shared mailbox
- D. a distribution group

Answer: B

QUESTION 20

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com.

The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4
- D. 5

Answer: A



QUESTION 21

You have an Exchange Online tenant that contains several hundred mailboxes. Several users report that email messages from an SMTP domain named @fabrikam.com often fail to be delivered to their mailbox.

You need to increase the likelihood that the email messages from the @fabrikam.com are delivered successfully to the users in the tenant.

- A. From the Security & Compliance admin center, modify the anti-spam policy settings.
- B. From the Security & Compliance admin center, modify the DKIM settings.
- C. From your public DNS zones, create a Sender Policy Framework (SPF) TXT record.
- D. From the Security & Compliance admin center, create a new ATP anti-phishing policy.

Answer: A

QUESTION 22

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam.

What should you do?

- A. Edit the default mail flow rule to bypass the spam filter.
- B. Create a new remote domain.
- C. Edit a spam filter policy.
- D. Create a new malware filter policy.

Answer: C

QUESTION 23

You manage an Exchange Online tenant.

You plan to migrate on-premises Microsoft Exchange Server mailboxes by using a cutover migration.

You need to grant the required permissions to the migration administrator account to complete the migration.

The solution must use the principle of least privilege.

Which three permissions should you grant? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. the Receive As permission on the on-premises mailbox database that stores the user mailboxes and the WriteProperty permission to modify the TargetAddress property of the on-premises user account
- B. the Receive As permission on the on-premises mailbox database that stores the user mailboxes
- C. the FullAccess permission on each on-premises mailbox and the Write Property permission to modify the TargetAddress property of the on premises user account
- D. Domain Admins group member in Active Directory Domain Services (AD DS) of the on-premises Exchange organization.
- E. the FullAccess permission on each on-premises mailbox

Answer: ACD Explanation:

https://docs.microsoft.com/en-us/exchange/mailbox-migration/assign-permissions-for-migration