

➤ **Vendor: CompTIA**

➤ **Exam Code: N10-007**

➤ **Exam Name: CompTIA Network+ N10-007 Certification Exam**

➤ **New Updated Questions from [Braindump2go](#) (Updated in [June/2020](#))**

Visit Braindump2go and Download Full Version N10-007 Exam Dumps

QUESTION 929

A network administrator is configuring a new Internet connection. The ISP provided a fiber-optic handoff, but the company's firewall only supports copper Ethernet interfaces. The administrator wants to connect the devices as easily as possible. Which of the following would be the BEST way to provide the connectivity needed?

- A. Bridge
- B. Router
- C. Multilayer switch
- D. Media converter

Answer: D

QUESTION 930

A network technician is responding to a user's trouble ticket. After replacing the network patch cable with a longer cable, the user is no longer connecting to the network. The network administrator tests the patch cable with a tester and confirms the cable is not faulty. Which of the following is the issue with the newly installed cable?

- A. The user ordered Cat5e cable instead of Cat3.
- B. A crossover cable was installed.
- C. The total cable run exceeds the maximum distance.
- D. There is a network speed mismatch between the computer and the switch.

Answer: C

QUESTION 931

A brokerage firm requires high-speed network connectivity between several buildings in the financial district. Which of the following topologies would BEST meet this requirement?

- A. PAN
- B. WLAN
- C. SAN
- D. MAN

Answer: D

QUESTION 932

Which of the following is a policy that communicates the guidelines for connecting personal employee devices to the corporate network?

[MB-310 Exam Dumps](#) [MB-310 Exam Questions](#) [MB-310 PDF Dumps](#) [MB-310 VCE](#)

[Dumps https://www.braindump2go.com/n10-007.html](https://www.braindump2go.com/n10-007.html)

- A. Remote access
- B. NDA
- C. SLA
- D. BYOD
- E. Incident response

Answer: D

QUESTION 933

A security administrator wants to implement the ability to prevent an authorized user from tailgating into the office building. Which of the following should be implemented?

- A. Badge reader
- B. Bluetooth reader
- C. Cipher lock
- D. Mantrap

Answer: D

QUESTION 934

A network manager notices several outages have occurred due to modifications that were made without being properly tested. Which of the following will the network manager MOST likely implement to prevent future occurrences?

- A. Logical diagram
- B. Change management
- C. IDF documentation
- D. Configuration baseline

Answer: B

QUESTION 935

Due to an increase in wireless demand, 50 additional access points were installed as part of an expansion project. Each device was configured and managed separately, working with its own configuration. Which of the following network devices would assist the network team with reducing complexity and enforcing policies on the WLAN?

- A. Wireless controller
- B. Wireless range extender
- C. Wireless load balancer
- D. Wireless analyzer

Answer: A

QUESTION 936

Joe, a user, reports intermittent connectivity issues, but a technician notices that the only time Joe has issues is when he is logged into the database. Losing connection after authenticating to a database, but still having access to network resources such as file/print services and email, would MOST likely be caused by:

- A. an incorrect DHCP gateway setting
- B. a duplicate IP address
- C. NTP synchronization
- D. ACL configuration

Answer: D

QUESTION 937

[MB-310 Exam Dumps](#) **[MB-310 Exam Questions](#)** **[MB-310 PDF Dumps](#)** **[MB-310 VCE](#)**

[Dumps https://www.braindump2go.com/n10-007.html](https://www.braindump2go.com/n10-007.html)

A server rack was moved from one floor to another. The network engineer needs to determine what physical changes to make on the network to ensure the server rack has connectivity. Which of the following should the network engineer consult?

- A. Standard operating procedures
- B. Wiring diagram
- C. Inventory documentation
- D. Network baseline

Answer: B

QUESTION 938

An email server, which is called "Frederick," has an IPv6 address of 2001:5689:23:ABCD:6A, but most users call it "Fred" for short. Which of the following DNS entries is needed so the alias "Fred" can also be used?

- A. MX
- B. AAAA
- C. SRV
- D. CNAME
- E. TXT
- F. NS

Answer: D

QUESTION 939

A network administrator needs to be able to burst datacenter capacity during peak times, but does not want to pay for on-premises hardware that is not used during off-peak times. Which of the following would aid in this scenario?

- A. Public cloud
- B. SaaS
- C. PaaS
- D. Hybrid cloud

Answer: C

QUESTION 940

A user wants to secure a network closet and be able to tell if anyone makes changes in the closet. Which of the following would be the BEST detective physical security devices in this situation? (Choose two.)

- A. Anti-tampering
- B. Badges
- C. Door locks
- D. Key fob
- E. Motion detection
- F. Video surveillance

Answer: AF