

- **Vendor:** Fortinet
- **Exam Code:** NS0-527
- **Exam Name:** NetApp Certified Implementation Engineer, Data Pro
- **New Updated Questions from** [Braindump2go](#)
- **(Updated in** [October/2022](#)**)**

Visit Braindump2go and Download Full Version NS0-527 Exam Dumps

Question: 31

A customer is running ONTAP 9.7 on a FAS2720 cluster that has 12 x 4 TB NL-SAS drives in the chassis with capacity running low. You decide to use Fabric Pool technology to solve this problem.

What does the customer need to do to accomplish this task?

- A. Add an SSD aggregate.
- B. Purchase a Data Protection Optimized (DPO) license.
- C. Use the CLI and add a capacity pool.
- D. Use the wizard and add a capacity pool.

Answer: A

Explanation:

Reference: <http://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-mgng-stor-tier-fp%2FGUID-8E421CC9-1DE1-492F-A84C-9EB1B0177807.html>

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Question: 32

You are asked to provision some new storage for VMware. Which two tools are available to perform this task? (Choose two.)

- A. OnCommand Insight
- B. Virtual Storage Console
- C. ONTAP System Manager
- D. SnapCenter Plug-in for VMware vSphere

Answer: BC

Explanation:

Reference: https://docs.netapp.com/us-en/ontap/task_san_provision_vmware.html

Question: 33

Using ONTAP System Manager, you are asked to replicate all the volumes contained in a Storage VM to a remote ONTAP 9.7 system for quick disaster recovery.

Which two steps need to be completed to accomplish this task? (Choose two.)

- A. Create a SnapMirror relationship for each volume.
- B. Create a cluster peering relationship.
- C. Create an SVM-DR relationship.
- D. Create an SVM peering relationship.

Answer: BD

Explanation:

Question: 34

Click the Exhibit button.

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

| Hypervisor (OS) | Hypervisor Management Client (Hos...) |
|---|---|
| <input type="text" value="Search Components"/> <ul style="list-style-type: none"> <input type="checkbox"/> VMware ESXi 6.7 <input type="checkbox"/> VMware ESXi 6.7 (Update 1) <input type="checkbox"/> VMware ESXi 6.7 (Update 2) <input type="checkbox"/> VMware ESXi 6.7 (Update 3) <input checked="" type="checkbox"/> VMware ESXi 7.0 <input type="checkbox"/> VMware ESXi 6.0 <input type="checkbox"/> VMware ESXi 6.0 (Update 1) <input type="checkbox"/> VMware ESXi 6.0 (Update 3a) | <input type="text" value="Search Components"/> <ul style="list-style-type: none"> <input type="checkbox"/> VMware vCenter server 6.5 Update3 <input type="checkbox"/> VMware vCenter server 6.7 <input type="checkbox"/> VMware vCenter server 6.7 Update1 <input type="checkbox"/> VMware vCenter server 6.7 Update2 <input type="checkbox"/> VMware vCenter server 6.7 Update3 <input checked="" type="checkbox"/> VMware vCenter server 7.0 <input type="checkbox"/> VMware ESXi 6.5 Update3 <input type="checkbox"/> VMware vCenter server 6.0 Update3b |
| SnapCenter Host Plugin | SnapCenter Hypervisor Plugin |
| <input type="text" value="Search Components"/> <ul style="list-style-type: none"> <input type="checkbox"/> SnapCenter Plug-in 4.2.1 for Microsoft Windows <input type="checkbox"/> SnapCenter Plug-in 4.2.1 for UNIX <input type="checkbox"/> SnapCenter Plug-in 4.3 for Microsoft Windows <input type="checkbox"/> SnapCenter Plug-in 4.3 for UNIX <input type="checkbox"/> SnapCenter Plug-in 4.3.1 for Microsoft Windows <input type="checkbox"/> SnapCenter Plug-in 4.3.1 for UNIX <input type="checkbox"/> SnapCenter Plug-in 3.0 for Microsoft Windows <input type="checkbox"/> SnapCenter Plug-in 3.0 for UNIX | <input type="text" value="Search Components"/> <ul style="list-style-type: none"> <input type="checkbox"/> SnapCenter Plug-in 4.3 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 3.0 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 3.0.1 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 4.0 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 4.1 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 4.1.1 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 4.2 for VMware vSphere <input type="checkbox"/> SnapCenter Plug-in 4.2.1 for VMware vSphere |

An AFF A700 administrator is told that the VMware environment will be upgraded to vSphere 7 and it will continue to use NFSv3 for their datastores.

Referring to the exhibit, which version of SnapCenter Hypervisor Plugin and SnapCenter Server should they use?

- A. SnapCenter Plug-in 4.2.1 and SnapCenter Server 4.2.1
- B. SnapCenter Plug-in 4.3.1 and SnapCenter Server 4.3.1
- C. SnapCenter Plug-in 4.3 and SnapCenter Server 4.1
- D. SnapCenter Plug-in 4.3 and SnapCenter Server 4.3

Answer: C

Explanation:

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2863451

Question: 35

You are asked to perform a NetApp Snapshot copy single-file restore on a corrupted thin-provisioned LUN that is 10 GB in size and is currently at 80% full.

How much additional free space do you need in the volume to perform this operation?

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

- A. 20 GB
- B. 10 GB
- C. 16 GB

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

D. 8 GB

Answer: B

Explanation:

Question: 36

You have a SnapMirror relationship established between two sites and want to verify that the data on the DR site is usable without disturbing the source.

In this scenario, which three steps are required to accomplish this task? (Choose three.)

- A. Resynchronize the destination to the source volume, then update the source volume.
- B. Resume the SnapMirror destination, then update the SnapMirror destination.
- C. Quiesce the SnapMirror destination, then break the SnapMirror destination.
- D. Reverse the SnapMirror source and destination, then re-initialize SnapMirror.
- E. Configure the destination volume for data access, then access the data volume from a client.

Answer: ACD

Explanation:

Question: 37

You are asked to protect your user's HomeDir volume by keeping one weekly Snapshot copy for 52 weeks, one monthly Snapshot copy for six months, and one daily Snapshot copy for 90 days.

Which two statements describe how to accomplish this task? (Choose two.)

- A. Create a single job schedule for weekly, monthly, and daily.
- B. Create individual job schedules for weekly, monthly, and daily.
- C. Create a policy to include the new job schedules.
- D. Create a separate policy for weekly, monthly, and daily.

Answer: AC

Explanation:

Question: 38

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

A customer has a MetroCluster configuration and wants to automate the disaster recovery process for unplanned automatic switchover.

[NS0-527 Exam Dumps](#) **[NS0-527 Exam Questions](#)**

[NS0-527 PDF Dumps](#) **[NS0-527 VCE Dumps](#)**

<https://www.braindump2go.com/ns0-527.html>

Which NetApp tool would accomplish this task?

- A. ONTAP System Manager
- B. SnapCenter
- C. ONTAP Mediator
- D. Active IQ Unified Manager

Answer: D

Explanation:

Question: 39

You are planning to deploy MetroCluster IP. As part of the implementation strategy, you are asked to verify that you have the relevant hardware for the deployment.

Which two elements are required to deploy your solution? (Choose two.)

- A. storage controllers
- B. FC network switches
- C. cluster peering network
- D. iSCSI Ethernet switches

Answer: CD

Explanation:

Question: 40

A company has a 4-node FAS9000 fabric MetroCluster cluster separated by 101 km. Site A has an unmirrored HDD aggregate. An FC-VI card fails in one of the nodes in site A and a switchover occurs.

Which statement is correct in this scenario?

- A. The aggregate is accessible using Site A's surviving node.
- B. Only SSD aggregates are accessible.
- C. The distance is not supported.
- D. The aggregate is accessible using Site B's cluster.

Answer: D

Explanation:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Question: 41

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

What are two ways to determine if your SnapMirror relationships are up-to-date? (Choose two.)

- A. Use Active IQ and navigate to Cluster -> Volumes -> Protection.
- B. Use Active IQ Unified Manager and navigate to Protection -> Volume Relationships.
- C. Use ONTAP System Manager and navigate to Protection -> Volume Relationships on the destination cluster.
- D. Use ONTAP System Manager and navigate to Protection -> Volume Relationships on the source cluster.

Answer: AC

Explanation:

Question: 42

Click the Exhibit button.

```
select::> vol show -fields used -volume Engineering,Marketing
vserver volume      used
-----
VS1      Engineering  2.13TB
VS1      Marketing    2.62TB

2      entries were displayed.
```

Your customer is deploying SnapCenter to protect volumes on an ONTAP Select cluster.

Referring to the exhibit, which licensing is required to protect the Engineering and Marketing volumes?

- A. a SnapManagerSuite controller-based license
- B. a 3TB SnapCenter capacity-based license
- C. a 5TB SnapCenter capacity-based license
- D. a SnapProtectApps controller-based license

Answer: D

Explanation:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Question: 43

A company just installed SnapCenter to help manage their ONTAP 9.7 environment. The database administrator wants to add new volumes with LUNs for a 10 TB Oracle database.

Which two tools would accomplish this task? (Choose two.)

[NS0-527 Exam Dumps](#) **[NS0-527 Exam Questions](#)**

[NS0-527 PDF Dumps](#) **[NS0-527 VCE Dumps](#)**

<https://www.braindump2go.com/ns0-527.html>

- A. SnapCenter Plug-in for Oracle Database
- B. OnCommand Insight
- C. ONTAP System Manager
- D. Active IQ Unified Manager

Answer: AB

Explanation:

Reference: [http://197.253.9.244/ontap%209-5/Cluster%20Admin/2 Student%20Guide/STRSW-ILT-ONTAPADM_StudentGuide.pdf](http://197.253.9.244/ontap%209-5/Cluster%20Admin/2%20Student%20Guide/STRSW-ILT-ONTAPADM_StudentGuide.pdf)

Question: 44

During NDMP incremental backups, you want to reduce the time spent finding the changed data between two Snapshot copies.

In this scenario, which ONTAP feature will accomplish this task?

- A. compaction
- B. deduplication
- C. SnapDiff
- D. SnapLock

Answer: C

Explanation:

Reference: <https://www.rubrik.com/en/blog/products-solutions/20/1/nas-backup-rpo-changelist-snapshots>

Question: 45

You are configuring a SnapMirror replication between a source volume with adaptive compression enabled and a destination volume with secondary compression enabled.

In this scenario; which statement is correct?

- A. Blocks are uncompressed at the source and transferred to the destination.
- B. Logical replication with storage efficiency is used.
- C. Storage efficiency (compressed and deduplicated blocks) is preserved during data transfer.
- D. Data is recompressed using the source volume's compression type.

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Answer: C

Explanation:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Reference:

https://kb.netapp.com/Advice_and_Troubleshooting/Data_Protection_and_Security/SnapMirror/SnapMirror_storage_efficiency_configurations_and_behavior

Question: 46

A FAS2750 cluster administrator experiences network issues during replication updates that pass over a low-bandwidth WAN link to their DR site. They also replicate locally to another cluster for testing and development. The administrator wants to enable network compression only on the existing WAN Link SnapMirror jobs.

In this scenario, which statement is correct?

- A. Network compression must be enabled when initializing the replica, the current jobs need to be deleted and new ones created.
- B. Network compression is a global option and it cannot be used.
- C. The current DR transfers must be aborted and the option enabled on each job, then resume the transfer.
- D. Network compression is possible but not on a FAS2750.

Answer: C

Explanation:

Question: 47

Which two types of volumes support NDMP backup? (Choose two.)

- A. FlexCache
- B. Flash Pool
- C. FlexVol
- D. FlexGroup

Answer: CD

Explanation:

Question: 48

When installing a new AFF A700s, you notice that the HA interconnect adapters use miniSAS HD. You subsequently consult Hardware Universe to find out that only 0.5M cables are supported. Due to the

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

importance of the system data fields that use this link, you delay the installation until you can acquire 0.5M cables.

In this scenario, which two system data fields are communicated between HA pairs over the

[NS0-527 Exam Dumps](#) **[NS0-527 Exam Questions](#)**

[NS0-527 PDF Dumps](#) **[NS0-527 VCE Dumps](#)**

<https://www.braindump2go.com/ns0-527.html>

interconnect adapters? (Choose two.)

- A. NVRAM mirroring
- B. heartbeat signal
- C. intercluster peering
- D. data location

Answer: AC

Explanation:









Question: 49

Click the Exhibit button.

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

| <input type="checkbox"/> | Name | Storage VM | Status | Capacity (available total) | Protection |
|--------------------------|---------------------------------------|-----------------------------|--------------------------|---|---|
| ^ | mworthen_src1_lun | mworthen_src1 | Online | <div><div></div></div> 27.16 MB 3.03 GB |   |
| | STATUS Online | EXPORT POLICY default | TYPE Read Write | STORAGE EFFICIENCY Enabled | SNAPSHOT COPIES (LOCAL) SNAPMIRROR (LOCAL OR REMOTE) |
| | STYLE FlexVol | QUOTA Off | QOS POLICY GROUP - | STATUS Unprotected | STATUS Unprotected |
| | SPACE RESERVATION Thin Provisioned | | | SNAPSHOT POLICY none | |
| ^ | my_vol | svm_argn | Online | <div><div></div></div> 474.57 MB 500 MB |   |
| | STATUS Online | EXPORT POLICY default | TYPE Read Write | STORAGE EFFICIENCY Enabled | SNAPSHOT COPIES (LOCAL) SNAPMIRROR (LOCAL OR REMOTE) |
| | STYLE FlexVol | QUOTA Off | QOS POLICY GROUP pg10 | STATUS Protected | STATUS Unprotected |
| | SPACE RESERVATION Thin Provisioned | | | SNAPSHOT POLICY default | |
| ^ | new_work_vol | AFF_SAN_DEFAULT_SVM | Online | <div><div></div></div> 3.32 GB 25.77 GB |   |
| | STATUS Online | EXPORT POLICY default | TYPE Read Write | STORAGE EFFICIENCY Enabled | SNAPSHOT COPIES (LOCAL) SNAPMIRROR (LOCAL OR REMOTE) |
| | STYLE FlexVol | QUOTA Off | QOS POLICY GROUP - | STATUS Unprotected | STATUS Unprotected |
| | SPACE RESERVATION Thin Provisioned | | | SNAPSHOT POLICY none | |
| ^ | project_a | svm_fabricpool | Online | <div><div></div></div> 3.32 GB 25.77 GB |   |
| | STATUS Online | EXPORT POLICY fabricpool | TYPE Read Write | STORAGE EFFICIENCY Enabled | SNAPSHOT COPIES (LOCAL) SNAPMIRROR (LOCAL OR REMOTE) |
| | STYLE FlexVol | QUOTA Off | QOS POLICY GROUP - | STATUS Protected | PROJECTED ON CLUSTER aff |
| | SPACE RESERVATION Thin Provisioned | | | SNAPSHOT POLICY default | PROJECTED ON VOLUME project_a_dest |
| | | | | | STATUS Mirrored |
| | | | | | PROJECTION POLICY Asynchronous |

Referring to the exhibit, which volume has the highest level of protection assigned to it?

- A. project_a
- B. mworthen_src1_lun
- C. my_vol
- D. new_work_vol

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Answer: B

Explanation:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Question: 50

Which two NetApp features would help you to recover from a file share that was encrypted by a ransomware event? (Choose two.)

- A. SnapLock
- B. SnapMirror
- C. SnapRestore
- D. Snapshot

Answer: AB

Explanation:

Reference: <https://blog.netapp.com/fighting-ransomware-recover-data>

Question: 51

You noticed that your SnapVault relationship is healthy but that the destination volume does not have any Snapshot copies.

In this scenario, what should be performed to solve the problem?

- A. Set up volume destination free space.
- B. Set up volume source free space.
- C. Use the snapvault update command.
- D. Configure a rule with the Snapshot label.

Answer: C

Explanation:

Question: 52

You have a NAS volume that contains 250 GB of data with a daily change rate of 10%. You want to keep seven daily Snapshot copies.

In this scenario, what should the minimum copies of the volume be?

- A. 325 GB
- B. 550 GB
- C. 250 GB

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

D. 425 GB

Answer: B

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Explanation:

Reference: <https://library.netapp.com/ecmdocs/ECMP1368845/html/GUID-3AA3830F-FA54-4BA1-8309-AF0809B1CF73.html>

Question: 53

Click the Exhibit button.

Volume Relationships

+ Create Edit Delete Operations Refresh

| Source Storage Vi... | Source Volume | Destination V... | Destination Sto... | Is Healthy | Relation... | Transfer... | Relationshi... | Lag Time |
|----------------------|---------------|---------------------|--------------------|------------|---------------|-------------|----------------|----------------|
| svm_fabricpool | demo_volume | demo_volume_dest | svm_fabricpool | Yes | Snapmirror... | Idle | Asynchrono... | 14hr(s) 26 ... |
| svm_fabricpool | demo_volume | demo_volume_DR | svm_fabricpool | Yes | Snapmirror... | Idle | Asynchrono... | 31 mins(s) |
| svm_fabricpool | project_a | project_a_dest | svm_fabricpool | Yes | Snapmirror... | Idle | Asynchrono... | 31 mins(s) |
| svm_fabricpool | project_b | project_b_dest | svm_fabricpool | Yes | Snapmirror... | Idle | Asynchrono... | 31 mins(s) |
| svm_fabricpool | project_c | project_bsnapvau... | svm_illantz | Yes | Snapmirror... | Idle | Asynchrono... | 31 mins(s) |

A customer wants to ensure that their volumes are protected. In ONTAP System Manager, under the Protection section, you see the screen that is shown in the exhibit. The company has an asynchronous mirror policy of less than a 60-minute lag.

Referring to the exhibit, which volume has a lag that exceeds the company policy?

- A. svm_fabricpool:demo_volume -> svm_fabricpool:demo_volume_dest
- B. svm_fabricpool:project_a -> svm_fabricpool:project_a_dest
- C. svm_fabricpool:demo_volume -> svm_fabricpool:demo_volume_DR
- D. svm_fabricpool:project_b -> svm_fabricpool:project_b_dest

Answer: C

Explanation:

Question: 54

You are using Veeam Backup & Replication to create Snapshot-based backups of your VMware environment running ONTAP. You added your primary and secondary ONTAP cluster to the Veeam Storage inventory.

However, you are unable to select your secondary ONTAP cluster as a secondary target for your Veeam backup job.

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

In ONTAP System Manager, which action solves this problem?

A. Select "Make Snapshot directory visible" for each volume that you want to back up.

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

- B. Create a vsadmin account to grant cluster access to Veeam for each volume that you want to back up.
- C. Change the security style to NTFS for the volume you want to back up.
- D. Initialize SnapVault for the volume that you want to back up.

Answer: D

Explanation:

Question: 55

You are the administrator of an ONTAP cluster, where the majority of users are using Linux machines with home directories mounted using NFS. You keep six daily, four weekly, and one monthly Snapshot copy locally. However, you do not replicate the data to another instance of ONTAP. One of your users reports having accidentally deleted a file, but does not remember the self-serve restore procedure.

How does the user restore the file without having administrator privileges on the cluster?

- A. Issue the snapshot restore-file command.
- B. Copy the deleted file from the .snapshot directory.
- C. Issue the volume snapshot restore command.
- D. Using ONTAP System Manager, restore the volume from a Snapshot copy.

Answer: B

Explanation:

Question: 56

You want to use SnapCenter to restore an MS SQL database on iSCSI LUNs from a previous application-consistent snapshot.

In this scenario, what is required to accomplish this task?

- A. Confirm multipathing for iSCSI is enabled on the host.
- B. Confirm that the database server is running on the host.
- C. Confirm that the database server is not running on the host.
- D. Confirm that the iSCSI service is disabled on the host.

Answer: B

Explanation:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Question: 57

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

You want to create an application-consistent Snapshot copy by using SnapCenter software. What is required to accomplish this task?

- A. NetApp NFS Plug-in for VMware VAAI
- B. SnapDrive for Windows Server
- C. VMware VM Tools
- D. Plug-in for Microsoft Exchange

Answer: B

Explanation:

Question: 58

You have successfully deployed a primary and a secondary ONTAP cluster. You want to set up an intercluster SnapMirror relationship between your primary and secondary sites.

In this scenario, which two actions are required before accomplishing this task? (Choose two.)

- A. NDMP must be enabled.
- B. The SVMs must be peered.
- C. The primary and secondary clusters must be peered.
- D. The Snapshot schedule must be configured.

Answer: A,B

Explanation:

Question: 59

A customer wants to set up an SVM DR relationship to protect a source SVM that is dedicated for NAS file services. The source and destination clusters are running ONTAP 9.5.

In this scenario, which application accomplishes this task?

- A. OnCommand Unified Manager
- B. OnCommand System Manager
- C. SnapCenter
- D. Snap Creator

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Explanation:

Question:

60

After
deployin
g an
ONTAP
Select 2
node HA
cluster at
a remote
site, you
successfu
lly
perform
manual
takeover

and
giveback
before
placing
the
cluster
into
producti
on. After
the
cluster
runs in
producti
on for a
week,
you
notice
that you
can no
longer
perform

Answer: B

a manual takeover.

In this scenario, what are two causes of this problem? (Choose two.)

- A. There is a network disruption between sites.
- B. ONTAP Deploy has been deleted.
- C. The vSphere HA service has failed.
- D. The HA interconnect cables have been removed.

Answer: A,D

Explanation:

Question: 61

A customer's infrastructure consists of multiple ONTAP clusters, both physical and virtual. The clusters replicate some data with each other. You want to generate a comprehensive report of all the replication that is present on the infrastructure.

In this scenario, which tool accomplishes this task?

- A. OnCommand System Manager
- B. Storage Replication Adapter
- C. OnCommand Unified

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>

Manager
D. OnComm
and
Workflow
Automati
on

Ans

wer: A

Explanatio
n:

[NS0-527 Exam Dumps](#) [NS0-527 Exam Questions](#)

[NS0-527 PDF Dumps](#) [NS0-527 VCE Dumps](#)

<https://www.braindump2go.com/ns0-527.html>